CONCRETE BATCHING PLANT AIR GENERAL PERMIT REGISTRATION FORM

Part II. Notification to Permitting Office

(Detach and submit to appropriate permitting office; keep copy onsite)

ELLER MODIR SQUARE SQUA Instructions: To give notice to the Department of an eligible facility's intent to use this air general permit, the owner or operator of the facility must detach and complete this part of the Air General Permit Registration Form and submit it to the appropriate Department of Environmental Protection or local air pollution control program office which has permitting authority. Please type or print clearly all information, and enclose the appropriate air general permit registration processing fee pursuant to Rule 62-4.050, F.A.C. (\$100 as of the effective date of this form)

Registration Type U67U066 UU7
Check one:
INITIAL REGISTRATION - Notification of intent to: ☐ Construct and operate a proposed new facility. ☐ Operate an existing facility not currently using an air general permit (e.g., a facility proposing to go from an air operation permit to an air general permit).
RE-REGISTRATION (for facilities currently using an air general permit) - Notification of intent to: Continue operating the facility after expiration of the current term of air general permit use. Continue operating the facility after a change of ownership. Make an equipment change requiring re-registration pursuant to Rule 62-210.310(2)(e), F.A.C., or any other change not considered an administrative correction under Rule 62-210.310(2)(d), F.A.C.
Surrender of Existing Air Operation Permit(s) - For Initial Registrations Only
If the facility currently holds one or more air operation permits, such permit(s) must be surrendered by the owner or operator upon the effective date of this air general permit. In such case, check the first box, and indicate the operation permits being surrendered. If no air operation permits are held by the facility, check the second box.
All existing air operation permits for this facility are hereby surrendered upon the effective date of this air general permit; specifically permit number(s): FDEP Permit No. 0690066-003-AO
No air operation permits currently exist for this facility.
General Facility Information
Facility Owner/Company Name (Name of corporation, agency, or individual owner who or which owns, leases, operates, controls, or supervises the facility.)
Mack Concrete Industries, Inc.
Site Name (Name, if any, of the facility site; e.g., Plant A, Metropolis Plant, etc. If more than one facility is owned, a registration form must be completed for each.)
Mack Concrete Industries, Inc.
Facility Location (Provide the physical location of the facility, not necessarily the mailing address.)
Street Address: 23902 County Road 561 City: Astatula County: Lake Zip Code:34705
City: Astatula County: Lake Zip Code:34705
Facility Start-Up Date (Estimated start-up date of proposed new facility.)(N/A for existing facility)

DEP Form No. 62-210.920(2)(b) Effective: January 10, 2007

Owner/Authorized Representative

Name and Position Title (Person who, by signing this form below, certifies that the facility is eligible to use this air general permit.)

Print Name and Title: Greg Liskey, Vice President and General Manager

Owner/Authorized Representative Mailing Address

Organization/Firm: Mack Concrete Industries, Inc.

Street Address: 23902 County Road 561

City: Astatula

County: Lake

Zip Code:34705

Owner/Authorized Representative Telephone Numbers

Telephone: (352) 742-2333

Cell phone (optional):

Fax: (352) 742-0799

Facility Contact (If different from Owner/Authorized Representative)

Name and Position Title (Plant manager or person to be contacted regarding day-to-day operations at the facility.)
Print Name and Title: Greg Liskey, Vice President and General Manager

Facility Contact Mailing Address

Organization/Firm: Mack Concrete Industries, Inc.

Street Address: 23902 County Road 561

City: Astatula

County: Lake

Zip Code:34705

Facility Contact Telephone Numbers

Telephone: (352) 742-2333

Cell phone (optional):

Fax: (352) 742-0799

Owner/Authorized Representative Statement

This statement must be signed and dated by the person named above as owner or authorized representative I, the undersigned, am the owner or authorized representative of the owner or operator of the facility addressed in this Air General Permit Registration Form. I hereby certify, based on information and belief formed after reasonable inquiry, that the facility addressed in this registration form is eligible for use of this air general permit and that the statements made in this registration form are true, accurate and complete. Further, I agree to operate and maintain the facility described in this registration form so

and complete. Further, I agree to operate and maintain the facility described in this registration form so as to comply with all applicable standards for control of air pollutant emissions found in the statutes of the State of Florida and rules of the Department of Environmental Protection and revisions thereof.

I will promptly notify the Department of any changes to the information contained in this registration

form.

Signature

9-27-07

Date

Type of Facility									
Check one:									
☑ Stationary Facility	☐ Relocatable Facility								
Type(s) of Reasonable Precautions Uses	d to Prevent Unconfined Emissions								
Check all precautions to be used for the	management of roads, parking areas,	, stock piles and yards:							
Pave Roads	Pave Roads Pave Parking Areas Pave Yards								
Maintain Roads/Parking/Yards	☐ Use Water Application	Use Dust Suppressant							
Remove Particulate Matter	Reduce Stock Pile Height	☐ Install Wind Breaks							
Check all precautions to be used for the	management of drop points to trucks	:							
Spray Bar	Chute	☐ Enclosure							
	Partial enclosure								
Description of Reasonable Precautions									
Below, or as an attachment to this form, punconfined emissions at the facility.	provide details of all types of reasonal	ble precautions to be used to prevent							
uncommed emissions at the lacinety.									
Aggregate and sand stock piles are located	d within three sided cement walled w	ind breaks. A water spray system is							
utilized on the stock piles to maintain a m	inimum moisture content of 8 to 12	% in accordance with D.O.T.							
standards.									
The limited roadways and yard areas are									
fugitive particulate emissions resulting from particulate matter is collected and remove		ir frame. Periodic accumulated							
	,								
The site and various equipment on the site	e are maintained under a rigorous rou	tine maintenance system to allow							
operational efficiency.	•								
The true coment and one fly ask starogs s	ilog (a total of three ciles) are each ag	winned with concepts background to							
The two cement and one fly ash storage sollect and control periodically generated									
truck.									
		•							
Mack Concrete Industrie, Inc. also has an	onsite FDEP certified visible emission	ons observer who daily inspects the							
operations.									
·									

DEP Form No. 62-210.920(2)(b) Effective: January 10, 2007

Description of Facility

Below, or as an attachment to this form, provide a description of the concrete batching plant operations at the facility in sufficient detail to demonstrate the facility's eligibility for use of this air general permit and to provide a basis for tracking any future equipment or process changes at the facility. Describe all air pollutant-emitting processes and equipment at the facility, and identify any air pollution control measures or equipment used.

The purpose of this submittal is to obtain a five-year Air General Operating Permit for a concrete batching operation which produces pre-stress concrete products. The operation consists of two 11' diameter storage silos (1-cement and 1-fly ash) each equipped with a C&W Manufacturing Model #CP-310-478 dust collector; and one 13' diameter cement storage silo equipped with a C&W Manufacturing Model #CP-LPR-8-P dust collector (a total of three silos). Each collector is rated at 99.9% effficiency to collect and control periodically generated particulate ladden air during the pneumatic loading of the silos by a tanker truck.

Sand/aggregate materials utilized in the mix to make the concrete products are stored on site in separate storage areas composed of wind break cement sided walls to protect the materials from being dried out by the wind. The stockplies are maintained by a water sprinkling system in accordance to D.O.T standards (maintaining a moisture content of approximately 8 to 12%). As a result, there are no visible fugitive emissions from the storage or movement of these materials. The moist sand and aggregate materials are periodically removed from their storage areas via front-end loaders and transferred into a ground level feed hopper then onto a conveyor belt which move the materials to elevated weigh hopper storage bins. The materials are then dispersed as necessary onto a belt conveyor and directed to a 2-cubic yard mix hopper (equipped with a water spray ring and a rubber seal enclosing the mix hopper). The materials are combined with cement, fly ash product (dispersed from separate elevated storage silos via enclosed chutes), and water (in accordance with job specifications) to form a concrete mix. The finished concrete mix is then directed from the mix hopper (via an enclosed chute) and poured into various molds to make the pre-stress concrete products.

Please see the following Attachments:

Attachment 1: Particulate Emission Calculations To Obtain Air General Operating Permit.

Attachment 2: Plot Plan-Attachment 3: USGS Map-

Attachment 4: Manufacturer's Information and Process Equipment

Attachment 5: Copy of August 13, 2007 DEP Method 9 compliance testing performed on the baghouse exhaust vents during the pneumatic loading of cement storage silo #1, cement storage silo #2, and the fly ash storage silo.

Attachment 6: Copy of Current FDEP Permit No. 0690066-003-AO

DEP Form No. 62-210.920(2)(b) Effective: January 10, 2007

Attachment 1

Mack Concrete Industries, Inc.

Particulate Emission Calculations for

Air General Operating Permit

Mack Concrete Industries Inc. Concrete Batch Plant Application for FDEP Air General Operating Permit Particulate Emission Calculations

*Plant Assumptions

Composition of 1 yd³ of concrete based on AP-42 Section 11.12 Concrete Batching:

Course Aggregate $= \sim 1,865$ lbs. Sand $= \sim 1,428$ lbs. Cement $= \sim 491$ lbs. Cement supplements $= \sim 73$ lbs.

Water = $\sim 20 \text{ gallons (8.34 lb/gal)}$

Proposed operating hours of plant = 5,000 hours/year

Pneumatic loading rate of cement storage silo = \sim 30 tons/hr of cement loaded Pneumatic loading rate of fly ash storage silo = \sim 30 tons/hr of fly ash loaded

Tanker pneumatic unloading pressure = 8 to 10 PSI

Storage silo dust control = baghouse (99% efficiency)

Batch Mixer loading PM control = water spray rings and rubber seals

Batching load out operation = $\sim 2.0 \text{ yd}^3 (\sim 12.0 \text{ yd}^3/\text{hr})$

Assorted aggregate/sand stockpile size $= \sim 1,000$ tons each

Stockpile dust control = water spray system/D.O.T. standards

Truck traffic roadway dust control = roadways are maintained/sprayed with water to prevent fugitive dust

Particulate Emissions Factors per yd³ of Concrete Produced <u>AP-42 Table 11.12-2; 06/06 Edition</u>

Conversion factor from lb/ton to $lb/yd^3 = 0.282$ (co-efficient for emission factor)

Total Particulate Emission Factor

for cement unloading = $0.00099 \text{ lbs PM per yd}^3$

PM-10 Emission Factor

for cement unloading = 0.00034 lbs PM per yd³

Total Particulate Emission Factor

for fly ash unloading = 0.0089 lbs PM per yd³

PM-10 Emission Factor

for fly ash unloading = 0.0049 lbs PM per yd³

Total Particulate Emission Factor

for mixer loading = 0.544 lbs PM per yd³

PM-10 Emission Factor for mixer loading

 $= 0.134 \text{ lbs PM per yd}^3$

PARTICULATE EMISSION CALCULATIONS

Total Particulate

```
[(0.00099 \text{ lbs PM}) + (0.0089 \text{ lbs PM}) + (0.544 \text{ lbs PM})] = 0.55389 \text{ lbs PM}
[(0.55389 \text{ lbs PM}) \times (0.282)] = 0.1561969 \text{ lb PM/yd}^3
(0.1561969 \text{ lb PM/yd}^3) \times (12.0 \text{ yd}^3 \text{ produced/hr}) = 1.8743628 \text{ lb PM/yd}^3
(1.8743628 \text{ lb PM/yd}^3) \times (5,000 \text{ hr/yr}) = 9,371.8 \text{ lb PM/yr}
(9,371.8 \text{ lb PM/yr}) / (2,000 \text{ lb/ton}) = 4.69 \text{ ton/yr}
```

PM-10 Particulate

```
[(0.00034 \text{ lbs PM}) + (0.0049 \text{ lbs PM}) + (0.134 \text{ lbs PM})] = 0.13924 \text{ lbs PM}
[(0.02719 \text{ lbs PM}) \times (0.282) = 0.0076675 \text{ lb PM/ yd}^3
(0.13924 \text{ lb PM/yd}^3) \times (12.0 \text{ yd}^3 \text{ produced/hr}) = 1.67088 \text{ lb/hr}
[(1.67088 \text{ lb/hr}) \times (5,000 \text{ hr/yr})] / (2,000 \text{ lb/ton}) = 4.18 \text{ ton/yr}
```

HAP EMISSIONS

Although the process does not utilize HAPs, AP-42 Table 11.12-8 lists (9) – metal emission factors. Based on the highest emission factor (ie 1.0×10^{-6} lb arsenic/ ton of material loaded) that would equate to:

```
[4,024 lb (1.0 yd^3 concrete produced)] x (2 yd^3 mixer capacity) = 8,048 lb material 8,048 lb / (2,000 lb/ton) = 4.024 ton material (4.024 ton) x (1.0 x 10 ^{-6} lb arsenic/ ton of material loaded) = 4.0 x 10 ^{-6} lb arsenic (4.0 x 10 ^{-6} lb arsenic) x (12 loadings/hr) x (5,000 hr/yr) = 2.4 x 10 ^{-2} lb arsenic/yr
```

Based on this example, this source is expected to comply with the HAP limits of <10.0 tons/yr of a single HAP and < 25.0 tons/yr of combined HAPs.

- It should be noted that Mack Concrete Industries' material stockpiles maintain an 8 to 12 % moisture content via a sprinkling system in accordance with D.O.T. standards. The yard area and limited roadways for truck and vehicular traffic are maintained by a water spray truck to control fugitive dusting.
- Established AP-42 emissions factors for concrete production were utilized to estimate conservative emissions resulting from this operation.

11.12 CONCRETE BATCHING

11.12-1 Process Description 1-5

Concrete is composed essentially of water, cement, sand (fine aggregate) and coarse aggregate. Coarse aggregate may consist of gravel, crushed stone or iron blast furnace slag. Some specialty aggregate products could be either heavyweight aggregate (of barite, magnetite, limonite, ilmenite, iron or steel) or lightweight aggregate (with sintered clay, shale, slate, diatomaceous shale, perlite, vermiculite, slag pumice, cinders, or sintered fly ash). Supplementary cementitious materials, also called mineral admixtures or pozzolan minerals may be added to make the concrete mixtures more economical, reduce permeability, increase strength, or influence other concrete properties. Typical examples are natural pozzolans, fly ash, ground granulated blast-furnace slag, and silica fume, which can be used individually with portland or blended cement or in different combinations. Chemical admixtures are usually liquid ingredients that are added to concrete to entrain air, reduce the water required to reach a required slump, retard or accelerate the setting rate, to make the concrete more flowable or other more specialized functions.

Approximately 75 percent of the U.S. concrete manufactured is produced at plants that store, convey, measure and discharge these constituents into trucks for transport to a job site. At most of these plants, sand, aggregate, cement and water are all gravity fed from the weight hopper into the mixer trucks. The concrete is mixed on the way to the site where the concrete is to be poured. At some of these plants, the concrete may also be manufactured in a central mix drum and transferred to a transport truck. Most of the remaining concrete manufactured are products cast in a factory setting. Precast products range from concrete bricks and paving stones to bridge girders, structural components, and panels for cladding. Concrete masonry, another type of manufactured concrete, may be best known for its conventional 8 x 8 x 16-inch block. In a few cases concrete is dry batched or prepared at a building construction site. Figure 11.12-1 is a generalized process diagram for concrete batching.

The raw materials can be delivered to a plant by rail, truck or barge. The cement is transferred to elevated storage silos pneumatically or by bucket elevator. The sand and coarse aggregate are transferred to elevated bins by front end loader, clam shell crane, belt conveyor, or bucket elevator. From these elevated bins, the constituents are fed by gravity or screw conveyor to weigh hoppers, which combine the proper amounts of each material.

11.12-2 Emissions and Controls ⁶⁻⁸

Particulate matter, consisting primarily of cement and pozzolan dust but including some aggregate and sand dust emissions, is the primary pollutant of concern. In addition, there are emissions of metals that are associated with this particulate matter. All but one of the emission points are fugitive in nature. The only point sources are the transfer of cement and pozzolan material to silos, and these are usually vented to a fabric filter or "sock". Fugitive sources include the transfer of sand and aggregate, truck loading, mixer loading, vehicle traffic, and wind erosion from sand and aggregate storage piles. The amount of fugitive emissions generated during the transfer of sand and aggregate depends primarily on the surface moisture content of these materials. The extent of fugitive emission control varies widely from plant to plant. Particulate emission factors for concrete batching are give in Tables 11.12-1 and 11.12-2.

6/06

Types of controls used may include water sprays, enclosures, hoods, curtains, shrouds, movable and telescoping chutes, central duct collection systems, and the like. A major source of potential emissions, the movement of heavy trucks over unpaved or dusty surfaces in and around the plant, can be controlled by good maintenance and wetting of the road surface.


Predictive equations that allow for emission factor adjustment based on plant specific conditions are given in the Background Document for Chapter 11.12 and Chapter 13. Whenever plant specific data are available, they should be used with these predictive equations (e.g. Equations 11.12-1 through 11.12-3) in lieu of the general fugitive emission factors presented in Table 11.12-1 through11.12-5 in order to adjust to site specific conditions, such as moisture levels and localized wind speeds.

11.12-3 Updates since the 5th Edition.

October 2001 – This major revision of the section replaced emissions factors based upon engineering judgment and poorly documented and performed source test reports with emissions tests conducted at modern operating truck mix and central mix facilities. Emissions factors for both total PM and total PM₁₀ were developed from this test data.

June 2006 – This revision of the section supplemented the two source tests with several additional source tests of central mix and truck mix facilities. The measurement of the capture efficiency, local wind speed and fines material moisture level was improved over the previous two source tests. In addition to quantifying total PM and PM₁₀, PM_{2.5} emissions were quantified at all of the facilities. Single value emissions factors for truck mix and central mix operations were revised using all of the data. Additionally, parameterized emissions factor equations using local wind speed and fines material moisture content were developed from the newer data.

11.12-2



1.12-5

TABLE 11.12-2 (ENGLISH UNITS) EMISSION FACTORS FOR CONCRETE BATCHING *

Source (SCC)		Unconti	rolled			Con	Controlled		
	Total PM	Emission Factor Rating	Total PM ₁₀	Emission Factor Rating	Total PM	Emission Factor Rating	Total PM ₁₀	Emission Factor Rating	
Aggregate transfer ^b (3-05-011-04,-21,23)	0.0069	D	0.0033	D	ND		ND		
Sand transfer ^b (3-05-011-05,22,24)	0.0021	D	0.00099	D	ND		ND		
Cement unloading to elevated storage silo (pneumatic) ^c (3-05-011-07)	0.72	E	0.46	E	0.00099	D	0.00034	D	
Cement supplement unloading to elevated storage silo (pneumatic) ^d (3-05-011-17)	3.14	E	1.10	E .	0.0089	D	0.0049	E	
Weigh hopper loading ^c (3-05-011-08)	0.0051	D	0.0024	D	ND		ND		
Mixer loading (central mix) ^f (3-05-011-09)	0.544 or Eqn. 11.12-1	В	0.134 or Eqn. 11.12-1	В	0.0173 or Eqn. 11.12-1	В	0.0048 or Eqn. 11.12-1	В	
Truck loading (truck mix) ^g (3-05-011-10)	0.995	В	0.278	В	0.0568 or Eqn. 11.12-1	В	0.0160 or Eqn. 11.12-1	B	
Vehicle traffic (paved roads)	See AP-42 Section 13.2.1								
Vehicle traffic (unpaved roads)	See AP-42 Section 13.2.2								
Wind erosion from aggregate and sand storage piles			Se	e AP-42 Sec	etion 13.2.5		-		

ND = No data

- ^a All emission factors are in lb of pollutant per ton of material loaded unless noted otherwise. Loaded material includes course aggregate, sand, cement, cement supplement and the surface moisture associated with these materials. The average material composition of concrete batches presented in references 9 and 10 was 1865 lbs course aggregate, 1428 lbs sand, 491 lbs cement and 73 lbs cement supplement. Approximately 20 gallons of water was added to this solid material to produce 4024 lbs (one cubic yard) of concrete.
- ^b Reference 9 and 10. Emission factors are based upon an equation from AP-42, Section 13.2.2, with k_{PM-10} = .35, k_{PM} = .74, U = 10mph, $M_{aggregate}$ =1.77%, and M_{sand} = 4.17%. These moisture contents of the materials ($M_{aggregate}$ and M_{sand}) are the averages of the values obtained from Reference 9 and Reference 10.

^c The uncontrolled PM & PM-10 emission factors were developed from Reference 9. The controlled emission factor for PM was developed from References 9, 10, 11, and 12. The controlled emission factor for PM-10 was developed from References 9 and 10.

^d The controlled PM emission factor was developed from Reference 10 and Reference 12, whereas the controlled PM-10 emission factor was developed from only Reference 10.

^e Emission factors were developed by using the Aggregate and Sand Transfer Emission Factors in conjunction with the ratio of aggregate and sand used in an average yard³ of concrete. The unit for these emission factors is lb of pollutant per ton of aggregate and sand.

f References 9, 10, and 14. The emission factor units are lb of pollutant per ton of cement and cement supplement. The general factor is the arithmetic mean of all test data.

Reference 9, 10, and 14. The emission factor units are lb of pollutant per ton of cement and cement supplement. The general factor is the arithmetic mean of all test data.

6/06

The particulate matter emissions from truck mix and central mix loading operations are calculated in accordance with the values in Tables 11.12-1 or 11.12-2 or by Equation 11.12-1¹⁴ when site specific data are available.

$$E = k (0.0032) \left[\frac{U^a}{M^b} \right] + c$$
Equation 11.12-1
$$E = \text{Emission factor in lbs./ton of cement and cement supplement}$$

$$k = \text{Particle size multiplier (dimensionless)}$$

$$U = \text{Wind speed at the material drop point, miles per hour (mph)}$$

$$M = \text{Minimum moisture (% by weight) of cement and cement}$$

$$\text{supplement}$$

$$a, b = \text{Exponents}$$

$$c = \text{Constant}$$

The parameters for Equation 11.12-1 are summarized in Tables 11.12-3 and 11.12-4.

Table 11.12-3. Equation Parameters for Truck Mix Operations

Condition	Parameter Category	k	a	b	С		
Controlled ¹	Total PM	0.8	1.75	0.3	0.013		
	PM ₁₀	0.32	1.75	0.3	0.0052		
	PM _{10-2.5}	0.288	1.75	0.3	0.00468		
	PM _{2.5}	0.048	1.75	0.3	0.00078		
	Total PM	0.995					
Uncontrolled ¹	PM ₁₀	0.278					
Uncontrolled	PM _{10-2.5}	0.228					
	PM _{2.5}		0.050				

Table 11.12-4. Equation Parameters for Central Mix Operations

Tuble 11.12 1. Equation I drameters for Central with Operations							
Condition	Parameter Category	k	a	ь	c		
	Total PM	0.19	0.95	0.9	0.0010		
Controlled ¹	PM_{10}	0.13	0.45	0.9	0.0010		
	PM _{10-2.5}	0.12	0.45	0.9	0.0009		
	PM _{2.5}	0.03	0.45	0.9	0.0002		
	Total PM	5.90	0.6	1.3	0.120		
Uncontrolled ¹	PM ₁₀	1.92	0.4	-1.3	0.040		
	PM _{10-2.5}	1.71	0.4	1.3	0.036		
	PM _{2.5}	0.38	0.4	1.3	0		

1. Emission factors expressed in lbs/tons of cement and cement supplement

To convert from units of lbs/ton to units of kilograms per mega gram, the emissions calculated by Equation 11.12-1 should be divided by 2.0.

Particulate emission factors per yard of concrete for an average batch formulation at a typical facility are given in Tables 11.12-5 and 11.12-6. For truck mix loading and central mix loading, the

emissions of PM, PM-10, PM-10-2.5, and PM-2.5 are calculated by multiplying the emission factor calculated using Equation 11.12-2 by a factor of 0.282 to convert from emissions per ton of cement and cement supplement to emissions per yard of concrete. This equation is based on a typical concrete formulation of 564 pounds of cement and cement supplement in a total of 4,024 pounds of material (including aggregate, sand, and water). This calculation is summarized in Equation 11.12-2.

PM, PM10, PM10-2.5, PM2.5 emissions
$$\frac{\text{pounds}}{\text{yd}^3 \text{ of concrete}}$$
 = 0.282 (Equation 11.12-1 factor or Table 11.12-2 Factor)
Equation 11.12-2

Metals emission factors for concrete batching are given in Tables 11.12-6 and 11.12-7. Alternatively, the metals emissions from ready mix plants can be calculated based on (1) the weighted average concentration of the metal in the cement and the cement supplement (i.e. flyash) and (2) on the total particulate matter emission factors calculated in accordance with Equation 11.12-3. Emission factors calculated using Equation 11.12-3 are rated D.

$$Metal_{EF} = PM_{EF} \left(\frac{aC + bS}{C + S} \right)$$
 Equation 11.12-3

Where:

Metal_{EF}= Metal Emissions, Lbs. As per Ton of Cement and Cement
Supplement

PM_{EF} = Controlled Particulate Matter Emission Factor (PM, PM10, or PM2.5)
Lbs. per Ton of Cement and Cement Supplement

a = ppm of Metal in Cement
C = Quantity of Cement Used, Lbs. per hour
b = ppm of Metal in Cement Supplement
S = Quantity of Cement Supplement Used, Lbs. per hour

This equation is based on the assumption that 100% of the particulate matter emissions are material entrained from the cement and cement supplement streams. Equation 11.12-3 over-estimates total metal emissions to the extent that sand and fines from aggregate contribute to the total particulate matter emissions.

TABLE 11.12-5 (ENGLISH UNITS) PLANT WIDE EMISSION FACTORS PER YARD OF TRUCK MIX CONCRETE ^a

	Unco	ntrolled	Cont	rolled
	PM	PM-10	PM	PM-10
	(lb/yd^3)	(lb/yd^3)	(lb/yd^3)	(lb/yd^3)
Aggregate delivery to ground storage	0.0064	0.0031	0.0064	0.0031
(3-05-011-21)				
Sand delivery to ground storage (3-05-011-22)	0.0015	0:0007	0.0015	0.0007
Aggregate transfer to conveyor (3-05-011-23)	0.0064	0.0031	0.0064	0.0031
Sand transfer to conveyor (3-05-011-24)	0.0015	0.0007	0.0015	0.0007
Aggregate transfer to elevated storage	0.0064	0.0031	0.0064	0.0031
(3-05-011-04)		·		
Sand transfer to elevated storage (3-05-011-05)	0.0015	0.0007	0.0015	0.0007
Cement delivery to Silo (3-05-011-07 controlled)	0.0002	0.0001	0.0002	0.0001
Cement supplement delivery to Silo	0.0003	0.0002	0.0003	0.0002
(3-05-011-17 controlled)				
Weigh hopper loading (3-05-011-08)	0.0079	0.0038	0.0079	0.0038
Truck mix loading (3-05-011-10)	See Equation 11.12-2			

TABLE 11.12-6 (ENGLISH UNITS) PLANT WIDE EMISSION FACTORS PER YARD OF CENTRAL MIX CONCRETE ^a

	Unco	ntrolled	Cont	trolled
	PM	PM-10	PM	PM-10
	(lb/yd^3)	(lb/yd ³)	(lb/yd^3)	(lb/yd ³)
Aggregate delivery to ground storage	0.0064	0.0031	0.0064	0.0031
(3-05-011-21)	·			1
Sand delivery to ground storage (3-05-011-22)	0.0015	0.0007	0.0015	0.0007
Aggregate transfer to conveyor (3-05-011-23)	0.0064	0.0031	0.0064	0.0031
Sand transfer to conveyor (3-05-011-24)	0.0015	0.0007	0.0015	0.0007
Aggregate transfer to elevated storage	0.0064	0.0031	0.0064	0.0031
(3-05-011-04)]		
Sand transfer to elevated storage (3-05-011-05)	0.0015	0.0007	0.0015	0.0007
Cement delivery to Silo (3-05-011-07 controlled)	0.0002	0.0001	0.0002	0.0001
Cement supplement delivery to Silo	0.0003	0.0002	0.0003	0.0002
(3-05-011-17 controlled)			1	1
Weigh hopper loading (3-05-011-08)	0.0079	0.0038	0.0079	0.0038
Central mix loading (3-05-011-09)	See Equation 11.12-2			

^a Total facility emissions are the sum of the emissions calculated in Tables 11.12-4 or 11.12-5. Total facility emissions do not include road dust and wind blown dust. The emission factors in Tables 11.12-4 and 11.12-5 are based upon the following composition of one yard of concrete.

Coarse Aggregate 1865. pounds
Sand 1428. pounds
Cement 491. pounds

Cement Supplement 73. pounds

Water 20. gallons (167 pounds)

TABLE 11.12-8 (ENGLISH UNITS) CONCRETE BATCH PLANT METAL EMISSION FACTORS ^a

	Arsenic	Beryllium	Cadmium	Total Chromium	Lead	Manganese	Nickel	Total Phosphorus	Selenium	Emission Factor Rating
Cement Silo Filling b (SCC 3-05-011-07) w/ Fabric Filter	1.68e-06 4.24e-09	1.79e-08 4.86e-10	2.34e-07 4.86e-10	2.52e-07 2.90e-08	7:36e-07 1:09e-08	2.02e-04 1.17e-07	1.76e-05 4.18e-08	1.18e-05 ND	ND ND	E E
Cement Supplement Silo Filling ° (SCC 3-05-011-17) w/ Fabric Filter	ND 1,00e-06	ND 9.04e-08	ND 1.98e-10	ND 1.22e-06	ND 5,20e-07	ND 2.56e-07	ND 2.28e-06	ND 3.54e-06	ND 7.24e-08	E E
Central Mix Batching d (SCC 3-05-011-09) w/ Fabric Filter	2.32e-07 1.87e-08	ND ND	1.18e-08 7.10e-10	1.42e-06 1.27e-07	3.82e-07 3.66e-08	6.12e-05 3.78e-06	3.28e-06 2.48e-07	2.02e-05 1.20e-06	ND ND	E E
Truck Loading ° (SCC 3-05-011-10) w/ Fabric Filter	3.04e-06 1.16e-06	2.44e-07 1.04e-07	3.42e-08 9.06e-09	1.14e-05 4.10e-06	3,62e-06 1,53e-06	6.12e-05 2.08e-05	1.19e-05 4.78e-06	3.84e-05 1.23e-05	2.62e-06 1.13e-07	E E

ND=No data

^a All emission factors are in lb of pollutant per ton of material loaded unless noted otherwise. Loaded material includes course aggregate, sand, cement, cement supplement and the surface moisture associated with these materials. The average material composition of concrete batches presented in references 9 and 10 was 1865 lbs course aggregate, 1428 lbs sand, 491 lbs cement and 73 lbs cement supplement. Approximately 20 gallons of water was added to this solid material to produce 4024 lbs (one cubic yard) of concrete.

The uncontrolled emission factors were developed from Reference 8. The controlled emission factors were developed form Reference 9 and 10. Although controlled emissions of phosphorous compounds were below detection, it is reasonable to assume that the effectiveness is comparable to the average effectiveness (98%) for the other metals.

^c Reference 10.

d Reference 9. The emission factor units are lb of pollutant per ton of cement and cement supplement. Emission factors were developed from a typical central mix operation. The average estimate of the percent of emissions captured during each test run is 94%.

e Reference 9 and 10. The emission factor units are lb of pollutant per ton of cement and cement supplement. Emission factors were developed from two typical truck mix loading operations. Based upon visual observations of every loading operation during the two test programs, the average capture efficiency during the testing was 71%.

References for Section 11.12


- 1. Air Pollutant Emission Factors, APTD-0923, U.S. Environmental Protection Agency, Research Triangle Park, NC, April 1970.
- 2. Air Pollution Engineering Manual, 2nd Edition, AP-40, U.S. Environmental Protection Agency, Research Triangle Park, NC, 1974. Out of Print.
- 3. Telephone and written communication between Edwin A. Pfetzing, PEDCo Environmental., Inc., Cincinnati, OH, and Richards Morris and Richard Meininger, National Ready Mix Concrete Association, Silver Spring, MD, May 1984.
- 4. Development Document for Effluent Limitations Guidelines and Standards of Performance, The Concrete Products Industries, Draft, U.S. Environmental Protection Agency, Washington, DC, August 1975.
- 5. Portland Cement Association. (2001). Concrete Basics. Retrieved August 27, 2001 from the World Wide Web: http://www.portcement.org/cb/
- 6. Technical Guidance for Control of Industrial Process Fugitive Particulate Emissions, EPA-450/3-77-010, U.S. Environmental Protection Agency, Research Triangle Park, NC, March 1977.
- 7. Fugitive Dust Assessment at Rock and Sand Facilities in the South Coast Air Basin, Southern California Rock Products Association and Southern California Ready Mix Concrete Association, Santa Monica, CA, November 1979.
- 8. Telephone communication between T.R. Blackwood, Monsanto Research Corp., Dayton, OH, and John Zoller, PEDCo Environmental, Inc., Cincinnati, OH, October 18, 1976.
- 9. Final Test Report for USEPA [sic] Test Program Conducted at Chaney Enterprises Cement Plant, ETS, Inc., Roanoke, VA April 1994.
- 10. Final Test Report for USEPA [sic] Test Program Conducted at Concrete Ready Mixed Corporation, ETS, Inc., Roanoke, VA April 1994.
- 11. Emission Test for Tiberi Engineering Company, Alar Engineering Corporation, Burbank, IL, October, 1972.
- 12. Stack Test "Confidential" (Test obtained from State of Tennessee), Environmental Consultants, Oklahoma City, OK, February 1976.
- 13. Source Sampling Report, Particulate Emissions from Cement Silo Loading, Specialty Alloys Corporation, Gallaway, Tennessee, Reference number 24-00051-02, State of Tennessee, Department of Health and Environment, Division of Air Pollution Control, June 12, 1984.
- 14. Richards, J. and T. Brozell. "Ready Mixed Concrete Emission Factors, Final Report" Report to the Ready Mixed Concrete Research Foundation, Silver Spring, Maryland. August 2004.

6/06

Attachment 2

Mack Concrete Industries, Inc.
Site Plan

Site Plan



LEGAL DESCRIPTION

According to information supplied to the appraiser, the property can be legally described as:


That part of Government Lots 2 and 3 in Section 5, Township 21 South, Range 26 East, Lake County, Florida, lying east of the easterly right-of-way line of State Road No. 561 (Maintenance Map filed by D.O.T. same recorded in Lake County Clerks Office). described as follows: Begin at the intersection of the north boundary of said Government Lot 3 and the easterly right-of-way line of State Road No. 561, run thence N89 59'34" E along the north lines of Government Lots 2 and/or 3 a distance of 672.22 feet that is 430.55 east feet of point northeasterly right-of-way line of the abandoned Seaboard Coastline Railroad, thence S00 00'26" E 713.93 feet, thence S89 59'34" W 675.72 feet to a point on the easterly right-of-way line of said State Road No. 561, thence NOO 16'54" E 713.94 feet to the point of beginning.*

Together with all structures, buildings, fixtures, and other improvements located on the described real property.

NOTE: This legal does not account for the 60 foot abandoned railroad right-of-way. According to public record, the right-of-lay belongs to Sleepy Hollw Arabians, Inc., P.O. Box 193, istatula, Florida 32705.

Attachment 3


Mack Concrete Industries, Inc. USGS Map




Attachment 4


Mack Concrete Industries, Inc.


Manufacturer's Information and Process Equipment



ACAD/DRAW/NEWEST/GA/CP-310 NOTE: THIS PRINT NOT FOR CONSTRUCTION.FOR GENERAL REF. ONLY








CP-310-478 CARTRIDGE PULSE JET SILO COLLECTOR



C & W MFG. & SALES CO. 6933 SHELMOR RD. ALVARADO, TX. 76009

(817) 790-5000



CP-Series Silo Dust Collectors

C & W's CP-Series of Silo Dust Collectors offer you technology with a pu Cartridge Pulse. The advanced Pulse Jet technology is combined with our cartridge filters to provide a highly effective, yet inexpensive solution for dust control. Our CP Silo Collectors are engineered by dust control specialists with careful attention to efficiency and user-friendliness.

► Toolless Exchange of Filter Media

- ➢ Inlet Air Regulator and Moisture Separator
- > Solid State Adjustable Timers w/ LED Display
- >12 Gauge, Heavy Duty Steel
 Construction
- > Top Entry for Clean Side Filter Exchange
- > Test Ports for Monitoring Filter Media
- > Vertical, Wide-Pleat Cartridges
- >99.99% Filtration Efficiency

>Pressure 'Switch for Automatic Cleaning

- ➢ Blower Packages,
 Standard or Custom-Built
- > Magnehelic Gauge
- > Special Filter Media
- > Custom Designs and Sizes
- > Silo Anti-Overfill System
- > Special Mounting Flange for Adapting to Existing Flange
- > Pressure Relief Valves and Bin Indicators

CP-35-219	CF-100-122/	CF-230-839	CF-280-839	GP-330-478	
36	110	228	304	304	456
2	1	6	8	4	6
8" x 19"	12" x 27"	8" x 39"	8" x 39"	8" x 78"	8" x 78"
2' 4"	4' 5"	5' 4"	5' 4"	. 9' 6"	9' 6"
2' 0"	1' 10"	3. 6.,	4' 8"	3' 6" .	3' 6"
1' 0"	1' 10"	2' 4"	3' 6"	. 2'4"	2' 4"
165	450	610	975	925	1,025
3	4	5	6	6	6
140	400	850	1600	1600	2500
99.99%	99.99%	99.99%	99.99%	99.99%	99.99%
	36 2 8" x 19" 2'4" 2'0" 1'0" 165 3	36 110 2 1 8" x 19" 12" x 27" 2' 4" 4' 5" 2' 0" 1' 10" 1' 0" 1' 10" 165 450 3 4 140 400	36 110 228 2 1 6 8" x 19" 12" x 27" 8" x 39" 2' 4" 4' 5" 5' 4" 2' 0" 1' 10" 3' 6" 1' 0" 1' 10" 2' 4" 165 450 610 3 4 5 140 400 850	36 110 228 304 2 1 6 8 8" x 19" 12" x 27" 8" x 39" 8" x 39" 2' 4" 4' 5" 5' 4" 5' 4" 2' 0" 1' 10" 3' 6" 4' 8" 1' 0" 1' 10" 2' 4" 3' 6" 165 450 610 975 3 4 5 6 140 400 850 1606	36 110 228 304 304 2 1 6 8 4 8" x 19" 12" x 27" 8" x 39" 8" x 39" 8" x 39" 8" x 78" 2' 4" 4' 5" 5' 4" 5' 4" 9' 6" 2' 0" 1' 10" 3' 6" 4' 8" 3' 6" 1' 0" 1' 10" 2' 4" 3' 6" 2' 4" 165 450 610 975 925 3 4 5 6 6 140 400 850 1606 1600

Specifications	CP-610-878	CP-760-1078	CP-900-1276	CP-1220-1678	CP-1520-2078	CP-2250-30
Filtration Area (sq. ft.)	608	760	912	1216	1520	2280
# of Filters	. 8	10	12	16	20	30
Cartridge Size	8" x 78"	8" x 78"	8" x 78"	8" x 78"	8" x 78"	8" x 78"
Overall Height	9' 6"	9' 6"	12' 0"	14' 0"	14' 0"	14' 0"
Flange Width	4' 8"	4' 8"	4' 8"	5' 0"	6, 0	8' 0"
Flange Length	3' 6"	3' 6"	3' 6"	5' 4"	6, 0,,	6' 0"
Approx. Weight (lbs.)	1,395	1,495	3	4,000	4,500	5,550
Compressed Air Reg.'d	В	10	12	12	12	12
CFM Recommended	3000	4000	5000	6700	8400	12400
Min, Design Efficiency	99,99%	99.99%	99.99%	99.99%	99.99%	99,99%

*CFM shown for typical application. Unique application may change CFM recommended.

Note: Weights and dimensions are approximate. Call C & W Mfg. and Sales Co. for specific details.

Cement	Glass	Salt
Chalk	Gold Ore	Slate
Clay	Grain	Soap
Coal	Gypsum	Talc
Coke	Paint Pigments	Wood
Fly Ash	Sands	


FOR YOUR AREA
REPRESENTATO
CALL US

TODAY!

C & W MANUFACTURING AND SALES CO.

DA RAY BAS CHARRES TV 76046 1.900.990.7079

ITEM	QTY.	DESCRIPTION	P/N
1	2	SOLENOID 1"	SO002
2	1	4-POLE TIMER BOARD	ET039
3 .	1	FILTER/REGULATOR	AL004
4	8	CARTRIDGE 8" X 39"	CD012
5	1	OPTIONAL FLOW SENSOR SWITCH	S0002
6	1	OPTIONAL PRESSURE SENSOR SWITCH	S0001



CARTRIDGE PULSE SILO COLLECTOR, LOW PROFILE ROUND

CP-LPR-8-P

PARTS LIST



C & W MFG. & SALES CO. 6933 SHELMOR RD. ALVARADO, TX. 76009

(817) 790-5000

Specifications

C & W Silo Collectors

SPECIFICATIONS FOR CE	46PR 6	OLLEC	i ORS
Modelnumber	LPR-4	LPR-6	LPR-8
NUMBER OF CARTRIDGES 1.19 4.4	4	6	8
GARTRIDGEDIA XILGITI	8"X39"	8"X39"	8"X39"
NUMBERIOF SOLENOIDS 11 12 12 12	2	2	2
A SHA MOI PANEMENT OF THE PROPERTY OF THE PROP	193	290	386
Minedesign beforency	99.99%	99.99%	99.99%
AIR TO GLOTH TRATION AGENISO IT)	6	6	6
FILTRATION VELOCITY (FT.MIN.)	6	6	. 6
STATIC PRESSURE DROP (WC)	6"	6"	6"
NORMAL AIR CAPACITY	1170	1760	2340
OUTLET AREA (SQ. FT.)	0.52	0.52	0.52
OUTCER MELOCHY (EDSEC)	38	56	75
OUTER MOISTURE CONTENT	0	0	0
COMPRESSED AIR REQUIRED	2	3	4
GLEANING MECHANISM	Pulse Jet	Pulse Jet	Pulse Jet

Attachment 5

Mack Concrete Industries, Inc.
Most recent FDEP Method 9
Compliance Testing Data

September 20, 2007

CG Receipt Copy

Ms. Wanda Parker, Supervisor Air Compliance Section Division of Air Resource Management Florida Department of Environmental Protection 3319 Maguire Blvd., Suite 232 Orlando, Florida 32803-3767

RECEIVED

Mack Concrete Industries, Inc. FDEP Permit No. 0690066-003-AO Concrete Batch Plant SEP 2 1 2007
DEP Central Dist.

Dear Ms. Parker:

This correspondence is being submitted at the request of our client, Mack Concrete Industries, Inc. (MCII).

Please find attached a copy of the results from the FDEP Method 9 compliance testing performed on August 13, 2007 on the subject permitted source. (Testing performed in accordance with our telephone conversation with Ms. Caroline Shine and our July 28, 2007 "E-Mail" providing the required 15-day advance testing notification).

The testing was conducted at the MCII facility located at 23902 County Road 561; Astatula, Florida and performed on the baghouse exhaust vents from two (2) cement storage silos and one (1) fly ash storage silo. The tanker pneumatic unloading pressure was between 8 to 10 psi during the loading of the silos. The highest six-minute opacity during the 30-minute test period was 0%, which is within the permit limit of <5% opacity. It should be noted that during the loading of the fly ash storage silo, the test was stopped for approximately 25 minutes to allow the truck hose to be unclogged. Testing was resumed without incident.

Should you have any questions, please do not hesitate to call Mr. Greg Liskey at the facility (352-742-2333) or myself at (407) 932-0409 or my "E-Mail" address: ggonzales5@cfl.rr.com.

Sincerely,

GG ENVIRONMENTAL SOLUTIONS, INC.

Gregory R. Gonzales

President

1430 Sara L. Street

Kissimmee, Florida 34744-2771

cc: Greg Liskey - Mack Concrete Industries, Inc.
Caroline Shine - FDEP Air Compliance Section

GRG\C: Projectfiles\MackConcreteIndustries\2007\operatingpermit\deptstletterrpt9 20 07.doc

STATE OF FLORIDA Visible Emissions Observation Form


Source/Process Information	Opacity Readings									
PAGELTY HAME	OBSERVATION				START TIME 0740			STOP YME		
MACK CONCROLE TWOYSTRIES	Au	14.5/ /		007		e/C			X832	
Cener Stores Sile 1 0690066-003-AD	MIN	0	15	30	45	MEN	0	15	30	45
23902 County Roan 561. ASTATula Florida	1	0	0	0	0	31	Δ	٥	a	۵
COSC 415Key (352) 742-2333	2	0	0	٥	0	32	0	q	0	þ
29.94 Tow Renew Deaduct Loaded was sile	3	0	0	٥	0	33			ပ	۵
Bushouse Auto Pulse	4	0	0	a	0	34	0	۵	0	م
N/A The I Coment du I 30 text he	5	O	0	٥	0	35	0	0	م	a
CYLIN devial yest	6	0	Ó	٥	0	36	0	င	0	Q
HERSH ABOVE BROLLED LEVEL ~ 45 FT HERSH TO COMMINEN ~ 39 FT	7	٥	0	0	0	37	0	·o	0	d
Emissions Description	8	0	٥	0	٥	38	0	٥	0	م
START NONC BE NO.VE	9	0	0	0	0	39	0	0		٥
FLIME TYPE NON?	10	0	0	0	0	40	0	0	9	q
WATER DROPLETS PREMENT? YES NO DETACHED DETACHED	11	0	0	^	O	41	0	O		
Meteorological Information	12	v	0	Q 0	0	42	0	0	0	9
START SKY SED SINCE START BILL SKY SED SINCE	13	0				43				
ant couprofiles our cover	14		0	0	0	44	0	0	0	0
WHO SPEED VOLUME WAS DIRECTION	15	0	٥	0	0	45	0	0	0	0
Observation Data, Site Diagram		0	0	0	0		Ö	0	0	0
Ouservation Data, Site Diagram	16	Ø	٥	۵	٥	46	0		0	9
Stack Draw	<u> </u>	٥	٥	Ο.	0	48	0	٥	0	P
With Q North Arrow	18	0	0	0	_		0	0	0	0
Allow .	19	0	0	0	0	49	0	0	0	0
Sun	<u> </u>	0	۵	0	0	50	0	0	0	0
Wind Bashouse	21	0	٥	٥	0	51	0	0	0	0
Emission Point	23	0	O	_	ے	52	10	0	0	9
	24	0	0	0	٥	54	 		 	
Cenest D	25	2	a	0	٥	55	 		 	
Distance Silo Center Fly ASH Silo 81 51/0	26	0	0	0	0	56			 	
	27	0	٥	٥	٥	57		-	 	
~ 135 Observer's Position	28	U	O	Ö	0	58				
140	29	0	0	0	0	59				
Humidiy ~ *	30	0	0	0	0	60				
Sun Location Line Basanctage - 30,00	<u> </u>	F.	ASTE	RN T	FCH		م آ	SOC	LATE	
Comments Receptified on 8/9/07 - AWATING COST. Fr. &	F						ONZA		71/1 C	.5
	e Fon	ETA met the s	pecificatio					_	ملطفون و و	
1 ANKER povenionic unloading paergue : Stoll AS	*	7.5% ope	e eveluato acity and n	r: Maximu o single er	m deviation for encode	in on white ding 15% (and black	k smoke d e incurred	lid not exce I during the	
Tanker penduct : 20.13 Tons Type T	1	cartification test conducted by Sastern Technique Associates of Releigh, NC. This cartificate is valid for six months from date of leave and expires on the date below.							vie Ny.	
Toll period	1		/2007	-, -				ORLF06		
		347	660		ഭവ	N443 06	i1 <u></u>	٢	١	

VISIBLE EMISSIONS. EVALUATOR

This is to certify that

PREGORY GONZALES

met the specifications of Federal Reference Method 9 and qualifies as a visible emissions evaluator. Maximum deviation on white and black and did not exceed 7.5% opacity and no single error exceeding 15% opacity was in a conducted by Eastern Technical Associates of Ramon. No. This certificates is valid for six months from date of saude.



GG Environmental Solutions, Inc. 1430 Sara L. Street Kissimmee, Florida 34744-2771 Phone - (407) 932-0409 Fax - (407) 932-0409


PROCESS DATA SHEET

DATE August 13, 2007	TESTING TIME 7:40 AM to 8:32 AM
SOURCE INFORMATION	
COMPANY Mack Concrete Industries, Inc.	
ADDRESS 23902 County Road 561, Astatula	Florida
SOURCE IDENTIFICATION: FDEP Permit No (Cement Storage Silo #1)	. 0690066-003-AO Concrete Batch Plant
SOURCE LOCATION (IF DIFFERENT FROM A	ABOVE)
•	
STATEMENT OF PROCESS WEIGHT	
INPUT PROCESS RATE DURING TESTING TI	ME 29.9 ton/hr of cement dust
PRODUCTION RATE DURING TESTING TIME	E no batching was performed
Tanker pneumatic unloading pressure = 8	5.95 ton to 10 psi 2 minutes
25.95 ton cement dust x 60 minutes 52 minute unloading time hour	= 29.9 ton/hr cement dust loaded into storage silo
I certify that the above statement is true to the best	of my knowledge and belief.
Name Greg Liskey	Signature 219 10
Title General Manager	Date $\sqrt{9-30+07}$

Cement Storage Silo #1

 $GRG\colored{ConcreteIndustries,Inc.}\colored{Concrete,Inc.}\colored{ConcreteIndustries,Inc.}\colored{ConcreteIndustries,Inc.}\colored{ConcreteIndustries,Inc.}\colored{ConcreteIndustries,Inc.}\colored{ConcreteIndustries,Inc.}\colored{ConcreteIndustries,Inc.}\colored{ConcreteIndustries,Inc.}\colored{ConcreteIndustries,Inc.}\colored{ConcreteIndustries,Inc.}\colored{ConcreteIndustries,Inc.}\colored{ConcreteIndustries,Inc.}\colored{ConcreteIndustries,Inc.}\colored{ConcreteIndustries,Inc.}\colored{ConcreteIndustries,Inc.}\colored{ConcreteIndustries,Inc.}\colored{ConcreteIndustries,Inc.}\colored{ConcreteIndustries,Inc.}\colored{ConcreteIndustries,Inc.}\colored{ConcreteIndustries,Inc.}\colo$

THIS SHIPPING ORDER must be legibly filled in, in ink, in indelible Pencil, or in Carbon, and retained by the agent



RECEIVED, subject to the classifications and tariffs in effect on the date of the issue of this Bill of Lading

Suwannee American Cement Company • 5117 U.S. Hwy. 27, Branford, Florida, USA

he property described below, in apparent good order, except as noted (contents and conditions of contents of packages unknown), marked, consigned, and destined as indicated below, which said carrier (the word carrier belt indenstood throughout this contract as meaning any person of corporation in possession of the property under the contract) agrees to carry to its usual place of delivery of said destination, it is mutually agreed, as to each carrier of all of any of said property over all or any portion or said route to destination, and as to each party at any time interested in all or any of said property; the every service to be performed hereunder shall be subject to all the terms and conditions of the Uniform Demestic Straight Bill of Lading set forth (1) Uniform Freight Classification in effect on the date hereof, it this is a radio real-west shipment, or (2) in the applicable motor carrier classification or tariff if this is a motor carrier shipment.

Shipper hoverns the	nereby certifies e transportation	he is familiar with of this shipmen	h all the terms it, and the sale	and conditions of the larms and conditions and conditions are conditions.	he said bill of la ons are hereby	iding, including those of agreed to by the shipp	n the back the er and accep	ereof, set forth	in the classi f and his ass	fication or tariff igns.	whi
		ibed. Subject to variff PECTION BUREAU			nnee Amer	ican Cement s				nd no reconsignme orized by consigno	
ate whether it i	is carrier's or shipper	's weight.		that the bill of lading shall specifically in writing the	shipment is to be a	7 of conditions of applicable bit delivered to the consignee withou signor shall sign the following sta	t recourse on the	If charges are to t	e prepaid, write or O BE PREPAID	stamp here.	
greed or declar by the shipper to	red value of the proper	rty. The agreed or declar	red value of the prop	erty is hereby specifically	The carrier shall payment of freight	il not make delivery of this shipme t and all other lawful charges.	int without	Received \$	· :		
					Suwannee	American Cemen	14	to apply in prepays property described	nent of the charge: hereon.	s on the	
			·					_Per	Agent or 0	Cashier	
exceeding	·	P	er		Per	SIGNATURE OF CONSIGNOR	R)		e acknowledges o	nly the	_
1	CONSIGNED TO		<u> </u>	SHIPPING PLANT AND DATE	····		CARRIER ROUTE	Charges advanced: \$	*		
\$30	4281	5005 6 35			F0341	68/10/2013	-	alvatou. 3	WEIG	HI ·	
JAC	M CCHI	REVE - A	STATIC	11 507 -				GROSS	387340	j	
1 285		MTRY RO	AD äði				•	TARE	12.390))	
347				08726/201)7 1.5 5	14:04 (e	37 \ 47	NET	25,950		
<u> </u>											
1	5		COMMENTS	/ SPECIAL INSTRUCTION	S			ČSCA	LESUW1		TE
4.11	34473R	52AL 30	088		-			CHECKED BY/FO	DREMAN		ī
CUSTOME	R ORDER NO.	08/10/	RY.DATE & TIME.	BILLOFLAS	NNG NO.	SEALS		CAR INITIALS/TR		3	IGM S
PRODUCT CODE	QUANTITY WEIGHT	NO. PKGS.			COMMODIT	ry			RATE	FREIGHT	
<u> </u>											
425	4081	81,90	H. 00	25,95	Type	I / II For	tland	Bulk		ASHTO	
								* *			
İ											
!										· .	
						•					
									."		
									•		
								٠.	-		
		*							•		
}			1/4	All.	1	Dai	101	and L	,		
				CUSTOMER REMA	ARKS	^		1			
Suwann	se American	Cement	Shipper,	RECÉIVED AT DES	STINATION - CUSTO	MER / AGENT SIGNATURE	DATE	<u> </u>			
h	a sa					Sur	·	<u>&~\]</u>	3-07	<u>7</u>	
Γ ^{er} ———				ARRIVA	7	J					

STATE OF FLORIDA Visible Emissions Observation Form

Source/Process Information	Opacity Readings									
Marine Con Tulas		VATION			STÁRT			STOP TIME		
MACK CONCRETE FUNDETRIES BOUNDE HOME SONGED & BATTER PLANT PREMIT NO	ALL SEC					05 A			724A	
Fly ASH 5:10 0690066-003-AD	MIN	0	15	30	45	MAN	0	15	30	45
23902 County Roan 561- HSTATULA, Florida	1	۵	0	0	0	31	9	q	0	0
Grec Lister (352) 142-2333	2	0	_	0	0	32	0	ع	ے	\Box
SEE PROCESS DATA -Sheet Common Moore	3	0	٥	0		33	0	0	0	
Restruce Atto Pulse	4	0	0	a	0	34	0	9	۵	
N/A FLY ASH 309mg/ 6	5	٥	Ó	0	0	35	0	0	0	ب
HEROIT ABOVE STOUND LEVEL 100 MEDING TO COMMINER	6	0	۵	٥	۵	**	9	0	0	0
~ 45" \ ~ 39 "	7	0	0	0	a	37		9	0	0
Emissions Description	8	0	0	a	Q	38	0	خ	0	0
START NONE BID NONE	9	0	0		0	39	0	0	0	
PLIAME TYPE NONE	10	D	0	0	a	40	0	0	0	
WATER DROPLETS PRESENT? IF YES DETACHED DETACHED	11	0	0	O	O	41 :	Ò	<i>(-)</i>	0	
Meteorological Information	12	O		C	0	42	0	0	0	
START SKY BID Some START Bline BID Some	13	0	(0)	43	0	0	0	
START C/CAR SED CIDAL START ~ 80 F SED ~ 85° F	14.	0	0	0	0	- 44	0	0	0	
WIND SPEED VARIABLE SED SAME START K	15	0	C	0	0	45		0	0	7
Observation Data, Site Diagram	16	0	0	()	0	46	d (0	0	2
	17	2 0	90		9	47			9	9
Stack Draw With Q North	18	0		0		48	0		5	
Plume Arrow	19	9		0	^	49				
Sun	20	0	0	C) (50		(
	21	0	0	0	C	51	0	0		
Wind — Point	22	0	C	0	0	52	0	0	(
Emission Point	23	0	C	(0	53	0		\sim	
1 1 1 1	24	0		0	0	· 54	0	O.		
Distance Cener The Acid	25			0	0	55	೦	(2	\mathcal{C}^{2}	0
	26	0	0	\triangle		56	-		-	
135 Sillo Observer's Position	27	0	C	\overline{C}	0	57				
140°	28	0	0	0	9	58				
	29	0	Q	\circ	0	59				
Sun Location Line	30	0	9		0	60				
		E	ASTE	RN T	ECH	NICA	LAS	SOC	IATE	S
Comments Recordified ON 8-9-07 AWAITING CEDIFICATION	FACT ETA GREGORY GONZALES									
Tanker prematic unloading presence = 8 To 10 pt		met the s emission	s evaluato	r. Maximu	iral Rafere in deviatio	n on white	and black	k emoke d	id not exc	
Yanker peodu 9-27.09mg	7.5% opacity and no single error escaeding 15% opacity was incurred during the certification test conducted by Eastern Technical Associates of Releigh, NC. This certificate is valid for six months from date of leave and expires on the date below.								rie I	
* Stopped 963 27 9:40 90 chear Seed hore ** Resured 9 and 10	:05 M	2/7/	2007		8/9	/2007		C	RLF06	
I MO objectionable adops were detected dispirit test pe	tiod	DATE OF	F SCHOOL	L	EXPIRAT	FION DAT	E	LAS	TLECTU	

347660


CONSTRUCTION CANAL

VISIBLE EMISSIONS EVALUATOR

This is to certify that

REGORY GONZALES

met the specifications of Federal Reference Method 9 and qualifies as a visible emissions evaluator. Maximum deviation on white and black and did not exceed 7.5% opacity and no single error exceeding 15% opacity was in the reddening the certification test conducted by Eastern Technical Associates of Rames. No. This certifications valid for six months from date of leave and the six of the six o



GG Environmental Solutions, Inc. 1430 Sara L. Street Kissimmee, Florida 34744-2771 Phone · (407) 932-0409 Fax · (407) 932-0409

PROCESS DATA SHEET

DATE August 13, 2007	TESTING TIME 9:05 AM to 10:24 AM
SOURCE INFORMATION	
COMPANY Mack Concrete Industr	ies, Inc.
ADDRESS 23902 County Road 5	561, Astatula, Florida
SOURCE IDENTIFICATION: FDE (Fly Ash Storage Silo)	P Permit No. 0690066-003-AO Concrete Batch Plant
SOURCE LOCATION (IF DIFFERE	NT FROM ABOVE)
STATEMENT OF PROCESS WEIG	<u>HT</u>
INPUT PROCESS RATE DURING	TESTING TIME 30.00 ton/hr of cement dust
PRODUCTION RATE DURING TE	STING TIME no batching was performed
Fly Ash dust in tanker truck Tanker pneumatic unloading pressure Tanker unloading time to silo	= 27.00 ton = 8 to 10 psi = 54 minutes
27.00 ton cement dust x 54 minute unloading time	60 minutes = 30.00 ton/hr fly ash dust loaded into storage silo hour
9:40 AM. Testing was stopped while	k experienced a problem with the feed hose becoming clogged at hose problem was being fixed. Testing resumed at 10:05 AM and ruck finished pumping off load at 10:24 AM.
I certify that the above statement is tr	ue to the best of my knowledge and belief.
Name Greg Liskey	Signature / neg Ley
Title General Manager	Date 9-30-07
CDC/C. ProjectFiles/MackCommetaledus	etries Inc \2007\magescatesheet dee Flu Ash Starges Sile

his Memorandum is an acknowledgment that a Bill of Lading has been issued and is not the original Bill of Lading, nor a copy or duplicate covering the property named herein, and is intended solely for filing or record.

RECEIVED, subject to the classification and tariffs in effect on the date of the receipt by the carrier of the property described

106513

low, in apparent good order, except as noted (contents and condition of contents or packages unknown), marked, consigned, and defined as indicated below, which said carrier (the word carrier being understood throughout this contract mea ing any person or corporation in possession of the property under the contract) agreed to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier on the route to said destination. It is mustically agreed, as to each carrier of all or any said property over all or any portion of said route to destination and as to each party at any time interested in all or any of said property, that every service to be performed hereunder shall be subject to all the terms and conditions of the Uniform Domestic Straight Bill of Lading set forth (1) in Official, Southern, Western and Illinois Freight Classifications in effect on the date issued, if this is a rail or a water-rail shipment, or (2) in the applicable motor carrier classification or tariff if this is a motor carrier shipment.

Shipper hereby certifies that he is familiar with all the terms and conditions of the said bill of lading, including those on the back thereof, set forth in the classification or tariff which governs the transportation of this shipment and the said mis and conditions are filled by agreed by the shapper or accepted for his testings.

DITI: BORAL MATERIAL TECHNOLOGIES	010	0/0/		
CONSIGNEE Mack	Concrete		GROSS 7978 O	
DESTINATION ASTAT	Na -		TARE 25780	
CARRIER TIDEWATEY Tra	iller 1/2 203		NET 54000	
CARRIER (2)LID	SEAL 1		NET TONGAL $27.\infty$	
Truck Number 112 LIC	O SEAL 2	BORAL MATERIAL 1	rechnologies	
Truck LicenseSIL	LO/BATCH	WEIGHED BY	Deputy Weighmaster	
e page	ture of Consignor	freight, and all other	Boral BORA Material Technologies	
PRODUCT DESCRIPTION: Crystal River Class Meets ASTM C 618, AASHTO M 295 and F Dot S ADDITIONAL INSTRUCTIONS:			BORAL MATERIAL TECHNOLOGISS 45 Northeast Loop 410, Suite 700	
A	Total Control of the		Sen Antonio, TX 78216 Phone (210) 349-4069	
This shipment is correctly described and weigh shipper, per	Ac		Fax (210) 349-8512	
Authorized A	gent ALAESCHIBED ABOVE	or a factor of the second of t		
Capier Signature	Dale	Time in	1	
Considere Signature	Date	Time Out	1	

STATE OF FLORIDA Visible Emissions Observation Form


Source/Proce	ss Inform	nation				Ора	city F	Readir	ngs			
MANUTY NAME	O=		Aug	WATION	13 2	oc'7	START		_	STOP		
MACK CONCRETE TINDY	FERMIT NO		ALL S	0	ے ہے 15	30	45	900 NA		15	:54A	ĺ
Cener 5.6 2		66-003-AD	1		15	30	40	24	0	15	30	45
23902 County Roan 56/				0	0	0	0	31	0	9	0	0
PROCESS / PRODUCTION AND	(352)	142-2333	2	Ω	0	0	2	32	0	9	0	0
SEE PROCESS DATA	SHCET OF SATURD AND		3	0	0	0	٥	33	0	0	0	0
Bechouse	ASTO 3	Pulse	4	0		0	9	34	0	þ	9	0
N/A Ceneral d)	309en/ha	5	0		Q	C	35	0	\circ		0
RETTANGUE NEW YEAR			6	0		0	0	36	0		0	
HEIGHT ASOLE GROUPS LEVEL ~ 50 PT	HEIGHT TO COM	~42 M	7	0				37) (0	0
Emissions	Descript	ion	8	0	0	0	0	38	0	C	0	0
START NO DAY		MO NOVE	9	0	0	0	0	39	0	0	C	0
PUME COUR PLIME T	YPE		10	0		9		40	0	0	0	0
WATER ORDPLETS PRESENT? VBS NOK	F YES	MED DETACHED	11	C	0		0	41	0			
Meteorologic	al Inform	nation	12	\odot	C	C	0	42	0	C	0	0
START SKY BID SAME	START BIN		13	0	0	9		43	0	C	C	C
START / D'S cloudy BED SAME	MODEL TONE		14	0	0	Ö	C	44	0	0	0	0
WHO START O- H MPh MD SAME	START YA	ON	15	0	0	0	0	45	0		0	0
Observation Da			16	0				46			0	
		• -	17	0	0		2	47	0		0	
Stack With O		* Draw North	18			(48	0		} (
Plume		Arrow	19					49	5			
Sun		(AN)	20	0	0	0		50		0	0	2
Sun —		\mathcal{O}	21				<u> </u>	51		2		0
Wind	(0.7)	the same	22			0		52		0	0	0
	Emissio	n Point	23					53	0		0	0
			24	0	0			54	0	0	0	
Distance Cemest		7	25	0	0	0	0	55				
STORCE SILO 01	Cenerit Storage		26	0	0		0	56				
~ 150'	Observer	s Position	27	0	0	0		57				
	100	_/	28	0	0	3	0	58				
			29	0	0		0	59				
			30	0	0	0	0	80				
Sun Location	on Line			E	ASTE	RN 1	TECH	NICA	AL AS	SOC	IATE	S
Comments Recentified on 8	3-9-07 A	wasting Cost. Ficate for	n ETA	•		G	REGO	RY G	ONZA	LES		
TANKER Product = 26.67 Ton	,	supe = 8 TO 10 PSI	1	emission 7.5% op	specifications evaluate acity and on test oo	r. Maxim. Io single e	ım devletic ITOF exces	on on while ding 15%	e and blac opacity w	k emoke d e incurred	id not exc during th	00¢
No objectionable od		es defend]	certificat	e is velid fi		the from di	ate of leav		res on the	date belo	AV.
during test purion	i		1		/2007 г scноо	L	•)/2007 TION DAT	re 🖳	_	XLF06	
, , , , , , , , , , , , , , , , , , ,			_		660	-		N4430V	4	?045(Toles	
				,, 571			,	, ₄ -y -y . W M	~			

VISIBLE EMISSIONS EVALUATOR

This is to certify that

CREGORY GONZAKES

met the specifications of Federal Reference Method 9 and qualifies as a visible emissions evaluator. Metroum deviation on white and black and did not exceed 7.5% opacity and no single error exceeding 15% opacity was in the certification test conducted by Eastern Technical Associates of Ramon, No. This certifications valid for six months from date of lissue.



GG Environmental Solutions, Inc. 1430 Sara L. Street Kissimmee, Florida 34744-2771 Phone - (407) 932-0409 Fax - (407) 932-0409


PROCESS DATA SHEET

DATE August 13, 2007	TESTING TIME 11:00 AM to 11:54 AM
SOURCE INFORMATION	
COMPANY Mack Concrete Industries, Inc.	
ADDRESS 23902 County Road 561, Astatula, F	lorida
SOURCE IDENTIFICATION: FDEP Permit No. 0 (Cement Storage Silo #2)	690066-003-AO Concrete Batch Plant
SOURCE LOCATION (IF DIFFERENT FROM AB	OVE)
STATEMENT OF PROCESS WEIGHT	
INPUT PROCESS RATE DURING TESTING TIM	E 29.6 ton/hr of cement dust
PRODUCTION RATE DURING TESTING TIME_	no batching was performed
Tanker pneumatic unloading pressure = 8 to	7 ton 10 psi ninutes
26.67 ton cement dust x 60 minutes = 54 minute unloading time hour	29.6 ton/hr cement dust loaded into storage silo
I certify that the above statement is true to the best of	my knowledge and belief.
Name Greg Liskey	Signature None es
Title General Manager	Date 9-20-07

Cement Storage Silo #2

GRG\C: ProjectFiles\MackConcreteIndustries,Inc.\2007\processdatasheet.doc

must be legibly filled in, in ink, in indelible Pencil, or in Carbon, and retained by the agent.



RECEIVED, subject to the classifications and tariffs in effect on the date of the issue of this Bill of Lading

Suwannee American Cement Company • 5117 U.S. Hwy. 27, Branford, Florida, USA sety described below, in apparent good order, except as noted (contents and conditions of ontents of packages unknown), marked, consigned, and destined as indicated below, which said carrier (the word carrier of the foughout this contract as meaning any person of corporation in a possession of the property under the contract) agrees to carry to its usual place of delivery of said destination, it is in the route, observate to delivery or any contract of the property over all or any or said route to deather than the contract is a first water than the instantial in all or any or a fault route.

	fibed. Subject to varification by the EAS PECTION BUREAU according to agree		innee American Cement Shipper	This is the property of the shipper, and no reconsignme. Diversion is to be made unless authorized by consignor
state whether it is carrier's or shipper	ports by a carrier by water, the law requires t	that the bill of lading shall	Subject to Section 7 of conditions of applicable bill of lading, if shipment is to be delivered to the consignee without recourse consignor, the consignor shall sign the following statement. The carrier shall not make delivery of this shipment without payment of freight and all other leavils charges.	the on the or the property with or stamp here.
by the shipper to be not.		, , , ,	Suwannee American Cement	to apply in prepayment of the charges on the property described hereon.
		.,		Agent or Cashler
	Dev		Per (SIGNATURE OF CONSIGNOR)	(The signature here acknowledges only the
exceeding CONSIGNED TO	Per D/DESTINATION	SHIPPING PLANT	CARRIEF	amount prepeid) Charges
	and the second s	AND DATE	ROUTE TO A STATE OF A	advanced: \$
5904281	-5008635 Kitz - Astatula		FOB41 08/11/2007	
Production of the second section is	Augustia in anterioriti e cari	e Late after the con-	·	GROSS 39,450
	MYRY BOAD 561			
ASTATULA	¥1.	in and the second	17 - 18 9 - 18:48 - 5	TARE 12.790
34705 I		08/11/200)7 13 9 13:43 \ 193732	26.670
	COMMENTS	/ SPECIAL INSTRUCTIONS	3	WEIGHED BY DAY CSCALESUW 1
कर सम्बद्धाः	SEAL 30089			CHECKED BY/FOREMAN
FIDEWALDA	JEAN JOVES			
CUSTOMER ORDER NO.	DELIVERY DATE & TIME	BILL OF LAD	ing no. seals 1082 93 7	CAR INITIALS/TRUCK NO. FR. 116/201 3
PRODUCT QUANTITY	08/11/2007 13	3:44 0000	COMMODITY	RATE FREIGHT
CODE WEIGHT	PKGS.		· · · · · · · · · · · · · · · · · · ·	
COOL WEIGHT				
	୍ର ଅଧାର ଓଡ଼	28 S7	Tune I / II Partlat	nd Bulk ASHTO
4254081	53,340.00	26.67	Type I / II Portlar	nd Bulk ASHTO
	53,340.00	26.67	Type I / II Portlar	nd Bulk ASHTO
	53,340.00	26.67	Type I / II Portlar	nd Bulk ASHTO
	53,340.00	26.87	Type I / II Portlar	nd Bulk ASHTO
	53,340.00	26.67	Type I / II Portlar	nd Bulk ASHTO
	53,340.00	26.87	Type I / II Portlar	nd Bulk ASHTO
	53,340.00	26.67	Type I / II Portlar	nd Bulk ASHTO
	53,340.00	26.67	Type I / II Fortlar	ad Bulk ASHTO
	53,340.00	26.67	Type I / II Portlar	ad Bulk ASHTO
	53,340.00	26.67	Type I / II Fortlar	ad Bulk ASHTO
	53,340.00	26.67	Type I / II Portlar	ad Bulk ASHTO
	53,340.00	26.67	Type I / II Portlar	ad Bulk ASHTO

ARRIVAL TIME

Attachment 6

Mack Concrete Industries, Inc.
Copy of Current
FDEP Permit No. 0690066-003-A0



Department of Environmental Protection

Jeb Bush Governor Central District 3319 Maguire Boulevard, Suite 232 Orlando, Florida 32803-3767

David B. Struhs Secretary

NOTICE OF PERMIT

E-CORRESPONDENCE

gliskey@mackconcrete.com

Mack Concrete Industries, Inc. 23902 County Road 561 Astatula, Florida 34705

Attention: Greg Liskey, General Manager

Lake County - AP Concrete Batch Plant DEP File Number: 0690066-003-AO

Dear Mr. Liskey:

Enclosed is Permit Number 0690066-003-AO to operate the above-referenced source issued pursuant to Section(s) 403.087, Florida Statutes.

A person whose substantial interests are affected by this permit may petition for an administrative proceeding (hearing) in accordance with Section 120.57, Florida Statutes. The petition must contain the information set forth below and must be filed (received) in the Office of General Counsel of the Department at 3900 Commonwealth Boulevard, Mail Station 35, Tallahassee, Florida 32399-3000, within 14 days of receipt of this Permit. Petitioner shall mail a copy of the petition to the applicant at the address indicated above at the time of filing. Failure to file a petition within this time period shall constitute a waiver of any right such person may have to request an administrative determination (hearing) under Section 120.57, Florida Statutes.

The petition shall contain the following information:

- (a) The name, address, and telephone number of each petitioner, the applicant's name and address, the Department permit file number and the county in which the project is proposed;
- (b) A statement of how and when each petitioner received notice of the Department's action or proposed action;
- (c) A statement of how each petitioner's substantial interests are affected by the Department's action or proposed action;
- (d) A statement of the material facts disputed by petitioner, if any;
- (e) A statement of facts which petitioner contends warrant reversal or modification of the Department's action or proposed action;
- (f) A statement of which rules or statutes petitioner contends require reversal or modification of the Department's action or proposed action; and

"More Protection, Less Process"

(g) A statement of the relief sought by petitioner, stating precisely the action petitioner wants the Department to take with respect to the Department's action or proposed action.

If a petition is filed, the administrative hearing process is designed to formulate agency action. Accordingly, the Department's final action may be different from the position taken by it in this permit. Persons whose substantial interests will be affected by any decision of the Department with regard to the application have the right to petition to become a party to the proceeding. The petition must conform to the requirements specified above and be filed (received) within 14 days of receipt of this notice in the Office of General Counsel at the above address of the Department. Failure to petition within the allowed time frame constitutes a waiver of any right such person has to request a hearing under Section 120.57, F.S., and to participate as a party to this proceeding. Any subsequent intervention will only be at the approval of the presiding officer upon motion filed pursuant to Rule 28-5.207, F.A.C.

This permit is final and effective on the date filed with the Clerk of the Department unless a petition is filed in accordance with the above paragraphs or unless a request for extension of time in which to file a petition is filed within the time specified for filing a petition and conforms to Rule 62-103.070, F.A.C. Upon timely filing of a petition or a request for an extension of time this permit will not be effective until further Order of the Department.

When the Order (Permit) is final, any party to the Order has the right to seek judicial review of the Order pursuant to Section 120.68, Florida Statutes, by the filing of a Notice of Appeal pursuant to Rule 9.110, Florida Rules of Appellate Procedure, with the Clerk of the Department in the Office of General Counsel, 3900 Commonwealth Boulevard, Mail Station 35, Tallahassee, Florida 32399-3000; and by filing a copy of the Notice of Appeal accompanied by the applicable filing fees with the appropriate District Court of Appeal. The Notice of Appeal must be filed within 30 days from the date the Final Order is filed with the Clerk of the Department.

Executed in Orlando, Florida.

STATE OF FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

I.T. Kozlov, P.S. Program Administrator

Air Resources Management

Date: 12-2-02

FILING AND ACKNOWLEDGEMENT FILED, on this date, pursuant to \$120.52(11), Florida Statutes, with the designated Department Clerk, receipt of which is hereby acknowledged.

UD LTK/jar

Copy provided to:

Gregory R. Gonzales, Environmental Scientist Ecology and Environment, Inc. ggonzales@ene.com

CERTIFICATE OF SERVICE

This is to certify that this NOTICE OF PERMIT and all copies were mailed before the close of business on 12/03/02 to the listed persons, by 2.



Department of Environmental Protection

Jeb Bush Governor Central District
3319 Maguire Boulevard, Suite 232
Orlando, Florida 32803-3767

David B. Struhs Secretary

Permittee:

Mack Concrete Industries, Inc. 23902 Couny Road 561

Astatula, Florida 34705

Atten: Greg Liskey, General Manager

Facility Number: 0690066
Permit Number: 0690066-003-AO
Expiration Date: November 30, 2007

County: Lake

Latitude/Longitude:

28° 41' 25"N/81° 43' 49"W Project: Concrete Batch Plant

This permit is issued under the provisions of Chapter(s) 403, Florida Statutes, and Florida Administrative Code Rule(s) 62-210. The above named permittee is hereby authorized to perform the work or operate the facility shown on the application and approved drawing(s), plans, and other documents attached hereto or on file with the department and made a part hereof and specifically described as follows:

The permittee can operate a concrete batch plant which includes a flyash silo and two cement storage silos. Each silo has a Standley Batch Systems, Inc. baghouse with an air to cloth ratio of 3 to 1 and a particulate removal efficiency of approximately 99.9 percent.

This facility is located at 23902 County Road 561, Astatula, Lake County, Florida.

General Conditions, which are pages 2 and 3, are mailed only to the permittee.

Page 1 of 5

"More Protection, Less Process"

GENERAL CONDITIONS:

- 1. The terms, conditions, requirements, limitations and restrictions set forth in this permit, are "permit conditions" and are binding and enforceable pursuant to Sections 403.141, 403.727, or 403.859 through 403.861, Florida Statutes (F.S.) The permittee is placed on notice that the Department will review this permit periodically and may initiate enforcement action for any violation of these conditions.
- 2. This permit is valid only for the specific processes and operations applied for and indicated in the approved drawings or exhibits. Any unauthorized deviation from the approved drawings, exhibits, specifications, or conditions of this permit may constitute grounds for revocation and enforcement action by the Department.
- 3. As provided in subsections 403.087(6) and 403.722(5), F.S., the issuance of this permit does not convey any vested rights or any exclusive privileges. Neither does it authorize any injury to public or private property or any invasion of personal rights, nor any infringement of federal, state, or local laws or regulations. This permit is not a waiver of or approval of any other Department permit that may be required for other aspects of the total project which are not addressed in this permit.
- 4. This permit conveys no title to land or water, does not constitute State recognition or acknowledgment of title, and does not constitute authority for the use of submerged lands unless herein provided and the necessary title or leasehold interests have been obtained from the State. Only the Trustees of the Internal Improvement Trust Fund may express State opinion as to title.
- 5. This permit does not relieve the permittee from liability for harm or injury to human health or welfare, animal, or plant life, or property caused by the construction or operation of this permitted source, or from penalties therefore; nor does it allow the permittee to cause pollution in contravention of Florida Statutes and Department rules, unless specifically authorized by an order from the Department.
- 6. The permittee shall properly operate and maintain the facility and systems of treatment and control (and related appurtenances) that are installed and used by the permittee to achieve compliance with the conditions of this permit, as required by Department rules. This provision includes the operation of backup and auxiliary facilities or similar systems when necessary to achieve compliance with the conditions of the permit and when required by Department rules.
- 7. The permittee, by accepting this permit, specifically agrees to allow authorized Department personnel, upon presentation of credentials or other documents as may be required by law and at reasonable times, access to the premises where the permitted activity is located or conducted to:
 - (a) Have access to and copy any records that must be kept under conditions of this permit;
 - (b) Inspect the facility, equipment, practices, or operations regulated or required under this permit; and
 - (c) Sample or monitor any substances or parameters at any location reasonably necessary to assure compliance with this permit or Department rules.

Reasonable time may depend on the nature of the concern being investigated.

- 8. If, for any reason, the permittee does not comply with or will be unable to comply with any condition or limitation specified in this permit, the permittee shall immediately provide the Department with the following information:
 - (a) A description of and cause of noncompliance; and
 - (b) The period of noncompliance, including dates and times; or, if not corrected, the anticipated time the noncompliance is expected to continue, and steps being taken to reduce, eliminate, and prevent recurrence of the noncompliance.

The permittee shall be responsible for any and all damages which may result and may be subject to enforcement action by the Department for penalties or for revocation of this permit.

GENERAL CONDITIONS:

- 9. In accepting this permit, the permittee understands and agrees that all records, notes, monitoring data and other information relating to the construction or operation of this permitted source which are submitted to the Department may be used by the Department as evidence in any enforcement case involving the permitted source arising under the Florida Statutes or Department rules, except where such use is prescribed by Section 403.111 and 403.73, F.S. Such evidence shall only be used to the extent it is consistent with the Florida Rules of Civil Procedure and appropriate evidentiary rules.
- 10. The permittee agrees to comply with changes in Department rules and Florida Statutes after a reasonable time for compliance; provided, however, the permittee does not waive any other rights granted by Florida Statutes or Department rules.
- 11. This permit is transferable only upon Department approval in accordance with Rule 62-4.120 and Rule 62-730.300, Florida Administrative Code (F.A.C.), as applicable. The permittee shall be liable for any non-compliance of the permitted activity until the transfer is approved by the Department.
- 12. This permit or a copy thereof shall be kept at the work site of the permitted activity.
- 13. This permit also constitutes:
 - () Determination of Best Available Control Technology (BACT)
 - () Determination of Prevention of Significant Deterioration (PSD)
 - () Certification of compliance with State Water Quality Standards (Section 401, PL 92-500)
 - () Compliance with New Source Performance Standards
- 14. The permittee shall comply with the following:
 - (a) Upon request, the permittee shall furnish all records and plans required under Department rules. During enforcement actions, the retention period for all records will be extended automatically unless otherwise stipulated by the Department.
 - (b) The permittee shall hold at the facility or other location designated by this permit records of all monitoring information (including all calibration and maintenance records and all original strip chart recordings for continuous monitoring information) required by the permit, copies of all reports required by this permit, and records of all data used to complete the application for this permit. These materials shall be retained at least three years from the date of the sample, measurement, report, or application unless otherwise specified by Department rule.
 - (c) Records of monitoring information shall include:
 - The date, exact place, and time of sampling or measurements;
 - The person responsible for performing the sampling or measurements;
 - The dates analyses were performed;
 - The person responsible for performing the analyses;
 - 5. The analytical techniques or methods used;
 - The results of such analyses.
- 15. When requested by the Department, the permittee shall within a reasonable time furnish any information required by law which is needed to determine compliance with the permit. If the permittee becomes aware the relevant facts were not submitted or were incorrect in the permit application or in any report to the Department, such facts or information shall be corrected promptly.

Permittee:
Mack Concrete Industries, Inc.

Permit Number 0690066-003-AO Expiration Date: November 30, 2007

OPERATING CONDITIONS

- 1. The batch plant is permitted to operate a maximum of 2142 hours per consecutive 12 months.

 [Rule 62-210.200(203), F.A.C. (PTE)]
- 2. All reasonable precautions shall be taken to prevent emissions of unconfined particulate matter. Reasonable precautions shall include, but not to be limited to, the following [Rule 62-296.320(4)(c), F.A.C.]:
 - a) Application of water when necessary to control emissions.
 - b) Removal of particulate matter from roads and other paved areas under control of the owner or operator to prevent reentrainment, and from buildings or work areas to prevent particulate from becoming airborne.
 - c) Enclosure or covering of conveyor systems
 - d) Curtailing of operation if winds are entraining unconfined particulate matter.
 - e) Use of a spray bar or chute to mitigate emissions at the drop point to the truck.
- 3. No person shall circumvent any pollution control device or allow the emissions of air pollutants without the applicable air pollution control device operating properly.

 [Rule 62-210.650, F.A.C.]

EMISSION MONITORING AND APPLICABLE TEST PROCEDURES

- 4. Emissions from silos, weigh hoppers (batchers), and other enclosed storage and conveying equipment shall be controlled to the extent necessary to limit visible emissions to 5 percent opacity.

 [Rule 62-296.414(1), F.A.C.]
- 5. Each dust collector exhaust point shall be tested for visible emissions at least ninety (90) days prior to the permit expiration date.
- 6. Each dust collector exhaust point shall be tested by a certified observer in accordance with DEP Method 9 for a minimum of 30 minutes or, if the operation is normally completed within less than 30 minutes and does not recur within that time, the test shall last for the length of the silo loading operation. [Rules 62-296.414(3) and 62-297.310(4)(a)2.a., F.A.C.]
- 7. At least 15 days prior to the date on which each formal compliance test is due to begin, the permittee shall provide written notification of the test to the air compliance section of this office. The notification must include the following information: the date, time, and location of each test; the name and telephone number of the facility's contact person who will be responsible for coordinating the test; and the name, company, and telephone number of the person conducting the test.

[Rule 62-297.310(7)(a)9., F.A.C.]

Permittee: Mack Concrete Industries, Inc. Permit Number 0690066-003-A0 Expiration Date: November 30, 2007

- Testing of emissions shall be conducted with the emissions unit operation at permitted capacity. The maximum operation rate (loading rate-cement dust or fly ash unloaded to silo) is 30 tons per hour. Permitted capacity is defined as 90 to 100 percent of the maximum operation rate allowed by the permit. If it is impractical to test at permitted capacity, an emissions unit may be tested at less than the minimum permitted capacity; in this case, subsequent emissions unit operation is limited to 110 percent of the test load until a new test is conducted. Once the unit is so limited, operation at higher capacities is allowed for no more than 15 consecutive days for the purpose of additional compliance testing to regain the authority to operate at the permitted capacity.
- Reports of the required compliance tests shall be filed with the air compliance section of this office as soon as practical but no later than 45 days after the last test is completed. [Rule 62-297.310(8)(b), F.A.C.]

PERMIT APPLICATION

At least sixty days prior to the expiration date of this permit, the permittee shall submit to this office four air permit applications, DEP Form No. 62-210.900(4), along with the processing fee established in Rule 62-4.050(4), F.A.C.

[Rule 62-4.090, F.A.C.]

[Rule 62-297.310(2), F.A.C.]

STATE OF FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

L.T. Kozlow Program Administrator Air Resources Management

Issued: 12-2-02

October 03, 2007

Mr. Dick Dibble, P.E. Division of Air Resource Management Florida Department of Environmental Protection Receipts Post Office Box 3070 Tallahassee, Florida 32315-3070 RECEIVED

OCT 0 9 2007

Bureau Ji An Michael Sources

Mack Concrete Industries, Inc. Concrete Batch Plant Operation

Dear Mr. Dibble:

To confirm today's telephone conversation, this correspondence is being submitted at the request of our client Mack Concrete Industries, Inc. Please find enclosed:

- 1. Four (4) copies of FDEP Form No. 62-210.920(2)(b) Division of Air Resource Management Air General Permit Registration Form for Non Title V Source Notification to Use Air General Permit for the subject source.
- 2. Mack Concrete Industries, Inc. Check Number 3780 (dated October 2, 2007), in the amount of \$100.00, made payable to the Florida Department of Environmental Protection, for the application-processing fee necessary to obtain the five-year operating air permit.

Should you have any questions, please do not hesitate to contact me at (407) 932-0409 or my "E-Mail" address: ggonzales5@cfl.rr.com.

Sincerely,

GG_ENVIRONMENTAL SOLUTIONS, INC.

Gregory R. Gonzales

President

1430 Sara L. Street

Kissimmee, Florida 34744-2771

Enclosures: a/s

cc: Greg Liskey, V.P./ General Manager – Mack Concrete Industries, Inc.

GRG\C: Project files\ Mack Concrete Industries\operatingpermit 10/03/07DEP1.doc

Mr. Gregory R. Gonzales GG Environmental Solutions, Inc. 1430 Sara L. Street Kissimmee, Florida 34744-2771




7006 2760 0003 4020 8335

1700/10

Meenalasi





Mr. Dick Dibble, P.E. Division of Air Resource Management Florida Department of Environmental Protection Receipts Post Office Box 3070 Tallahassee, Florida 32315-3070