

TITLE 40—Protection of Environment

CHAPTER I—ENVIRONMENTAL PROTECTION AGENCY (CONTINUED)

SUBCHAPTER C—AIR PROGRAMS (CONTINUED)

PART 63—NATIONAL EMISSION STANDARDS FOR HAZARDOUS AIR POLLUTANTS FOR SOURCE CATEGORIES

Subpart A—GENERAL PROVISIONS

§63.1	Applicability.
§63.2	Definitions.
§63.3	Units and abbreviations.
§63.4	Prohibited activities and circumvention.
§63.5	Preconstruction review and notification requirements.
§63.6	Compliance with standards and maintenance requirements.
§63.7	Performance testing requirements.
§63.8	Monitoring requirements.
§63.9	Notification requirements.
§63.10	Recordkeeping and reporting requirements.
§63.11	Control device and work practice requirements.
§63.12	State authority and delegations.
§63.13	Addresses of State air pollution control agencies and EPA Regional Offices.
§63.14	Incorporations by reference.
§63.15	Availability of information and confidentiality.
§63.16	Performance Track Provisions.
Appendix	Table 1 to Subpart A of Part 63 —Detection Sensitivity Levels (grams per hour)

Subpart B—REQUIREMENTS FOR CONTROL TECHNOLOGY DETERMINATIONS FOR MAJOR SOURCES IN ACCORDANCE WITH CLEAN AIR ACT SECTIONS, SECTIONS 112(G) AND 112(J)

§63.40	Applicability of §§63.40 through 63.44.
§63.41	Definitions.
§63.42	Program requirements governing construction or reconstruction of major sources.
§63.43	Maximum achievable control technology (MACT) determinations for constructed and reconstructed major sources.
§63.44	Requirements for constructed or reconstructed major sources subject to a subsequently promulgated MACT standard or MACT requirement.
§§63.45-63.49	[Reserved]
§63.50	Applicability.
§63.51	Definitions.
§63.52	Approval process for new and existing affected sources.
§63.53	Application content for case-by-case MACT determinations.
§63.54	Preconstruction review procedures for new affected sources.
§63.55	Maximum achievable control technology (MACT) determinations for affected sources subject to case-by-case determination of equivalent emission limitations.
§63.56	Requirements for case-by-case determination of equivalent emission limitations after promulgation of subsequent MACT standard.
Appendix	Table 1 to Subpart B of Part 63—Section 112(j) Part 2 Application Due Dates
Appendix	Table 2 to Subpart B of Part 63—MON Source Categories

Subpart C—LIST OF HAZARDOUS AIR POLLUTANTS, PETITIONS PROCESS, LESSER QUANTITY DESIGNATIONS, SOURCE CATEGORY LIST

§63.60	Deletion of caprolactam from the list of hazardous air pollutants.
§63.61	Deletion of methyl ethyl ketone from the list of hazardous air pollutants.
§63.62	Redefinition of glycol ethers listed as hazardous air pollutants.

§63.63	Deletion of ethylene glycol monobutyl ether from the list of hazardous air pollutants.
§§63.64-63.69	[Reserved]

Subpart D—REGULATIONS GOVERNING COMPLIANCE EXTENSIONS FOR EARLY REDUCTIONS OF HAZARDOUS AIR POLLUTANTS

§63.70	Applicability.
§63.71	Definitions.
§63.72	General provisions for compliance extensions.
§63.73	Source.
§63.74	Demonstration of early reduction.
§63.75	Enforceable commitments.
§63.76	Review of base year emissions.
§63.77	Application procedures.
§63.78	Early reduction demonstration evaluation.
§63.79	Approval of applications.
§63.80	Enforcement.
§63.81	Rules for special situations.

Subpart E—APPROVAL OF STATE PROGRAMS AND DELEGATION OF FEDERAL AUTHORITIES

§63.90	Program overview.
§63.91	Criteria for straight delegation and criteria common to all approval options.
§63.92	Approval of State requirements that adjust a section 112 rule.
§63.93	Approval of State requirements that substitute for a section 112 rule.
§63.94	Approval of State permit terms and conditions that substitute for a section 112 rule.
§63.95	Additional approval criteria for accidental release prevention programs.
§63.96	Review and withdrawal of approval.
§63.97	Approval of a State program that substitutes for section 112 requirements.

§63.98	[Reserved]
§63.99	Delegated Federal authorities.

Subpart F—NATIONAL EMISSION STANDARDS FOR ORGANIC HAZARDOUS AIR POLLUTANTS FROM THE SYNTHETIC ORGANIC CHEMICAL MANUFACTURING INDUSTRY

§63.100	Applicability and designation of source.
§63.101	Definitions.
§63.102	General standards.
§63.103	General compliance, reporting, and recordkeeping provisions.
§63.104	Heat exchange system requirements.
§63.105	Maintenance wastewater requirements.
§63.106	Implementation and enforcement.
§63.107	Identification of process vents subject to this subpart.
Appendix	Table 1 to Subpart F of Part 63—Synthetic Organic Chemical Manufacturing Industry Chemicals
Appendix	Table 2 to Subpart F of Part 63—Organic Hazardous Air Pollutants
Appendix	Table 3 to Subpart F of Part 63—General Provisions Applicable to Subparts F, G, and H to Subpart F
Appendix	Table 4 to Subpart F of Part 63—Organic Hazardous Air Pollutants Subject to Cooling Tower Monitoring Requirements in §63.104

Subpart G—NATIONAL EMISSION STANDARDS FOR ORGANIC HAZARDOUS AIR POLLUTANTS FROM THE SYNTHETIC ORGANIC CHEMICAL MANUFACTURING INDUSTRY FOR PROCESS VENTS, STORAGE VESSELS, TRANSFER OPERATIONS, AND WASTEWATER

§63.110	Applicability.
§63.111	Definitions.
§63.112	Emission standard.
§63.113	Process vent provisions—reference control technology.
§63.114	Process vent provisions—monitoring requirements.
§63.115	Process vent provisions—methods and procedures for process vent group determination.
§63.116	Process vent provisions—performance test methods and

- procedures to determine compliance.
- §63.117 Process vent provisions—reporting and recordkeeping requirements for group and TRE determinations and performance tests.
- §63.118 Process vent provisions—periodic reporting and recordkeeping requirements.
- §63.119 Storage vessel provisions—reference control technology.
- §63.120 Storage vessel provisions—procedures to determine compliance.
- §63.121 Storage vessel provisions—alternative means of emission limitation.
- §63.122 Storage vessel provisions—reporting.
- §63.123 Storage vessel provisions—recordkeeping.
- §§63.124-63.125 [Reserved]
- §63.126 Transfer operations provisions—reference control technology.
- §63.127 Transfer operations provisions—monitoring requirements.
- §63.128 Transfer operations provisions—test methods and procedures.
- §63.129 Transfer operations provisions—reporting and recordkeeping for performance tests and notification of compliance status.
- §63.130 Transfer operations provisions—periodic recordkeeping and reporting.
- §63.131 [Reserved]
- §63.132 Process wastewater provisions—general.
- §63.133 Process wastewater provisions—wastewater tanks.
- §63.134 Process wastewater provisions—surface impoundments.
- §63.135 Process wastewater provisions—containers.
- §63.136 Process wastewater provisions—individual drain systems.
- §63.137 Process wastewater provisions—oil-water separators.
- §63.138 Process wastewater provisions—performance standards for treatment processes managing Group 1 wastewater streams and/or residuals removed from Group 1 wastewater streams.
- §63.139 Process wastewater provisions—control devices.
- §63.140 Process wastewater provisions—delay of repair.

§§63.141-63.142	[Reserved]
§63.143	Process wastewater provisions—inspections and monitoring of operations.
§63.144	Process wastewater provisions—test methods and procedures for determining applicability and Group 1/Group 2 determinations (determining which wastewater streams require control).
§63.145	Process wastewater provisions—test methods and procedures to determine compliance.
§63.146	Process wastewater provisions—reporting.
§63.147	Process wastewater provisions—recordkeeping.
§63.148	Leak inspection provisions.
§63.149	Control requirements for certain liquid streams in open systems within a chemical manufacturing process unit.
§63.150	Emissions averaging provisions.
§63.151	Initial notification.
§63.152	General reporting and continuous records.
§63.153	Implementation and enforcement.
Appendix	Table 1 to Subpart G of Part 63 —Process Vents—Coefficients for Total Resource Effectiveness for Existing Source Nonhalogenated and Halogenated Vent Streams
Appendix	Table 1A to Subpart G of Part 63 —Applicable 40 CFR Part 63 General Provisions
Appendix	Table 2 to Subpart G of Part 63 —Process Vents—Coefficients for Total Resource Effectiveness for New Source Nonhalogenated and Halogenated Vent Streams
Appendix	Table 3 to Subpart G of Part 63 —Process Vents—Monitoring, Recordkeeping, and Reporting Requirements for Complying With 98 Weight-Percent Reduction of Total Organic Hazardous Air Pollutants Emissions or a Limit of 20 Parts Per Million by Volume
Appendix	Table 4 to Subpart G of Part 63 —Process Vents—Monitoring, Recordkeeping, and Reporting Requirements For Maintaining a TRE Index Value >1.0 and. ≤4.0
Appendix	Table 5 to Subpart G of Part 63 —Group 1 Storage Vessels at Existing Sources
Appendix	Table 6 to Subpart G of Part 63 —Group 1 Storage Vessels at New Sources
Appendix	Table 7 to Subpart G of Part 63 —Transfer Operations—Monitoring, Recordkeeping, and Reporting Requirements

	for Complying With 98 Weight-Percent Reduction of Total Organic Hazardous Air Pollutants Emissions or a Limit of 20 Parts Per Million by Volume
Appendix	Table 8 to Subpart G of Part 63 —Organic HAP's Subject to the Wastewater Provisions for Process Units at New Sources
Appendix	Table 9 to Subpart G of Part 63 —Organic HAP's Subject to the Wastewater Provisions for Process Units at New and Existing Sources and Corresponding Fraction Removed (Fr) Values
Appendix	Table 10 to Subpart G of Part 63 —Wastewater—Compliance Options for Wastewater Tanks
Appendix	Table 11 to Subpart G of Part 63 —Wastewater—Inspection and Monitoring Requirements for Waste Management Units
Appendix	Table 12 to Subpart G of Part 63 —Monitoring Requirements for Treatment Processes
Appendix	Table 13 to Subpart G of Part 63 —Wastewater—Monitoring Requirements for Control Devices
Appendix	Tables 14-14b to Subpart G of Part 63 [Reserved]
Appendix	Table 15 to Subpart G of Part 63 —Wastewater—Information on Table 8 and/or Table 9 Compounds To Be Submitted With Notification of Compliance Status for Process Units at New and/or Existing Sources
Appendix	Table 16 to Subpart G of Part 63 [Reserved]
Appendix	Table 17 to Subpart G of Part 63 —Information for Treatment Processes To Be Submitted With Notification of Compliance Status
Appendix	Table 18 to Subpart G of Part 63 —Information for Waste Management Units To Be Submitted With Notification of Compliance Status
Appendix	Table 19 to Subpart G of Part 63 —Wastewater—Information on Residuals To Be Submitted With Notification of Compliance Status
Appendix	Table 20 to Subpart G of Part 63 —Wastewater—Periodic Reporting Requirements for Control Devices Subject to §63.139 Used To Comply With §§63.13 Through 63.139
Appendix	Table 21 to Subpart G of Part 63 —Average Storage Temperature (T_s) as a Function of Tank Paint Color
Appendix	Table 22 to Subpart G of Part 63 —Paint Factors for Fixed Roof Tanks
Appendix	Table 23 to Subpart G of Part 63 —Average Clingage Factors (c)

Appendix	Table 24 to Subpart G of Part 63—Typical Number of Columns as a Function of Tank Diameter for Internal Floating Roof Tanks With Column Supported Fixed Roofs
Appendix	Table 25 to Subpart G of Part 63—Effective Column Diameter (F_c)
Appendix	Table 26 to Subpart G of Part 63—Seal Related Factors for Internal Floating Roof Vessels
Appendix	Table 27 to Subpart G of Part 63—Summary of Internal Floating Deck Fitting Loss Factors (K_F) and Typical Number of Fittings (N_F)
Appendix	Table 28 to Subpart G of Part 63—Deck Seam Length Factors (S_D) for Internal Floating Roof Tanks
Appendix	Table 29 to Subpart G of Part 63—Seal Related Factors for External Floating Roof Vessels
Appendix	Table 30 to Subpart G of Part 63—Roof Fitting Loss Factors, K_{Fa}, K_{Fb}, and m, and Typical Number of Fittings, N_T
Appendix	Table 31 to Subpart G of Part 63—Typical Number of Vacuum Breakers, N_{F6} and Roof Drains, N_{F7}
Appendix	Table 32 to Subpart G of Part 63—Typical Number of Roof Legs, N_{F8}
Appendix	Table 33 to Subpart G of Part 63—Saturation Factors
Appendix	Table 34 to Subpart G of Part 63—Fraction Measured (F_m) and Fraction Emitted (F_e) For HAP Compounds in Wastewater Streams
Appendix	Table 35 to Subpart G of Part 63—Control Requirements for Items of Equipment That Meet the Criteria of §63.149 of Subpart G
Appendix	Table 36 to Subpart G of Part 63—Compound Lists Used for Compliance Demonstrations for Enhanced Biological Treatment Processes (See §63.145(h))
Appendix	Table 37 to Subpart G of Part 63—Default Biorates for List 1 Compounds
Appendix	Figure 1 to Subpart G of Part 63—Definitions of Terms Used in Wastewater Equations

Subpart H—NATIONAL EMISSION STANDARDS FOR ORGANIC HAZARDOUS AIR POLLUTANTS FOR EQUIPMENT LEAKS

§63.160 Applicability and designation of source.

§63.161 Definitions.

§63.162	Standards: General.
§63.163	Standards: Pumps in light liquid service.
§63.164	Standards: Compressors.
§63.165	Standards: Pressure relief devices in gas/vapor service.
§63.166	Standards: Sampling connection systems.
§63.167	Standards: Open-ended valves or lines.
§63.168	Standards: Valves in gas/vapor service and in light liquid service.
§63.169	Standards: Pumps, valves, connectors, and agitators in heavy liquid service; instrumentation systems; and pressure relief devices in liquid service.
§63.170	Standards: Surge control vessels and bottoms receivers.
§63.171	Standards: Delay of repair.
§63.172	Standards: Closed-vent systems and control devices.
§63.173	Standards: Agitators in gas/vapor service and in light liquid service.
§63.174	Standards: Connectors in gas/vapor service and in light liquid service.
§63.175	Quality improvement program for valves.
§63.176	Quality improvement program for pumps.
§63.177	Alternative means of emission limitation: General.
§63.178	Alternative means of emission limitation: Batch processes.
§63.179	Alternative means of emission limitation: Enclosed-vented process units.
§63.180	Test methods and procedures.
§63.181	Recordkeeping requirements.
§63.182	Reporting requirements.
§63.183	Implementation and enforcement.
Appendix	Table 1 to Subpart H of Part 63—Batch Processes
Appendix	Table 2 to Subpart H of Part 63—Surge Control Vessels and Bottoms Receivers at Existing Sources
Appendix	Table 3 to Subpart H of Part 63—Surge Control Vessels and Bottoms Receivers at New Sources
Appendix	Table 4 to Subpart H of Part 63—Applicable 40 CFR Part 63 General Provisions

Subpart I—NATIONAL EMISSION STANDARDS FOR ORGANIC HAZARDOUS AIR POLLUTANTS FOR CERTAIN PROCESSES SUBJECT TO THE NEGOTIATED REGULATION FOR EQUIPMENT LEAKS

- §63.190 Applicability and designation of source.
 - §63.191 Definitions.
 - §63.192 Standard.
 - §63.193 Implementation and enforcement.
-

Subpart J—NATIONAL EMISSION STANDARDS FOR HAZARDOUS AIR POLLUTANTS FOR POLYVINYL CHLORIDE AND COPOLYMERS PRODUCTION

WHAT THIS SUBPART COVERS

- §63.210 What is the purpose of this subpart?
- §63.211 Am I subject to this subpart?
- §63.212 What parts of my facility does this subpart cover?
- §63.213 When do I have to comply with this subpart?

STANDARDS AND COMPLIANCE REQUIREMENTS

- §63.214 What are the requirements I must comply with?

OTHER REQUIREMENTS AND INFORMATION

- §63.215 What General Provisions apply to me?
 - §63.216 Who administers this subpart?
 - §63.217 What definitions apply to this subpart?
-

Subpart K—[RESERVED]

Subpart L—NATIONAL EMISSION STANDARDS FOR COKE OVEN BATTERIES

- §63.300 Applicability.
- §63.301 Definitions.
- §63.302 Standards for by-product coke oven batteries.
- §63.303 Standards for nonrecovery coke oven batteries.
- §63.304 Standards for compliance date extension.
- §63.305 Alternative standards for coke oven doors equipped with sheds.
- §63.306 Work practice standards.

§63.307	Standards for bypass/bleeder stacks.
§63.308	Standards for collecting mains.
§63.309	Performance tests and procedures.
§63.310	Requirements for startups, shutdowns, and malfunctions.
§63.311	Reporting and recordkeeping requirements.
§63.312	Existing regulations and requirements.
§63.313	Implementation and enforcement.
Appendix	Appendix A to Subpart L of Part 63—Operating Coke Oven Batteries as of April 1, 1992

Subpart M—NATIONAL PERCHLOROETHYLENE AIR EMISSION STANDARDS FOR DRY CLEANING FACILITIES

§63.320	Applicability.
§63.321	Definitions.
§63.322	Standards.
§63.323	Test methods and monitoring.
§63.324	Reporting and recordkeeping requirements.
§63.325	Determination of equivalent emission control technology.
§63.326	Implementation and enforcement.

Subpart N—NATIONAL EMISSION STANDARDS FOR CHROMIUM EMISSIONS FROM HARD AND DECORATIVE CHROMIUM ELECTROPLATING AND CHROMIUM ANODIZING TANKS

§63.340	Applicability and designation of sources.
§63.341	Definitions and nomenclature.
§63.342	Standards.
§63.343	Compliance provisions.
§63.344	Performance test requirements and test methods.
§63.345	Provisions for new and reconstructed sources.
§63.346	Recordkeeping requirements.
§63.347	Reporting requirements.
§63.348	Implementation and enforcement.
Appendix	Table 1 to Subpart N of Part 63—General Provisions

Appendix	Applicability to Subpart N Table 1 to Subpart N of Part 63—General Provisions Applicability to Subpart N
----------	---------------------------------------------------------------------------------------------------------------------------

Subpart O—ETHYLENE OXIDE EMISSIONS STANDARDS FOR STERILIZATION FACILITIES

§63.360	Applicability.
§63.361	Definitions.
§63.362	Standards.
§63.363	Compliance and performance provisions.
§63.364	Monitoring requirements.
§63.365	Test methods and procedures.
§63.366	Reporting requirements.
§63.367	Recordkeeping requirements.
§63.368	Implementation and enforcement.

Subpart P—[RESERVED]

Subpart Q—NATIONAL EMISSION STANDARDS FOR HAZARDOUS AIR POLLUTANTS FOR INDUSTRIAL PROCESS COOLING TOWERS

§63.400	Applicability.
§63.401	Definitions.
§63.402	Standard.
§63.403	Compliance dates.
§63.404	Compliance demonstrations.
§63.405	Notification requirements.
§63.406	Recordkeeping and reporting requirements.
§63.407	Implementation and enforcement.
Appendix	Table 1 to Subpart Q of Part 63—General Provisions Applicability to Subpart Q

Subpart R—NATIONAL EMISSION STANDARDS FOR GASOLINE DISTRIBUTION FACILITIES (BULK GASOLINE TERMINALS AND PIPELINE BREAKOUT STATIONS)

§63.420	Applicability.
§63.421	Definitions.
§63.422	Standards: Loading racks.
§63.423	Standards: Storage vessels.
§63.424	Standards: Equipment leaks.
§63.425	Test methods and procedures.
§63.426	Alternative means of emission limitation.
§63.427	Continuous monitoring.
§63.428	Reporting and recordkeeping.
§63.429	Implementation and enforcement.
Appendix	Table 1 to Subpart R of Part 63—General Provisions Applicability to Subpart R

Subpart S—NATIONAL EMISSION STANDARDS FOR HAZARDOUS AIR POLLUTANTS FROM THE PULP AND PAPER INDUSTRY

§63.440	Applicability.
§63.441	Definitions.
§63.442	[Reserved]
§63.443	Standards for the pulping system at kraft, soda, and semi-chemical processes.
§63.444	Standards for the pulping system at sulfite processes.
§63.445	Standards for the bleaching system.
§63.446	Standards for kraft pulping process condensates.
§63.447	Clean condensate alternative.
§§63.448-63.449	[Reserved]
§63.450	Standards for enclosures and closed-vent systems.
§§63.451-63.452	[Reserved]
§63.453	Monitoring requirements.
§63.454	Recordkeeping requirements.
§63.455	Reporting requirements.
§63.456	Affirmative defense for violation of emission standards during malfunction.
§63.457	Test methods and procedures.

§63.458	Implementation and enforcement.
§63.459	Alternative standards.
Appendix	Table 1 to Subpart S of Part 63—General Provisions Applicability to Subpart S

Subpart T—NATIONAL EMISSION STANDARDS FOR HALOGENATED SOLVENT CLEANING

§63.460	Applicability and designation of source.
§63.461	Definitions.
§63.462	Batch cold cleaning machine standards.
§63.463	Batch vapor and in-line cleaning machine standards.
§63.464	Alternative standards.
§63.465	Test methods.
§63.466	Monitoring procedures.
§63.467	Recordkeeping requirements.
§63.468	Reporting requirements.
§63.469	Equivalent methods of control.
§63.470	Implementation and enforcement.
§63.471	Facility-wide standards.
Appendix	Appendix A to Subpart T of Part 63—Test of Solvent Cleaning Procedures
Appendix	Appendix B to Subpart T of Part 63—General Provisions Applicability to Subpart T

Subpart U—NATIONAL EMISSION STANDARDS FOR HAZARDOUS AIR POLLUTANT EMISSIONS: GROUP I POLYMERS AND RESINS

§63.480	Applicability and designation of affected sources.
§63.481	Compliance dates and relationship of this subpart to existing applicable rules.
§63.482	Definitions.
§63.483	Emission standards.
§63.484	Storage vessel provisions.
§63.485	Continuous front-end process vent provisions.
§63.486	Batch front-end process vent provisions.

§63.487	Batch front-end process vents—reference control technology.
§63.488	Methods and procedures for batch front-end process vent group determination.
§63.489	Batch front-end process vents—monitoring equipment.
§63.490	Batch front-end process vents—performance test methods and procedures to determine compliance.
§63.491	Batch front-end process vents—recordkeeping requirements.
§63.492	Batch front-end process vents—reporting requirements.
§63.493	Back-end process provisions.
§63.494	Back-end process provisions—residual organic HAP and emission limitations.
§63.495	Back-end process provisions—procedures to determine compliance with residual organic HAP limitations using stripping technology and organic HAP emissions limitations.
§63.496	Back-end process provisions—procedures to determine compliance with residual organic HAP limitations using control or recovery devices.
§63.497	Back-end process provisions—monitoring provisions for control and recovery devices used to comply with residual organic HAP limitations.
§63.498	Back-end process provisions—recordkeeping.
§63.499	Back-end process provisions—reporting.
§63.500	Back-end process provisions—carbon disulfide limitations for styrene butadiene rubber by emulsion processes.
§63.501	Wastewater provisions.
§63.502	Equipment leak and heat exchange system provisions.
§63.503	Emissions averaging provisions.
§63.504	Additional requirements for performance testing.
§63.505	Parameter monitoring levels and excursions.
§63.506	General recordkeeping and reporting provisions.
§63.507	Implementation and enforcement.
Appendix	Table 1 to Subpart U of Part 63 —Applicability of General Provisions to Subpart U Affected Sources
Appendix	Table 2 to Subpart U of Part 63 —Applicability of Subparts F, G, & H of This Part to Subpart U Affected Sources

Appendix	Table 3 to Subpart U of Part 63—Group 1 Storage Vessels at Existing Affected Sources
Appendix	Table 4 to Subpart U of Part 63—Group 1 Storage Vessels at New Sources
Appendix	Table 5 to Subpart U of Part 63—Known Organic HAP Emitted From the Production of Elastomer Products
Appendix	Table 6 to Subpart U of Part 63—Group 1 Batch Front-End Process Vents and Aggregate Batch Vent Streams—Monitoring, Recordkeeping, and Reporting Requirements
Appendix	Table 7 to Subpart U of Part 63—Operating Parameters for Which Monitoring Levels Are Required To Be Established for Continuous and Batch Front-End Process Vents and Aggregate Batch Vent Streams
Appendix	Table 8 to Subpart U of Part 63—Summary of Compliance Alternative Requirements for the Back-End Process Provisions
Appendix	Table 9 to Subpart U of Part 63—Routine Reports Required by This Subpart

Subpart V—[RESERVED]

Subpart W—NATIONAL EMISSION STANDARDS FOR HAZARDOUS AIR POLLUTANTS FOR EPOXY RESINS PRODUCTION AND NON-NYLON POLYAMIDES PRODUCTION

§63.520	Applicability and designation of sources.
§63.521	Compliance schedule.
§63.522	Definitions.
§63.523	Standards for basic liquid resins manufacturers.
§63.524	Standards for wet strength resins manufacturers.
§63.525	Compliance and performance testing.
§63.526	Monitoring requirements.
§63.527	Recordkeeping requirements.
§63.528	Reporting requirements.
§63.529	Implementation and enforcement.
Appendix	Table 1 to Subpart W of Part 63—General Provisions Applicability to Subpart W

**Subpart X—NATIONAL EMISSION STANDARDS FOR HAZARDOUS AIR POLLUTANTS FROM
SECONDARY LEAD SMELTING**

§63.541	Applicability.
§63.542	Definitions.
§63.543	What are my standards for process vents?
§63.544	What are my total enclosure standards?
§63.545	What are my standards for fugitive dust sources?
§63.546	Compliance dates.
§63.547	Test methods.
§63.548	Monitoring requirements.
§63.549	Notification requirements.
§63.550	Recordkeeping and reporting requirements.
§63.551	Implementation and enforcement.
§63.552	Affirmative defense to civil penalties for exceedance of emissions limit during malfunction.
Appendix	Table 1 to Subpart X of Part 63—General Provisions Applicability to Subpart X
Appendix	Table 2 to Subpart X of Part 63—Emissions Limits for Secondary Lead Smelting Furnaces
Appendix	Table 3 to Subpart X of Part 63—Toxic Equivalency Factors

Subpart Y—NATIONAL EMISSION STANDARDS FOR MARINE TANK VESSEL LOADING OPERATIONS

§63.560	Applicability and designation of affected source.
§63.561	Definitions.
§63.562	Standards.
§63.563	Compliance and performance testing.
§63.564	Monitoring requirements.
§63.565	Test methods and procedures.
§63.566	Construction and reconstruction.
§63.567	Recordkeeping and reporting requirements.
§63.568	Implementation and enforcement.

Subpart Z—[RESERVED]

§§63.569-63.599 [Reserved]