## Table 2-1, Summary of Compliance Requirements

White Springs Agricultural Chemicals, Inc.

Suwannee River/ Swift Creek Complex

Facility ID No.: 0470002

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

| E.U. ID No. | Brief Description |
|---|---|
| 1 | #2 Phosphate Rock Grinder |

| Pollutant Name or Parameter | Fuel(s) | Compliance Method | Testing Time Frequency | Frequency Base Date * | Min. Compliance Test Duration | CMS** | See permit condition(s) |
|---|---|---|---|---|---|---|---|
| Particulate Matter | | EPA 5 | On request | | | | III.A.5. |
| Visible Emissions | | EPA 9 | Annual each Federal fiscal year | 17-Jul | | | III.A.6. |

Notes:

* The frequency base date is established for planning purposes only; see Rule 62-297.310, F.A.C.

**CMS [=] continuous monitoring system

[electronic file name: 04700022.xls]

## Table 2-1, Summary of Compliance Requirements

White Springs Agricultural Chemicals, Inc.
Suwannee River/ Swift Creek Complex — Facility ID No.: 0470002

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

| E.U. ID No. | Brief Description |
|---|---|
| 3 | "A" Defluorinate Phosphate (DFP) Plant |

| Pollutant Name or Parameter | Fuel(s) | Compliance Method | Testing Time Frequency | Frequency Base Date * | Min. Compliance Test Duration | CMS** | See permit condition(s) |
|---|---|---|---|---|---|---|---|
| Fluoride | | EPA 13A or 13B | Annual each Federal fiscal year | 1-Sep | | | III.B.10. |
| Particulate Matter | | EPA 5 | Annual each Federal fiscal year | 1-Sep | | | III.B.11. |
| Sulfur Dioxide | | EPA 6/ 6C | Every 5 years @ renewal | | | | III.B.12. |
| Visible Emissions | | EPA 9 | Annual each Federal fiscal year | 1-Sep | | | III.B.13. |

Notes:
* The frequency base date is established for planning purposes only; see Rule 62-297.310, F.A.C.
**CMS [=] continuous monitoring system

[electronic file name: 04700022.xls]

## Table 2-1, Summary of Compliance Requirements

White Springs Agricultural Chemicals, Inc.
Suwannee River/ Swift Creek Complex — Facility ID No.: 0470002

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

| E.U. ID No. | Brief Description |
|---|---|
| 4 | X-Train (Monocal/Dical Process) with EP below: |
| | 1--X-Train batch tank Venturi and Cylonic Scrubbers |
| | 2--Dedust bin baghouse |
| | 3--Shipping area baghouse |
| | 4--Limestone silo baghouse |
| | 5--Reclaim bin single cyclone |

| Pollutant Name or Parameter | Fuel(s) | Compliance Method | Time Frequency | Frequency Base Date * | Min. Compliance Test Duration | CMS** | See permit condition(s) |
|---|---|---|---|---|---|---|---|
| Fluoride (EP 1) | | EPA 13A or 13B | Annually each federal fiscal year | 11-Mar | | | III.C.17. |
| PM (EP 1) | | EPA 5 | Annually each federal fiscal year | 11-Mar | | | III.C.18. |
| SO2 (EP 1) | | FOA (fuel oil analysis) | Annually | 1-Mar | | | III.C.19. |
| VE (EP 1) | | EPA 9 | Annually each federal fiscal year | 11-Mar | | | III.C.20.; C.29. |
| VE (EP 2) | | EPA 9 | Annually each federal fiscal year | 11-Mar | | | III.C.21. |
| VE (EP 3) | | EPA 9 | Annually each federal fiscal year | 11-Mar | | | III.C.22. |
| VE (EP 4) | | EPA 9 | Annually each federal fiscal year | 11-Mar | | | III.C.23. |
| VE (EP 5) | | EPA 9 | Annually each federal fiscal year | 11-Mar | | | III.C.24. |
| VE (EP 6) fugitive dust | | EPA 9 | Annually each federal fiscal year | 11-Mar | | | III.C.25. |

Notes:
* The frequency base date is established for planning purposes only; see Rule 62-297.310, F.A.C.
**CMS [=] continuous monitoring system

[electronic file name: 04700022.xls]

## Table 2-1, Summary of Compliance Requirements

White Springs Agricultural Chemicals, Inc.
Suwannee River/ Swift Creek Complex — Facility ID No.: 0470002

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

| E.U. ID No. | Brief Description |
|---|---|
| 8 | Y-Train (#1 MAP/ DAP Plant) with EP below: |
| | 1--Y-Train Scrubbers |
| | 2--Rock bin baghouse |

| Pollutant Name or Parameter | Fuel(s) | Compliance Method | Time Frequency (Annual each Federal fiscal year) | Frequency Base Date * | Min. Compliance Test Duration | CMS** | See permit condition(s) |
|---|---|---|---|---|---|---|---|
| Fluoride (1; 1-5) | | EPA 13A or 13B | Annually | 1-Sep | | | III.D.14. |
| SO2 (EP 1; 1-5) | | FOA | Annually | 1-Mar | | | III.D.16. |
| PM (EP 1; 1-5) | | EPA 5 | Annually each federal fiscal year | 1-Sep | | | III.D.17. |
| VE (1; all modes) | | EPA 9 | Annually each federal fiscal year | 1-Sep | | | III.D.18. |

Notes:
* The frequency base date is established for planning purposes only; see Rule 62-297.310, F.A.C.
**CMS [=] continuous monitoring system

[electronic file name: 04700022.xls]

## Table 2-1, Summary of Compliance Requirements

White Springs Agricultural Chemicals, Inc.

Suwannee River/ Swift Creek Complex

Facility ID No.: 0470002

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

| E.U. ID No. | Brief Description |
|---|---|
| 10 | #1 Storage & Shipping Building |

| Pollutant Name or Parameter | Fuel(s) | Compliance Method | Testing Time Frequency | Frequency Base Date * | Min. Compliance Test Duration | CMS** | See permit condition(s) |
|---|---|---|---|---|---|---|---|
| PM (1-3) | | EPA 5 | Annual each Federal fiscal year | 1-Sep | | | III.E.6. |
| VE (1-3) | | EPA 9 | Annual each Federal fiscal year | 1-Sep | | | III.E.7. |

Notes:

* The frequency base date is established for planning purposes only; see Rule 62-297.310, F.A.C.

**CMS [=] continuous monitoring system

[electronic file name: 04700022.xls]

## Table 2-1, Summary of Compliance Requirements

White Springs Agricultural Chemicals, Inc.

Suwannee River/ Swift Creek Complex

Facility ID No.: 0470002

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

| E.U. ID No. | Brief Description |
|---|---|
| 15 | Grandular Products Shipping & Screening Facility |

| Pollutant Name or Parameter | Fuel(s) | Compliance Method | Testing Time Frequency | Frequency Base Date * | Min. Compliance Test Duration | CMS** | See permit condition(s) |
|---|---|---|---|---|---|---|---|
| Particulate Matter | | EPA 5 | Every 5 years | 15-Sep | | | III.F.5. |
| Visible Emissions | | EPA 9 | Annual each Federal fiscal year | 15-Sep | | | III.F.6. |

Notes:

* The frequency base date is established for planning purposes only; see Rule 62-297.310, F.A.C.

**CMS [=] continuous monitoring system

[electronic file name: 04700022.xls]

## Table 2-1, Summary of Compliance Requirements

White Springs Agricultural Chemicals, Inc.
Suwannee River/ Swift Creek Complex — Facility ID No.: 0470002

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

| E.U. ID No. | Brief Description |
|---|---|
| 20 | "B" Phosphoric Acid Plant |

| Pollutant Name or Parameter | Fuel(s) | Compliance Method | Testing Time Frequency | Frequency Base Date * | Min. Compliance Test Duration | CMS** | See permit condition(s) |
|---|---|---|---|---|---|---|---|
| Fluoride | | EPA 13A or 13B | Annually | 26-Sep | | yes | III.G.11. & G.12. |
| Visible Emissions | | EPA 9 | Annually each federal fiscal year | 26-Sep | | | III.G.13. |

Notes:
* The frequency base date is established for planning purposes only; see Rule 62-297.310, F.A.C.
**CMS [=] continuous monitoring system

[electronic file name: 04700022.xls]

## Table 2-1, Summary of Compliance Requirements

White Springs Agricultural Chemicals, Inc.

Suwannee River/ Swift Creek Complex

Facility ID No.: 0470002

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

| E.U. ID No. | Brief Description |
|---|---|
| 21 | "C" Sulfuric Acid Plant |

| Pollutant Name or Parameter | Fuel(s) | Compliance Method | Testing Time Frequency | Frequency Base Date * | Min. Compliance Test Duration | CMS** | See permit condition(s) |
|---|---|---|---|---|---|---|---|
| Sulfur Dioxide | | EPA 8 | Annual each Federal fiscal year | 10-May | | yes | III.H.6. |
| Sulfuric Acid Mist (SAM) | | EPA 8 | Annual each Federal fiscal year | 10-May | | | III.H.7. |
| Visible Emissions | | EPA 9 | Annually | 10-May | | | III.H.8. |

Notes:

* The frequency base date is established for planning purposes only; see Rule 62-297.310, F.A.C.

**CMS [=] continuous monitoring system

[electronic file name: 04700022.xls]

## Table 2-1, Summary of Compliance Requirements

White Springs Agricultural Chemicals, Inc.

Suwannee River/ Swift Creek Complex

Facility ID No.: 0470002

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

| E.U. ID No. | Brief Description |
|---|---|
| 22 | "D" Sulfuric Acid Plant |

| Pollutant Name or Parameter | Fuel(s) | Compliance Method | Testing Time Frequency | Frequency Base Date * | Min. Compliance Test Duration | CMS** | See permit condition(s) |
|---|---|---|---|---|---|---|---|
| Sulfur Dioxide | | EPA 8 | Annual each Federal fiscal year | 10-May | | yes | III.I.6. |
| Sulfuric Acid Mist (SAM) | | EPA 8 | Annual each Federal fiscal year | 10-May | | | III.I.7. |
| Visible Emissions | | EPA 9 | Annual each Federal fiscal year | 10-May | | | III.I.8. |

Notes:

* The frequency base date is established for planning purposes only; see Rule 62-297.310, F.A.C.

**CMS [=] continuous monitoring system

[electronic file name: 04700022.xls]

## Table 2-1, Summary of Compliance Requirements

White Springs Agricultural Chemicals, Inc.
Suwannee River/ Swift Creek Complex — Facility ID No.: 0470002

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

| E.U. ID No. | Brief Description |
|---|---|
| 32 | Z-Train (#2 MAP/ DAP) w/ EPs |
| | TG - main stack |
| | C - Cooler vent |

| Pollutant Name or Parameter | Fuel(s) | Compliance Method | Testing Time Frequency | Frequency Base Date * | Min. Compliance Test Duration | CMS** | See permit condition(s) |
|---|---|---|---|---|---|---|---|
| Fluoride (TG) | | EPA 13A or 13B | Annual each Federal fiscal year | 29-Apr | | | III.J.14. |
| PM (TG) | | EPA 5 | Annual each Federal fiscal year | 29-Apr | | | III.J.16. |
| SO2 (TG) | | FOA | Annually | 1-Mar | | | III.J.17. |
| VE (TG) | | EPA 9 | Annual each Federal fiscal year | 29-Apr | | | III.J.18. |
| VE (C) | | EPA 9 | Annually | 29-Apr | | | III.J.19. |

Notes:
* The frequency base date is established for planning purposes only; see Rule 62-297.310, F.A.C.
**CMS [=] continuous monitoring system

[electronic file name: 04700022.xls]

## Table 2-1, Summary of Compliance Requirements

White Springs Agricultural Chemicals, Inc.

Suwannee River/ Swift Creek Complex

Facility ID No.: 0470002

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

| E.U. ID No. | Brief Description |
|---|---|
| 34 | S-Phosphoric Acid Filters |

| Pollutant Name or Parameter | Fuel(s) | Compliance Method | Testing Time Frequency | Frequency Base Date * | Min. Compliance Test Duration | CMS** | See permit condition(s) |
|---|---|---|---|---|---|---|---|
| Fluoride (D) | | EPA 13A or 13B | Annual each Federal fiscal year | 21-Oct | | | III.K.5. |
| VE ( EF) | | EPA 9 | Annual each Federal fiscal year | 21-Oct | | | III.K.6. |

Notes:

* The frequency base date is established for planning purposes only; see Rule 62-297.310, F.A.C.

**CMS [=] continuous monitoring system

[electronic file name: 04700022.xls]

## Table 2-1, Summary of Compliance Requirements

White Springs Agricultural Chemicals, Inc.

Suwannee River/ Swift Creek Complex

Facility ID No.: 0470002

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

| E.U. ID No. | Brief Description |
|---|---|
| 35 | North Phosphoric Acid Filters |

| Pollutant Name or Parameter | Fuel(s) | Compliance Method | Testing Time Frequency | Frequency Base Date * | Min. Compliance Test Duration | CMS** | See permit condition(s) |
|---|---|---|---|---|---|---|---|
| Fluoride | | EPA 13A or 13B | Annual each Federal fiscal year | 29-Jan | | | III.L.4. |

Notes:

* The frequency base date is established for planning purposes only; see Rule 62-297.310, F.A.C.

**CMS [=] continuous monitoring system

[electronic file name: 04700022.xls]

## Table 2-1, Summary of Compliance Requirements

White Springs Agricultural Chemicals, Inc.

Suwannee River/ Swift Creek Complex

Facility ID No.: 0470002

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

| E.U. ID No. | Brief Description |
|---|---|
| 36 | "B" SPA Plants |

| Pollutant Name or Parameter | Fuel(s) | Compliance Method | Testing Time Frequency | Frequency Base Date * | Min. Compliance Test Duration | CMS** | See permit condition(s) |
|---|---|---|---|---|---|---|---|
| Fluoride | | EPA 13A or 13B | Every 5 years | 15-Oct | | yes | III.M.7. |

Notes:

* The frequency base date is established for planning purposes only; see Rule 62-297.310, F.A.C.

**CMS [=] continuous monitoring system

[electronic file name: 04700022.xls]

## Table 2-1, Summary of Compliance Requirements

White Springs Agricultural Chemicals, Inc.
Suwannee River/ Swift Creek Complex
Facility ID No.: 0470002

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

| E.U. ID No. | Brief Description |
|---|---|
| 38 | "B"Defluorinated Phosphate (DFP) Plant |

| Pollutant Name or Parameter | Fuel(s) | Compliance Method | Testing Time Frequency | Frequency Base Date * | Min. Compliance Test Duration | CMS** | See permit condition(s) |
|---|---|---|---|---|---|---|---|
| Fluoride | | EPA 13A or 13B | Annual each Federal fiscal year | 19-Jan | | | III.N.8. |
| Particulate Matter | | EPA 5 | Annual each Federal fiscal year | 19-Jan | | | III.N.9. |
| SO2 | | EPA 6 | Every 5 years @ renewal | 19-Jan | | | III.N.10. |
| Visible Emissions | | EPA 9 | Annual each Federal fiscal year | 19-Jan | | | III.N.11. |

Notes:
* The frequency base date is established for planning purposes only; see Rule 62-297.310, F.A.C.
**CMS [=] continuous monitoring system

[electronic file name: 04700022.xls]

## Table 2-1, Summary of Compliance Requirements

White Springs Agricultural Chemicals, Inc.
Suwannee River/ Swift Creek Complex — Facility ID No.: 0470002

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

| E.U. ID No. | Brief Description |
|---|---|
| 39 | "C" Aux Boiler |

| Pollutant Name or Parameter | Fuel(s) | Compliance Method | Testing Time Frequency | Frequency Base Date * | Min. Compliance Test Duration | CMS** | See permit condition(s) |
|---|---|---|---|---|---|---|---|
| PM | | EPA 5 | Upon request | | | | III.O.10. |
| Sulfur Dioxide | | FOA | Annual | 1-Mar | | | III.O.11. |
| Visible Emissions | | EPA 9 | Annual each Federal fiscal year | 31-Dec | | | III.O.12. |
| Nox | | EPA 7 | Upon request | | | | III.O.13. |
| CO | | EPA 10 | Upon request | | | | III.O.14. |

Notes:
* The frequency base date is established for planning purposes only; see Rule 62-297.310, F.A.C.
**CMS [=] continuous monitoring system

[electronic file name: 04700022.xls]

## Table 2-1, Summary of Compliance Requirements

White Springs Agricultural Chemicals, Inc.
Suwannee River/ Swift Creek Complex
Facility ID No.: 0470002

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

| E.U. ID No. | Brief Description |
|---|---|
| 40 | D Aux Boiler |

| Pollutant Name or Parameter | Fuel(s) | Compliance Method | Testing Time Frequency | Frequency Base Date * | Min. Compliance Test Duration | CMS** | See permit condition(s) |
|---|---|---|---|---|---|---|---|
| PM | | EPA 5 | Upon request | | | | III.P.10. |
| Visible Emissions | | EPA 9 | Annually each FFY | 31-Dec | | | III.P.12. |
| Sulfur Dioxide | | FOA | Annual each Federal fiscal year | 1-Mar | | | III.P.11. |
| Nox | | EPA 7 | Upon request | | | | III.P.13. |
| CO | | EPA 10 | Upon request | | | | III.P.14. |

Notes:
* The frequency base date is established for planning purposes only; see Rule 62-297.310, F.A.C.
**CMS [=] continuous monitoring system

[electronic file name: 04700022.xls]

## Table 2-1, Summary of Compliance Requirements

White Springs Agricultural Chemicals, Inc.
Suwannee River/ Swift Creek Complex — Facility ID No.: 0470002

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

| E.U. ID No. | Brief Description |
|---|---|
| 42 | Defluorinated Phosphate (DFP) Feed Prep with EP below: |
| | EP 01 - Rock bin baghouse |
| | EP 02- Baghouse |
| | EP 05- Dryer w/ scrubber |
| | EP 03/ EP L1 - Limestone silo baghouse |
| | EP 04/ EP L2 - Limestone surge bin baghouse |
| | EP 06/ EP SA1 - Soda ash silo baghouse |
| | EP 07/ EP SA2 - Soda ash bin baghouse |

| Pollutant Name or Parameter | Fuel(s) | Compliance Method | Testing Time Frequency | Frequency Base Date * | Min. Compliance Test Duration | CMS** | See permit condition(s) |
|---|---|---|---|---|---|---|---|
| PM (EP 05) | | EPA 5 | Annually each ffy | 5-Oct | | | III.Q.13. |
| SO2 (EP 05) | | FOA | Annually each ffy | 1-Mar | | | III.Q.14. |
| VE (EP 05) | | EPA 9 | Annually each ffy | 5-Oct | | | III.Q.15. |
| VE (EP 02) | | EPA 9 | Annually each ffy | 5-Oct | | | III.Q.16. |
| VE (EP 01) | | EPA 9 | Annually each ffy | 5-Oct | | | III.Q.17. |
| PM (EP 03) | | compliance w/ VE | | | | | III.Q.18.a. |
| VE (EP 03/ L1) | | EPA 9 | Annually each ffy | 5-Oct | | | III.Q.18.b. |
| PM (EP04) | | compliance w/ VE | | | | | III.Q.19.a. |
| VE (EP 04/L2) | | EPA 9 | Annually each ffy | 5-Oct | | | III.Q.19.b. *** |
| VE (EP 06/ SA1) | | EPA 9 | Annually each ffy | 5-Oct | | | III.Q.20. |
| VE (EP 07/ SA2) | | EPA 9 | Annually each ffy | 5-Oct | | | III.Q.21. |

Notes:
* The frequency base date is established for planning purposes only; see Rule 62-297.310, F.A.C.
**CMS [=] continuous monitoring system
*** Conduct test while bin is being loaded.

[electronic file name: 04700022.xls]

## Table 2-1, Summary of Compliance Requirements

White Springs Agricultural Chemicals, Inc.

Suwannee River/ Swift Creek Complex

Facility ID No.: 0470002

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

| **E.U. ID No.** | **Brief Description** |
|---|---|
| 44 | "A" and "B" Defluorinated Phosphoate (DFP) Coolers |

| Pollutant Name or Parameter | Fuel(s) | Compliance Method | Testing Time Frequency | Frequency Base Date * | Min. Compliance Test Duration | CMS** | See permit condition(s) |
|---|---|---|---|---|---|---|---|
| Fluoride | | EPA 13A or 13B | Annual each Federal fiscal year | 29-Nov | | | III.R.6. |
| Particulate Matter | | EPA 5 | Annual each Federal fiscal year | 29-Nov | | | III.R.7. |
| Visible Emissions | | EPA9 | Annual each Federal fiscal year | 29-Nov | | | III.R.8. |

Notes:

* The frequency base date is established for planning purposes only; see Rule 62-297.310, F.A.C.

**CMS [=] continuous monitoring system

[electronic file name: 04700022.xls]

## Table 2-1, Summary of Compliance Requirements

White Springs Agricultural Chemicals, Inc.

Suwannee River/ Swift Creek Complex

Facility ID No.: 0470002

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

| E.U. ID No. | Brief Description |
|---|---|
| 54 | Molten Sulfur System |

| Pollutant Name or Parameter | Fuel(s) | Compliance Method | Testing Time Frequency | Frequency Base Date * | Min. Compliance Test Duration | CMS** | See permit condition(s) |
|---|---|---|---|---|---|---|---|
| Visible Emissions | | EPA 9 | Every 5 years @ renewal | 15-Aug | | | III.S.9. |

Notes:

* The frequency base date is established for planning purposes only; see Rule 62-297.310, F.A.C.

**CMS [=] continuous monitoring system

[electronic file name: 04700022.xls]

## Table 2-1, Summary of Compliance Requirements

White Springs Agricultural Chemicals, Inc.
Suwannee River/ Swift Creek Complex — Facility ID No.: 0470002

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

| E.U. ID No. | Brief Description |
|---|---|
| 61 | Green SPA (Superphosphoric Acid) Plant |

| Pollutant Name or Parameter | Fuel(s) | Compliance Method | Testing Time Frequency | Frequency Base Date * | Min. Compliance Test Duration | CMS** | See permit condition(s) |
|---|---|---|---|---|---|---|---|
| Fluoride | | EPA 13A or 13B | Annually each federal fiscal yr | 14-Jun | | | III.T.4. |

Notes:
* The frequency base date is established for planning purposes only; see Rule 62-297.310, F.A.C.
**CMS [=] continuous monitoring system

[electronic file name: 04700022.xls]

## Table 2-1, Summary of Compliance Requirements

White Springs Agricultural Chemicals, Inc.

Suwannee River/ Swift Creek Complex

Facility ID No.: 0470002

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

| E.U. ID No. | Brief Description |
|---|---|
| 62 | Defluorinated Phosphate (DFP) Product Silos |

| Pollutant Name or Parameter | Fuel(s) | Compliance Method | Testing Time Frequency | Frequency Base Date * | Min. Compliance Test Duration | CMS** | See permit condition(s) |
|---|---|---|---|---|---|---|---|
| VE (EP 14) | | EPA 9 | Annual each Federal fiscal year | 21-Jan | | | III.U.5. |
| VE (EP 16) | | EPA 9 | Annual each Federal fiscal year | 21-Jan | | | III.U.6 |

Notes:

* The frequency base date is established for planning purposes only; see Rule 62-297.310, F.A.C.

**CMS [=] continuous monitoring system

[electronic file name: 04700022.xls]

## Table 2-1, Summary of Compliance Requirements

White Springs Agricultural Chemicals, Inc.
Suwannee River/ Swift Creek Complex
Facility ID No.: 0470002

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

| E.U. ID No. | Brief Description |
|---|---|
| 64 | SCM Rock Dryer |

| Pollutant Name or Parameter | Fuel(s) | Compliance Method | Testing Time Frequency | Frequency Base Date * | Min. Compliance Test Duration | CMS** | See permit condition(s) |
|---|---|---|---|---|---|---|---|
| Particulate Matter | | EPA 5 | Annually | 18-May | | | III.V.9. |
| Sulur Dioxide | | FOA | Annual each Federal fiscal year | 1-Mar | | | III.V.10. |
| Visible Emissions | | EPA 9 | Annual each Federal fiscal year | 18-May | | | III.V.11. |

Notes:
* The frequency base date is established for planning purposes only; see Rule 62-297.310, F.A.C.
**CMS [=] continuous monitoring system

[electronic file name: 04700022.xls]

## Table 2-1, Summary of Compliance Requirements

White Springs Agricultural Chemicals, Inc.

Suwannee River/ Swift Creek Complex

Facility ID No.: 0470002

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

| E.U. ID No. | Brief Description |
|---|---|
| 65 | SCM Silos |

| Pollutant Name or Parameter | Fuel(s) | Compliance Method | Testing Time Frequency | Frequency Base Date * | Min. Compliance Test Duration | CMS** | See permit condition(s) |
|---|---|---|---|---|---|---|---|
| Particulate matter | | EPA 5 | Annual each Federal fiscal year | 10-Apr | | | III.W.5. |
| Visible Emissions | | EPA 9 | Annual each Federal fiscal year | 10-Apr | | | III.W.6. |

Notes:

* The frequency base date is established for planning purposes only; see Rule 62-297.310, F.A.C.

**CMS [=] continuous monitoring system

[electronic file name: 04700022.xls]

## Table 2-1, Summary of Compliance Requirements

White Springs Agricultural Chemicals, Inc.
Suwannee River/ Swift Creek Complex
Facility ID No.: 0470002

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

| E.U. ID No. | Brief Description | | | | | | |
|---|---|---|---|---|---|---|---|
| 66 | "E" Sulfuric Acid Plant | | | | | | |
| | | | Testing | Frequency | Min. Compliance | | |
| Pollutant Name | | Compliance | Time | Base | Test | | |
| or Parameter | Fuel(s) | Method | Frequency | Date * | Duration | CMS** | See permit condition(s) |
| Sulfur Dioxide | | EPA 8 | Annual each Federal fiscal year | 4-Jun | | YES | III.X.6. |
| Sulfuric Acid Mist (SAM) | | EPA 8 | Annual each Federal fiscal year | 4-Jun | | | III.X.7. |
| Visible Emissions | | EPA 9 | Annual each Federal fiscal year | 4-Jun | | | III.X.8. |

Notes:
* The frequency base date is established for planning purposes only; see Rule 62-297.310, F.A.C.
**CMS [=] continuous monitoring system

[electronic file name: 04700022.xls]

## Table 2-1, Summary of Compliance Requirements

White Springs Agricultural Chemicals, Inc.

Suwannee River/ Swift Creek Complex

Facility ID No.: 0470002

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

| E.U. ID No. | Brief Description |
|---|---|
| 67 | F Sulfuric Acid Plant |

| Pollutant Name or Parameter | Fuel(s) | Compliance Method | Testing Time Frequency | Frequency Base Date * | Min. Compliance Test Duration | CMS** | See permit condition(s) |
|---|---|---|---|---|---|---|---|
| Sulfur Dioxide | | EPA 8 | Annual each Federal fiscal year | 4-Jun | | yes | III.Y.6. |
| Sulfuric Acid Mist (SAM) | | EPA 8 | Annual each Federal fiscal year | 4-Jun | | | III.Y.7. |
| Visible Emissions | | EPA 9 | Annual each Federal fiscal year | 4-Jun | | | III.Y.8. |

Notes:

* The frequency base date is established for planning purposes only; see Rule 62-297.310, F.A.C.

**CMS [=] continuous monitoring system

[electronic file name: 04700022.xls]

## Table 2-1, Summary of Compliance Requirements

White Springs Agricultural Chemicals, Inc.

Suwannee River/ Swift Creek Complex

Facility ID No.: 0470002

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

| E.U. ID No. | Brief Description |
|---|---|
| 68 | "E" Aux Boiler |

| Pollutant Name or Parameter | Fuel(s) | Compliance Method | Testing Time Frequency | Frequency Base Date * | Min. Compliance Test Duration | CMS** | See permit condition(s) |
|---|---|---|---|---|---|---|---|
| PM | | compliace w/ V.E. & sulfur content | Annually | 1-Mar | | | III.Z.10. |
| Sulfur Dioxide | | FOA | Annually | 1-Mar | | | III.Z.11. |
| Visible Emissions | | EPA 9 | Annual each Federal fiscal year | 31-Dec | | | III.Z.12. |
| Nox | | EPA 7 | Upon request | | | | III.Z.13 |
| CO | | EPA 10 | Upon request | | | | III.Z.14. |

Notes:

* The frequency base date is established for planning purposes only; see Rule 62-297.310, F.A.C.

**CMS [=] continuous monitoring system

[electronic file name: 04700022.xls]

## Table 2-1, Summary of Compliance Requirements

White Springs Agricultural Chemicals, Inc.
Suwannee River/ Swift Creek Complex
Facility ID No.: 0470002

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

| E.U. ID No. | Brief Description |
|---|---|
| 69 | "D" Phosphoric Acid Plant |

| Pollutant Name or Parameter | Fuel(s) | Compliance Method | Testing Time Frequency | Frequency Base Date * | Min. Compliance Test Duration | CMS** | See permit condition(s) |
|---|---|---|---|---|---|---|---|
| Fluoride | | EPA 13A or 13B | Annual | 18-Jun | | yes | III.AA.10. & AA.11. |
| Visible Emissions | | EPA 9 | Annually each Federal fiscal year | 18-Jun | | | III.AA.12. |

Notes:
* The frequency base date is established for planning purposes only; see Rule 62-297.310, F.A.C.
**CMS [=] continuous monitoring system

[electronic file name: 04700022.xls]

## Table 2-1, Summary of Compliance Requirements

White Springs Agricultural Chemicals, Inc.

Suwannee River/ Swift Creek Complex

Facility ID No.: 0470002

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

| E.U. ID No. | Brief Description |
|---|---|
| 70 | C & D SPA Plants plus E & W Storage Tanks |

| Pollutant Name or Parameter | Fuel(s) | Compliance Method | Testing Time Frequency | Frequency Base Date * | Min. Compliance Test Duration | CMS** | See permit condition(s) |
|---|---|---|---|---|---|---|---|
| Fluoride | | EPA 13A or 13B | Annual | 4-Sep | | yes | III.BB.10. |
| V.E. | | EPA 9 | Annual each Federal fiscal year | | | yes | III.BB.12. |

Notes:

* The frequency base date is established for planning purposes only; see Rule 62-297.310, F.A.C.

**CMS [=] continuous monitoring system

[electronic file name: 04700022.xls]

## Table 2-1, Summary of Compliance Requirements

White Springs Agricultural Chemicals, Inc.
Suwannee River/ Swift Creek Complex
Facility ID No.: 0470002

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

| E.U. ID No. | Brief Description |
|---|---|
| 71 | Acid Clarification Plant w/ EPs |
| | 1 - stack |
| | 2 - LR vent |

| Pollutant Name or Parameter | Fuel(s) | Compliance Method | Testing Time Frequency | Frequency Base Date * | Min. Compliance Test Duration | CMS** | See permit condition(s) |
|---|---|---|---|---|---|---|---|
| Fluoride (1) | | EPA 13A or 13B | Annual each Federal fiscal year | 17-Jun | | | III.CC.4. |

Notes:
* The frequency base date is established for planning purposes only; see Rule 62-297.310, F.A.C.
**CMS [=] continuous monitoring system

[electronic file name: 04700022.xls]

## Table 2-1, Summary of Compliance Requirements

White Springs Agricultural Chemicals, Inc.
Suwannee River/ Swift Creek Complex — Facility ID No.: 0470002

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

| E.U. ID No. | Brief Description |
|---|---|
| 72 | Molten Sulfur System |
| | RP - receivint pit |
| | FP - feed pit |
| | S1 - storage tanks; vents (1-7) |
| | S2 - storage tanks; vents (1-7) |

| Pollutant Name or Parameter | Fuel(s) | Compliance Method | Annual each Federal fiscal year Time Frequency | Frequency Base Date * | Min. Compliance Test Duration | CMS** | See permit condition(s) |
|---|---|---|---|---|---|---|---|
| VE (RP) | | EPA 9 | Every 5 years | 15-Aug | | | III.DD.9 |
| VE (FP) | | EPA 9 | Every 5 years | 15-Aug | | | III.DD.9 |
| VE (S1); 1-7 | | EPA 9 | Every 5 years | 15-Aug | | | III.DD.9 |
| VE (S2); 1-7 | | EPA 9 | Every 5 years | 15-Aug | | | III.DD.9 |

Notes:
* The frequency base date is established for planning purposes only; see Rule 62-297.310, F.A.C.
**CMS [=] continuous monitoring system

[electronic file name: 04700022.xls]