Georgia-Pacific

Georgia-Pacific Hosford OSB
PO BOX 322
Hosford, Fl 32334
Telephone 850-379-4017
Fax 404-749-2472

CERTIFIED MAIL
Return Receipt Requested

Mr. Rick Bradburn
Air Program Administrator
Florida Department of Environmental Protection
Northwest District Office
160 Government Center
Pensacola, FL 32502-5794

August 21, 2007

NBC 15th day 8/22/07

RE: Georgia-Pacific Wood Products LLC
Hosford OSB Plant
Construction Permit Application # 0770010-005-AC

Dear Mr. Bradburn;

Please find attached an original newspaper clipping of the Public Notice published in the Calhoun-Liberty Journal on August 8, 2007, for Georgia-Pacific's Hosford-OSB permit application # 0770010-005-AC.

If you have any questions or if you need more information, please call Paul Hurst at (850) 379-4017 or email pnhurst@gapac.com. Thank you.

I, the undersigned, am a responsible official, as defined in Rule 62-210.200, F.A.C., of the Title V source addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this letter are true, accurate and complete. Further, I certify that I have authority over the decisions of all other responsible officials, if any, for purposes of Title V permitting.

Sincerely,

Timothy S Adams
Plant Manager

Enclosures

CC: Paul Vasquez
Margaret Vest

RECEIVED
AUG 22 2007
NORTHWEST FLORIDA
DEP

may be entered against you for the relief registered to do work in the state of in the proposal.

STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
NOTICE OF INTENT TO ISSUE PERMIT
I.D. Number 0770010-005-AC

The Department of Environmental Protection gives notice of its intent to issue a permit to Georgia-Pacific Wood Products LLC, for the Hosford OSB Plant located at 12995 Northeast State Road 65, approximately 4.4 miles northeast of Hosford, in Liberty County.

This is an Air Construction Permit to add Foil Overlay capability to the existing facility as an alternative finishing process. The project is to construct an operation that can apply foil overlay on up to 7,884,000 OSB panels a year or approximately 42 percent of the allowable capacity of the facility. HAP and VOC emissions from this process come from the adhesive glue used to attach the overlay. There will not be any change to the maximum allowable production capacity of the overall facility.

The permitting authority will issue the FINAL Permit, in accordance with the conditions of the DRAFT Permit unless a response received in accordance with the following procedures results in a different decision or significant change of terms or conditions.

The Permitting Authority will accept written comments concerning the DRAFT Permit for a period of fourteen (14) days from the date of publication of the "PUBLIC NOTICE OF INTENT TO ISSUE PERMIT." Written comments must be post-marked and all facsimile comments must be received by the close of business (5:00 pm), on or before the end of this 14-day period, by the Permitting Authority at 160 Governmental Center, Pensacola, Florida 32502-5794 or by facsimile at 850/595-8096. For additional information, contact the Permitting Authority at the above address or by phone at 850/595-8300. If written comments result in a significant change to the DRAFT Permit, the Permitting Authority shall issue a Revised DRAFT Permit. All comments filed will be made available for public inspection.

A person whose substantial interests are affected by the Department's proposed permitting decision may petition for an administrative proceeding (hearing) in accordance with Section 120.57, Florida Statutes. The petition must contain the information set forth below and must be filed (received) in the Office of General Counsel of the Department at 3900 Commonwealth Boulevard, Tallahassee, Florida 32399-3000, within 14 days of publication of this notice. Petitioner shall mail a copy of the petition to the applicant at the address indicated above at the time of filing. Failure to file a petition within this time period shall constitute a waiver of any right such person may have to request an administrative determination (hearing) under Section 120.57, Florida Statutes.

The petition shall contain the following information; (a) The name, address, and telephone number of each petitioner, the applicant's name and address, the Department Permit File Number and the county in which the project is proposed; (b) A statement of how and when each petitioner received notice of the Department's action or proposed action; (c) A statement of how each petitioner's substantial interests are affected by the Department's action or proposed action; (d) A statement of the material facts disputed by petitioner, if any; (e) A statement of facts which petitioner contends warrant reversal or modification of the Department's action or proposed action; (f) A statement of which rules or statutes petitioner contends require reversal or modification of the Department's action or proposed action; and (g) A statement of the relief sought by petitioner, stating precisely the action petitioner wants the Department to take with respect to the Department's action or proposed action.

If a petition is filed, the administrative hearing process is designed to formulate agency action. Accordingly, the Department's final action may be different from the position taken by it in this Notice. Persons whose substantial interests will be affected by any decision of the Department with regard to the application have the right to petition to become a party to the proceeding. The petition must conform to the requirements specified above and be filed (received) within 14 days of publication of this notice in the Office of General Counsel at the above address of the Department. Failure to petition within the allowed time frame constitutes a waiver of any right such person has to request a hearing under Section 120.57, Florida Statutes, and to participate as a party to this proceeding. Any subsequent intervention will only be at the approval of the presiding officer upon motion filed pursuant to Rule 28-106.205, F.A.C.

The application is available for public inspection during normal business hours, 8:00 a.m. to 5:00 p.m., Monday through Friday, except for legal holidays, at the Northwest District, 160 Governmental Center, Pensacola, Florida.

Sarasua, Armando

From: Sarasua, Armando
Sent: Friday, August 03, 2007 1:26 PM
To: 'Vest, Margaret M.'
Subject: RE: Hosford Foil Overlay

Draft permit in final review before signature of Notice of Intent to Issue Draft Permit.

From: Vest, Margaret M. [mailto:MMVEST@GAPAC.com]
Sent: Friday, August 03, 2007 11:56 AM
To: Sarasua, Armando
Cc: Bradburn, Rick; Fleck, John
Subject: RE: Hosford Foil Overlay

There is no thinner used, and at the same operation already permitted in Alabama, they use water for cleanup, so I would say it will be either water or a non-hap cleaner.

Margarete M Vest, P.E.
Sr Field Environmental Engineer
ph: 386-312-1191
fax: 404-749-2750
cell: 904-445-8761

-----Original Message-----
From: Sarasua, Armando [mailto:Armando.Sarasua@dep.state.fl.us]
Sent: Thursday, August 02, 2007 3:23 PM
To: Vest, Margaret M.
Cc: Bradburn, Rick; Fleck, John
Subject: RE: Hosford Foil Overlay

40 CFR 63.4741(a)(4) seems applicable as you have chosen to demonstrate compliance with applicable emission limits via the *Compliant material option* specified in 40 CFR 63.4691(a).

One of the things you should verify is that each thinner and each cleaning material to be used contains no organic HAP. [40 CFR 63.4691] Please verify what the thinners and/or cleaning fluids to be used are and that they shall contain no organic HAP.

Regards,

Armando I. Sarasua, P.E.
Permitting Supervisor, Air Program, Northwest District
Florida Department of Environmental Protection
160 Governmental Center, Suite 701 Pensacola, Florida 32502-5794
850 595 8300, ext. 1226 vox 850 595 8096 fax Armando.Sarasua@dep.state.fl.us

Please note: Florida has a very broad public records law. Most written communications to or from state officials are public records and may be made available to the public or media upon request. This e-mail communication, your reply, and future e-mails to my attention may therefore be subject to public disclosure.

From: Vest, Margaret M. [mailto:MMVEST@GAPAC.com]
Sent: Thursday, August 02, 2007 9:21 AM
To: Sarasua, Armando
Subject: Hosford Foil Overlay

I was not sure if you were talking about paragraph 1 or 4, but I just wanted to make sure you were referring to 4 here.

40cfr63.4741(a)(4)

(4) *Information from the supplier or manufacturer of the material.* You may rely on information other than that generated by the test methods specified in paragraphs (a)(1) through (3) of this section, such as manufacturer's formulation data, if it represents each organic HAP that is present at 0.1 percent by mass or more for OSHA-defined carcinogens as specified in 29 CFR 1910.1200(d)(4), and at 1.0 percent by mass or more for other organic HAP compounds. For example, if toluene (not an OSHA carcinogen) is 0.5 percent of the material by mass, you do not have to count it. If there is a disagreement between such information and results of a test conducted according to paragraphs (a)(1) through (3) of this section, then the test method results will take precedence unless, after consultation, a regulated source could demonstrate to the satisfaction of the enforcement agency that the formulation data were correct.

Margarete M Vest, P.E.
Sr Field Environmental Engineer
ph: 386-312-1191
fax: 404-749-2750
cell: 904-445-8761