



Jeb Bush  
Governor

# Department of Environmental Protection

Southwest District  
3804 Coconut Palm Drive  
Tampa, Florida 33619

David B. Struhs  
Secretary

## NOTICE OF PERMIT ISSUANCE

Mr. Von F. Kramer  
Vice President  
Overstreet Paving Company, Inc.  
17728 U.S. Highway 41 South  
Spring Hill, FL 34610 /

DEP File No.: 1030026-004-AC  
County: Pinellas


Dear Mr. Kramer:

Enclosed is Permit Number 1030026-004-AC for the construction/modification of a Gencor Industries, Inc., Model 400 Ultra Drum Mix asphalt concrete plant located at 1550 Starkey Road, Largo, Pinellas County, issued pursuant to Section 403.087, Florida Statutes (F.S.).

Any party to this Order (permit) has the right to seek judicial review of the permit pursuant to Section 120.68, Florida Statutes, by the filing of a Notice of Appeal pursuant to Rule 9.110, Florida Rules of Appellate Procedure, with the Clerk of the Department in the Office of General Counsel, Douglas Building, Mail Station 35, 3900 Commonwealth Boulevard, Tallahassee, Florida 32399-3000; and by filing a copy of the Notice of Appeal accompanied by the applicable filing fees with the appropriate District Court of Appeal. The Notice of Appeal must be filed within 30 days from the date this Notice is filed with the Clerk of the Department.

Executed in Tampa, Florida.

Sincerely,

  
George W. Richardson  
Air Permitting Engineer  
Southwest District

cc: George C. Sinn, Jr., P.E., CFTL  
PCDEM

*"Protect, Conserve and Manage Florida's Environment and Natural Resources"*

CERTIFICATE OF SERVICE

The undersigned duly designated deputy agency clerk hereby certifies that this NOTICE OF PERMIT ISSUANCE was sent to the addressee by regular mail and all copies were sent by regular mail before the close of business on NOV 02 1999 to the listed persons, unless otherwise noted.

Clerk Stamp

FILING AND ACKNOWLEDGEMENT FILED,  
on this date, pursuant to Section  
120.52(7), Florida Statutes, with  
the designated Department Clerk,  
receipt of which is hereby  
acknowledged.

*Patricia A. Pickett*

(Clerk)

NOV 02 1999

(Date)



Jeb Bush  
Governor

# Department of Environmental Protection

Southwest District  
3804 Coconut Palm Drive  
Tampa, Florida 33619

David B. Struhs  
Secretary

**PERMITTEE:**

Overstreet Paving Company, Inc.  
17728 U.S. Highway 41 South  
Spring Hill, FL 34610 /

Permit No.: 1030026-004-AC  
County: Pinellas  
Effective Date: 11/02/1999  
Expiration Date: 09/22/2000  
Project: Asphalt Concrete  
Plant No. 2

This permit is issued under the provisions of Chapter 403, Florida Statutes, and Florida Administrative Code Chapters 62-200 through 62-297 & 62-4. The above named permittee is hereby authorized to perform the work or operate the facility shown on the application and approved drawing(s), plans, and other documents, attached hereto or on file with the department and made a part hereof and specifically described as follows:

For the construction/modification of a Gencor Industries, Inc., Model 400 Ultra Drum Mix asphalt concrete plant designated as Asphalt Concrete Plant No. 2.

Permitting. The conditions of this permit will establish this facility as a synthetic non-Title V facility.

EU ID No. 001 - A Gencor Industries, Inc., Model 400 Ultra Drum Mix asphalt concrete plant having a design capacity of 250 tons/hour. The plant is permitted to process either a conventional surface mix (virgin) or reclaimed asphalt pavement (RAP). The Gencor Industries, Inc. Ultra flow Model UFII-85 asphalt plant dryer burner is fired at a maximum heat input rate of 85 MMBTU/hour, with "on-Specification" No 5 reclaimed fuel oil. New No. 2 fuel oil and natural gas will be alternate fuel. The sulfur content of the fuel oils shall not exceed 0.5%, by weight. The maximum fuel oil consumption rate shall be 750 gallons/hour. Emissions are controlled by a Gencor Industries, Inc. Primary collection System (knockout box) followed by a Caterpillar, Autopulse II, Model APL-720 baghouse collection system rated at 78,680 acfm.

EU ID No. 002 - A Gencor Hy-Way Model No. SFO-130 oil heating system rated at 1.4 MMBTU/hour. The heater is fired with new No. 2 fuel oil having a maximum sulfur content not to exceed 0.5%, by weight, with natural gas as alternate fuel. The oil heating system is used to heat liquid asphalt and fuel oil supplied to the plant's burner system.

EU ID No. 003 - A Gentec/Gator Model gag-100 reclaimed asphalt crusher/grinder with internal stationary screening unit used to grind/crush reclaimed asphalt to a desired size before use in the asphalt mix. The maximum throughput rate is 90.0 TPH.

PERMITTEE:

Overstreet Paving Company, Inc.

Permit No.: 1030026-004-AC

Project: Asphalt Concrete Plant  
No. 2

Location: 1550 Starkey Road, Largo, Pinellas County

UTM: 17-326.2 E 3086.9 N Facility ID: 1030026

Emission Unit ID: (see above in description)

NOTE: Please reference the Permit No., Facility ID, and Emission Unit ID in all correspondence, test report submittals, applications, etc.

Replaces Permit No.: 1030026-003-AO

SPECIFIC CONDITIONS:

GENERAL FACILITY LIMITATIONS

1. A part of this permit is the attached 15 General Conditions. [Rule 62-4.160, F.A.C.]
2. The permittee shall not cause, suffer, allow, or permit the discharge of air pollutants which cause or contribute to an objectionable odor. [Rule 62-296.320(2), F.A.C. and Pinellas County Code, Section 58-178]
3. All reasonable precautions shall be taken to prevent and control generation of unconfined emissions of particulate matter. These provisions are applicable to any source, including but not limited to, vehicular movement, transportation of materials, construction, alteration, demolition or wrecking, or industrial related activities such as loading, unloading, storing and handling. Reasonable precautions to be taken include the following:
  - A. Paved parking and trafficked areas shall be maintained and kept free of particulate matter build-up.
  - B. Sprinkling with water shall be used as necessary on paved areas, unpaved areas, and stockpiles.
  - C. Removal of particulate matter from roads and other paved areas under the control of the owner or operator of the facility to prevent reentrainment, and from building and work areas to prevent particulate from being airborne.
  - D. Landscaping or planting of vegetation. [Rules 62-296.320(4)(c), F.A.C.]
4. In order to provide reasonable assurance that the precautions and practices taken at the facility are adequate, all sources of unconfined particulate matter not subject to 40 CFR 60, Subpart OOO, shall not exceed 10% opacity. Exceedance of this limit shall not be considered a violation in and of itself, but may be a violation of the precautions specified in Specific Condition No. 3. [Rule 62-4.070(3), F.A.C.]

PERMITTEE:

Overstreet Paving Company, Inc.

Permit No.: 1030026-004-AC

Project: Asphalt Concrete Plant

No. 2

5. All applicable rules of the Department and design discharge limitations specified in the application must be adhered to. The permit holder may also need to comply with county, municipal, federal, or other state regulations. [Rule 62-210.300, F.A.C.]

Emission Units No. 001 & 002

6. The asphalt concrete plant is subject to the requirements of 40 CFR 60, Subpart I - Asphalt Concrete Plants and the general provisions of 40 CFR 60, Subpart A, where applicable, which are adopted by reference in Rule 62-204.800(7), F.A.C.

8. The asphalt concrete plant dryer (EU ID No. 001) is allowed to operate no more than 4,000 hours per any consecutive 12 month period. [construction permit application received 7/8/99]

9. The hot oil heater (EU ID No. 002), deemed an insignificant source, is allowed to operate continuously, 8,760 hours/year.

10. Emissions from the asphalt concrete plant (EU ID No. 001) shall comply with the following:

A. Particulate emissions shall not exceed 0.04 grains/dscf.

B. Visible emissions (VE) shall not be equal to or greater than 20% opacity.

[40 CFR 60 - Subpart I, Rule 62-204.800(7), F.A.C.]

11. Visible emissions from the hot oil heater (EU ID No. 002) shall not be equal to or greater than 20% opacity. Since the heaters are deemed insignificant sources, only a special visible emissions compliance test\* may be required.

\*Special Compliance Tests. When the Department, after investigation, has good reason (such as complaints, increased visible emissions or questionable maintenance of control equipment) to believe that any applicable emission standard contained in a Department rule or in a permit issued pursuant to those rules is being violated, it shall require the owner or operator of the emissions unit to conduct compliance tests which identify the nature and quantity of pollutant emissions from the emissions unit and to provide a report on the results of said tests to the Department [Rules 62-296.320(4)(b) and 62-297.310(7)(b), F.A.C.].

PERMITTEE:  
Overstreet Paving Company, Inc.

Permit No.: 1030026-004-AC  
Project: Asphalt Concrete Plant  
No. 2

12. The maximum permitted capacities of the asphalt concrete plant are as follows:

- A. 250 tons/hour of conventional/RAP asphalt concrete production on a daily average basis.
- B. 1,000,000 tons of conventional/RAP asphalt concrete production in any consecutive 12 month period.  
[construction permit application received 7/8/99].

13. The asphalt concrete plant's dryer shall comply with the following:

Dryer

- A. The maximum heat input rate to the dryer is 85.0 MMBTU/hour. The maximum fuel consumption rate is 750 gallons/hour. [construction permit application received 7/8/99]
- B. Shall be only fired with "on-specification" reclaimed No. 5 fuel oil, or new No. 2 fuel oil, or natural gas. The sulfur content of the fuel oils shall not exceed 0.5%, by weight. [construction permit application received 7/8/99]

14. The permittee shall not burn "off-specification" used oil. For each delivery of "on-specification" reclaimed/used fuel oil, the vendor shall provide an analysis documenting the fuel oil meets the following requirements of 40 CFR 761.20(e)(2) and (3) [July 1, 1993] and 40 CFR 279.11 (July 1, 1993):

- Arsenic shall not exceed 5 ppm
- Cadmium shall not exceed 2 ppm
- Chromium shall not exceed 10 ppm
- Lead shall not exceed 100 ppm
- Total Halogens shall not exceed 1000
- Flash point shall not be less than 140°F
- PCB's shall be less than 2 ppm\*

\* In order to be able to fire "on-specification" reclaimed/used fuel oil during startup and shutdown.

Copies of the analysis shall be maintained at the facility for a minimum of 5 years and made available to the Department or the PCDEM upon request. [Rules 62-710.210 and 62-4.070(3), F.A.C.]

PERMITTEE:  
Overstreet Paving Company, Inc.

Permit No.: 1030026-004-AC  
Project: Asphalt Concrete Plant  
No. 2

15. In order to document continuing compliance with the sulfur content limitations, in % by weight, of the fuel oil used in the asphalt concrete plant's dryer and hot oil heater, the permittee shall keep records on either vendor provided as-shipped analysis or on analysis of as-received samples taken at the plant. The analysis shall be determined by ASTM methods ASTM D4057-88 and ASTM D129-91, ASTM D2622-94 or ASTM D4294-90, adopted and incorporated by reference in Rule 62-297.440(1), F.A.C. The above records shall be maintained at the facility for a minimum of 5 years and made available to the Department upon request [Rule 62-4.070(3)]

16. The following limitations apply to the asphalt concrete plant and hot oil heater:

- A. Daily record the total asphalt concrete production, in tons, for each of the following when operating:
1. Conventional asphalt concrete
  2. RAP asphalt concrete
  3. Both types of asphalt concrete combined
- B. Daily record the hours of producing each type of asphalt concrete and the total hours of producing both types of asphalt concrete when operating.
- C. Daily record the daily average production rate of asphalt concrete produced, in tons/hr., for each of the following when operating:
1. Conventional asphalt concrete
  2. RAP asphalt concrete
- D. Monthly record the total tons of both types of asphalt concrete produced, and calculate and record the most recent combined consecutive 12 month rolling total, in tons.
- E. Monthly record the total operating hours of the asphalt concrete plant's dryer along with a consecutive 12 month rolling total, in hours.
- F. Monthly record the quantity of each of the 4 types of fuel used to fire the asphalt concrete plant's dryer along with the overall monthly average MMBTU/hr. heat input rate.
- G. Monthly record the quantity of the fuel used to fire the hot oil heater.
- H. Monthly record the total usage of all fuel oil combined in the asphalt plant's dryer and the hot oil heater.

PERMITTEE:  
Overstreet Paving Company, Inc.

Permit No.: 1030026-004-AC  
Project: Asphalt Concrete Plant  
No. 2

Specific Condition No. 16 continued:

- I. Monthly record the most recent consecutive month rolling total usage of all fuel oil combined in the asphalt plant's dryer and hot oil heater.

PERMITTING NOTE: Daily records shall be completed within 3 business days and monthly records shall be completed by the end of the following month. These records shall be maintained at the facility for at least 5 years and made available to the Department upon request [Rules 62-4.070(3) and 62-210.300(3)(c)1.g., F.A.C.].

17. Test the asphalt concrete plant dryer's baghouse exhaust for particulates and visible emissions within 60 days of completion of construction. The emission test reports shall be submitted within 45 days of testing to the Air Compliance Section of this office and the Pinellas County Department of Environmental Management, Air Quality Division. [40 CFR 60.8; Rules 62-297.310(7)(a) and 62-297.310(8)(b), F.A.C.]

18. Compliance with the emission limitations of Specific Condition No. 10.A. shall be determined using EPA Methods 1, 2, 3, 4, and 5 or 5A. Compliance with the visible emissions limitations of Specific Condition Nos. 10.B. and 11 (if required) shall be determined using EPA Method 9. These test methods are contained in 40 CFR 60, Appendix A, and adopted by reference in Chapter 62-297, F.A.C. Note the following:

- A. The minimum requirements for stack sampling facilities, source sampling and reporting, shall be accordance with Rule 62-297, F.A.C. and 40 CFR 60, Appendix A.
- B. The initial visible emissions compliance test for the dryer baghouse shall be a minimum of 3 hours (30 6-minute averages) in duration.
- C. If a special visible emissions compliance test for the liquid asphalt heater is requested by the Department, the test shall be at least 30 minutes in duration.  
[40 CFR 60.8, 40 CFR 60.11, Rules 62-210.300(3)(c)1.i. and 62-297, F.A.C.]

PERMITTEE:

Permit No.: 1030026-004-AC

Overstreet Paving Company, Inc. Project: Asphalt Concrete Plant  
No. 2

19. Pursuant to Rules 62-297.310(2) and 62-4.070(3), F.A.C., this plant shall comply with all of the following:

- A. Testing of the asphalt concrete plant dryer's baghouse shall be conducted within 90-100% of the maximum permitted process rate of 250 tons/hr. A compliance test submitted at a rate less than 90% of the maximum permitted rate will automatically constitute an amended permitted material processing rate at that lesser rate exceeded by more than 10% a new compliance test shall be conducted at no less than that higher. The new test results shall be submitted to the this office within 45 days of testing. Acceptance to the test by the Department will automatically constitute an amended permit at the higher test rate plus 10%, but in no case shall the maximum permitted material processing rate of 250 tons/hr. be exceeded [Rules 62-297.310(2) and 62-297.310(8), F.A.C.].
- B. A compliance test submitted when the dryer is fired with natural gas will automatically constitute an amended permit to allow the dryer to be only fired with natural gas and up to 400 hrs. of firing fuel oil. Within 30 days of exceeding the 400th hour of firing the dryer with fuel oil, new compliance tests shall be conducted with the dryer being fired with fuel oil.
- C. A compliance test submitted when the dryer is fired with a new No. 2 fuel oil will automatically constitute an amended permit to allow the dryer to be only fired with new No. 2 fuel oil or natural gas and up to 400 hrs. of firing on-specification reclaimed No. 5 fuel oil. Within 30 days of exceeding the 400th hour of firing the dryer with on-specification reclaimed No. 5 fuel oil, new compliance tests shall be conducted with the dryer being fired with on-specification reclaimed No. 5 fuel oil.
- D. A compliance test submitted when the dryer is fired with on-specification reclaimed No. 5 fuel oil will automatically constitute an amended permit to allow the dryer to be only fired with on-specification reclaimed No. 5 fuel oil, new No. 2 virgin diesel fuel oil, or natural gas.
- E. Since the Department has determined processing only conventional materials has the greatest potential to generate emissions vs. RAP, a compliance test submitted when processing RAP shall limit the plant to processing only RAP. If the plant is so limited, within 30 days upon processing virgin materials (conventional hot mix asphalt), new compliance tests (particulate & visible emissions) for the dryer's baghouse shall be conducted using only virgin materials. A compliance test submitted when processing only virgin materials shall also allow the plant to process RAP.

PERMITTEE: Overstreet Paving Company, Inc. Permit No.: 1030026-004-AC  
Project: Asphalt Concrete Plant  
No. 2

Specific Condition No. 19 continued:

F. Failure to submit the following with any compliance test report for the test period may invalidate the test(s):

1. Production rate of hot mix asphalt concrete in tons/hr.  
Be sure to include a statement indicating whether virgin materials or RAP was used.
2. Type of fuel used.
3. Fuel oil analysis of the sulfur content of the fuel oil used..
4. Used fuel oil analysis to document compliance with the on-specification used oil limits, if on-specification reclaimed fuel oil was used to fire the dryer.
5. A copy of the records for the month the test was conducted as required by Specific Condition No. 16.

[Rules 62-4.070(3) and 62-297.310, F.A.C.]

20. The Caterpillar, Autopulse II, Model APL-720 baghouse system shall be operated and maintained in accordance with the operation & Maintenance (O&M) Plan that was submitted as part of the permit renewal application received on 8/27/90, or a revised plan approved by the Pinellas County AQD. The O&M documentation logs shall be maintained for a minimum of the most recent two years and be made available for inspection upon request.  
[Pinellas County Code, Section 58-128]

EMISSION UNIT No. 003

21. The recycled asphalt or concrete (RAP) crushing unit is subject to the requirements of 40 CFR 60, Subpart 000 - Standards of Performance for Nonmetallic Mineral Processing Plants and the general provisions of 40 CFR 60, Subpart A, where applicable, which are adopted by reference in Rule 62-204.800(7), F.A.C.

22. The maximum material processing rate of the RAP crushing unit shall not exceed 90 tons/hr. (daily average) [construction permit application received 7/8/99]

23. The hours of operation of the RAP crushing unit shall not exceed 4,000 hours per any consecutive 12 month period. [construction permit application received 7/8/99]

24. EMISSION SOURCES SUBJECT TO 40 CFR 60, SUBPART 000: The affected emission sources identified below are subject to the following visible emissions limit set forth in 40 CFR 60, Subpart 000, except as noted in Specific Condition No. 24.C.

A. Fugitive particulate matter emissions shall not be greater than 10% opacity from any transfer point on the conveyor belts.

PERMITTEE:

Overstreet Paving Company, Inc.

Permit No.: 1030026-004-AC

Project: Asphalt Concrete Plant

No. 2

Specific Condition No. 24 continued:

B. Fugitive particulate matter emissions shall not be greater than 15% opacity from the following:

1. Screen's oversize conveyor belt to Grinder.
2. Grinder to Grinder's exit conveyor belt.

C. Truck dumping of nonmetallic minerals into any screening operation, feed hopper, or crusher is exempt from the requirements of Specific Condition No. 24.A. or B.

[40 CFR 60.672]

25. In order to document continuing compliance with Specific Condition Nos. 22 and 23, the permittee shall comply with the following record keeping requirements:

Daily Record

- A. The hours of operation of the RAP crushing unit.
- B. The quantity of material processed, in tons.
- C. The daily average material processing rate, in tons/hr.

Monthly Record

- D. The month's total amount of material processed, in tons.
- E. The most recent consecutive 12 month period total of material processed, in tons.
- F. The month's total hours of operation of the RAP crushing unit.
- G. The most recent consecutive 12 month period total operating hours of the RAP crushing unit.

Daily records shall be completed within 3 business days and monthly records shall be completed by the end of the following month. These records shall be maintained at the facility for at least 5 years and made available to the Department upon request [Rule 62-4.070(3), F.A.C.].

26. Test each affected source as shown in Specific Condition No. 24 for visible emissions 60 days of completion of construction. The emission test reports shall be submitted within 45 days of testing to the Air Compliance Section of the Department's Southwest District Office and the Pinellas County Department of Environmental Management, Air Quality Division. The testing period for the RAP crushing unit does not have to be conducted simultaneously with the testing period for Emission Unit No. 001. [40 CFR 60.8; Rules 62-297.310(7)(a) and 62-297.310(8)(b), F.A.C.]

PERMITTEE:

Overstreet Paving Company, Inc.

Permit No.: 1030026-004-AC

Project: Asphalt Concrete Plant

No. 2

27. Visible emissions testing for the process emission sources identified in Specific Condition No. 24 shall be conducted using the procedures of 40 CFR 60.11 and EPA Method 9, with the following additions:

- A. The minimum distance between the observer and the emission source shall be 15 feet.
- B. The observer shall, when possible, select a position that minimizes interference from other fugitive emission sources (e.g., road dust). The required observer position relative to the sun (Method 9, Section 2.1) must be followed.
- C. For affected facilities using wet dust suppression for particulate matter control, a visible mist is sometimes generated by the spray. The water mist must not be confused with particulate matter emissions and is not to be considered a visible emission. When a water mist of this nature is present, the observation of emissions is to be made at a point in the plume where the mist is no longer visible.
- D. For the purposes of determining initial compliance, the total time of the visible emissions testing shall be 3 hours per source, except as indicated below:
  1. When determining compliance the visible emissions standard for the affected in sources listed in Specific Condition No. 24.A., the duration of the Method 9 observations may be reduced from 3 hours (thirty 6-minute averages) to 1 hour (ten 6-minute averages) only if the following conditions apply:
    - a. There are no individual readings greater than 10 percent opacity; and
    - b. There are no more than 3 readings of 10 percent for the 1-hour period.
  2. When determining compliance with the visible emissions standard for the crusher, the duration of the Method 9 observations may be reduced from 3 hours (thirty 6-minute averages) to 1 hour (ten 6-minute averages) only if the following conditions apply:
    - a. There are no individual readings greater than 15 percent opacity; and
    - b. There are no more than 3 readings of 15 percent for the 1-hour period.
- E. After the initial compliance tests, the visible emission tests shall be at least 30 minutes in duration.

PERMITTEE:

Overstreet Paving Company, Inc.

Permit No.: 1030026-004-AC

Project: Asphalt Concrete Plant

No. 2

Specific Condition No. 27 continued:

F. The permittee may use the following as alternatives to the reference methods and procedures specified in this section:

1. If emissions from two or more sources continuously interfere so that the opacity of fugitive emissions from an individual affected source cannot be read, either of the following procedures may be used:

a. Use for the combined emission stream the highest fugitive opacity standard applicable to any of the individual affected sources contributing to the emissions stream.

b. Separate the emissions so that the opacity of emissions from each affected source can be read.

[40 CFR 60.675 and Rule 62-297.310(4), F.A.C.]

28. Testing of each affected source shall be conducted within 90-100% of the maximum permitted material processing rate of 90 tons/hr. A compliance test submitted at a rate less than 90% of the maximum permitted rate will automatically constitute an amended permitted material processing rate at that lesser rate plus 10%. Within 30 days of that lower amended rate being exceeded by more than 10% a new compliance test shall be conducted at no less than that higher. The new test results shall be submitted to the this office within 45 days of testing. Acceptance to the test by the Department will automatically constitute an amended permit at the higher test rate plus 10%, but in no case shall the maximum permitted material processing rate of 90 tons/hr. be exceeded. [Rules 62-297.310(2) and 62-297.310(8), F.A.C.]

29. Failure to submit the following with any compliance test report for the test period may invalidate the test:

A. The material processing rate, in tons/hr.

B. A copy of the daily & monthly records required by Specific Condition No. 25 for the month the test was conducted.

[Rule 62-4-070(3), F.A.C.]

#### SPECIFIC FACILITY REQUIREMENTS

30. The permittee shall notify the Pinellas County Department of Environmental Management, Air Quality Division at least 15 days prior to the date on which each formal compliance test is to begin of the date, time and place of each such test, and the test contact person who will be responsible for coordinating and having such test conducted. [Rule 62-297.310(7)(a)9., F.A.C.]

PERMITTEE:  
Overstreet Paving Company, Inc.

Permit No.: 1030026-004-AC  
Project: Asphalt Concrete Plant  
No. 2

31. The permittee shall provide written notification to the Air Compliance Section of this office for each Emission Unit subject to an NSPS standard as follows:


- A. The date construction/modification is commenced, postmarked no later than 30 days after such date, pursuant to 40 CFR 60.7(a)(1).
- B. The anticipated date of initial startup, postmarked not more than 60 days nor less than 30 days prior to such date, pursuant 60 CFR 60.7(a)(2).
- C. The actual date of initial startup, postmarked within 15 days after such date, pursuant 40 CFR 60.7(a)(3).  
[40 CFR 60.7, 40 CFR 60.670(f), and Rule 62-204.800(7), F.A.C.]

32. The permittee shall maintain records of the occurrence and duration of any startup, shutdown, or malfunction in the operation of an affected facility; or any malfunction of the air pollution control equipment. The records shall be recorded in a permanent form suitable for inspection and shall be retained for at least 5 years [Rule 62-204.800(7), F.A.C. and 40 CFR 60.7(b)].

33. Submit to the Air Compliance Section of this office and the Pinellas County Department of Environmental Management, Air Quality Division for this facility, each calendar year and on or before March 1, an annual operating report [DEP Form 62-210.900(5)] for the preceding calendar year pursuant to Rule 62-210.370(3), F.A.C. [Rule 62-210.300(3)(c)1.h., F.A.C.]

34. The permittee shall submit a minimum of two short form applications (DEP Form No. 62-210.900(2)) for the renewal of this operating permit to the Air Permitting Section of the Department's Southwest District Office and one copy to the Pinellas County Department of Environmental Management, Air Quality Division at least 60 days prior to the expiration date of this permit. [Rule 62-4.090, F.A.C.]

STATE OF FLORIDA DEPARTMENT  
OF ENVIRONMENTAL PROTECTION

  
W.C. Thomas, P.E.  
District Air Program  
Administrator  
Southwest District

ATTACHMENT - GENERAL CONDITIONS

1. The terms, conditions, requirements, limitations and restrictions set forth in this permit, are "Permit Conditions" and are binding and enforceable pursuant to Sections 403.141, 403.727, or 403.859 through 403.861, Florida Statutes (F.S.). The permittee is placed on notice that the Department will review this permit periodically and may initiate enforcement action for any violation of these conditions.
2. This permit is valid only for the specific processes and operations applied for and indicated in the approved drawings or exhibits. Any unauthorized deviation from the approved drawings, exhibits, specifications, or conditions of this permit may constitute grounds for revocation and enforcement action by the Department.
3. As provided in subsections 403.087(6) and 403.722(5), F.S., the issuance of this permit does not convey any vested rights or any exclusive privileges. Neither does it authorize any injury to public or private property or any invasion of personal rights, nor any infringement of federal, state, or local laws or regulations. This permit is not a waiver of or approval of any other Department permit that may be required for other aspects of the total project which are not addressed in this permit.
4. Not applicable to Air Permits.
5. This permit does not relieve the permittee from liability for harm or injury to human health or welfare, animal, or plant life, or property caused by the construction or operation of this permitted source, or from penalties therefore; nor does it allow the permittee to cause pollution in contravention of Florida Statutes and Department rules, unless specifically authorized by an order from the Department.
6. The permittee shall properly operate and maintain the facility and systems of treatment and control (and related appurtenances) that are installed and used by the permittee to achieve compliance with the conditions of this permit, are required by Department rules. This provision includes the operation of backup or auxiliary facilities or similar systems when necessary to achieve compliance with the conditions of the permit and when required by Department rules.
7. The permittee, by accepting this permit, specifically agrees to allow authorized Department personnel, upon presentation of credentials or other documents as may be required by law and at reasonable times, access to the premises where the permitted activity is located or conducted to:
  - a. Have access to and copy any records that must be kept under conditions of the permit;

GENERAL CONDITIONS:

- b. Inspect the facility, equipment, practices, or operations regulated or required under this permit; and
- c. Sample or monitor any substances or parameters at any location reasonable necessary to assure compliance with this permit or Department rules.

Reasonable time may depend on the nature of the concern being investigated.

8. If, for any reason, the permittee does not comply with or will be unable to comply with any condition or limitation specified in this permit, the permittee shall immediately provide the Department with the following information:

- a. A description of and cause of noncompliance; and
- b. The period of noncompliance, including dates and times; or, if not corrected, the anticipated time the noncompliance is expected to continue, and steps being taken to educe, eliminate, and prevent recurrence of the noncompliance. The permittee shall be responsible for any and all damages which may result and may be subject to enforcement action by the Department for penalties or for revocation of this permit.

9. In accepting this permit, the permittee understands and agrees that all records, notes, monitoring data and other information relating to the construction or operation of this permitted source which are submitted to the Department may be used by the Department as evidence in any enforcement case involving the permitted source arising under the Florida Statutes or Department rules, except where such use is prescribed by Section 403.111 and 403.73, F.S. Such evidence shall only be used to the extent it is consistent with the Florida Rules of Civil Procedure and appropriate evidentiary rules.

10. The permittee agrees to comply with changes in Department rules and Florida Statutes after a reasonable time for compliance; provided, however, the permittee does not waive any other rights granted by Florida Statutes or Department rules.

11. This permit is transferable only upon Department approval in accordance with Rule 62-4.120 and 62-730.300 F.A.C., as applicable. The permittee shall be liable for any non-compliance of the permitted activity until the transfer is approved by the Department.

12. This permit or a copy thereof shall be kept at the work site of the permitted activity.

GENERAL CONDITIONS:

13. This permit also constitutes:

- ( ) Determination of Best Available Control Technology (BACT)
- ( ) Determination of Prevention of Significant Deterioration (PSD)
- ( ) Compliance with New Source Performance Standards (NSPS)

14. The permittee shall comply with the following:

a. Upon request, the permittee shall furnish all records and plans required under Department rules. During enforcement actions, the retention period for all records will be extended automatically unless otherwise stipulated by the Department.

b. The permittee shall hold at the facility or other location designated by this permit records of all monitoring information (including all calibration and maintenance records and all original strip chart recordings for continuous monitoring instrumentation) required by the permit, copies of all reports required by this permit, and records of all data used to complete the application for this permit. These materials shall be retained at least three years from the date of the sample, measurement, report, or application unless otherwise specified by Department rule.

c. Records of monitoring information shall include:

1. the date, exact place, and time of sampling or measurements;
2. the person responsible for performing the sampling or measurements;
3. the dates analyses were performed;
4. the person responsible for performing the analyses;
5. the analytical techniques or methods used;
6. the results of such analyses.

15. When requested by the Department, the permittee shall within a reasonable time furnish any information required by law which is needed to determine compliance with the permit. If the permittee becomes aware the relevant facts were not submitted or were incorrect in the permit application or in any report to the Department, such facts or information shall be corrected promptly.

16. Not applicable to Air Permits.

17. Not applicable to Air Permits.