Table 2-1, Summary of Compliance Requirements

Buckeye Florida, Limited Partnership — Permit No.: 1230001-044-AV

Foley Mill — Facility ID No.: 1230001

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

E.U. ID No.	Brief Description
2	#1 Power Boiler

Pollutant Name or Parameter	Fuel(s)	Compliance Method	Testing Time Frequency	Frequency Base Date *	Min. Compliance Test Duration	CMS**	See permit condition(s)
Particulate Matter	Fuel Oil/Tall Oil	Recordkeeping	FFY	1-Mar			III.A.12.a.
Particulate Matter (Sootblowing & Load Change)	Fuel Oil/Tall Oil	EPA Method 5	FFY				III.A.12.b.
Sulfur Dioxide	Fuel Oil/Tall Oil and Natural Gas	EPA Method 6, Recordkeeping and Annual Summary	DEP Request, Each Shipment, Sample Monthly	1-Mar			III.A.11. & A.12.a.
Tall Oil S Content		Sampling - monthly	Monthly				III.A.15
		Fuel Analysis	Monthly				III.A.16
TRS		EPA Method 16, 16A, 16B, or 16C Min. Temperature	Every 5 Yrs Continuous			Yes	III.A.17.
TRS Parameter		Weak Wash Flow				Yes	III.A.18.i.
Visible Emissions		EPA Method 9	FFY	1-Mar			III.A.14.a.
Visible Emissions (Sootblowing & Load Change)		EPA Method 9	FFY	1-Mar			III.A.14.b.

Fuel Flow Rate	Fuel Oil	Monitor and Record, Monthly Record, 12 Month Rolling Total	Continuously			Yes	III.A.18.ii., A.III.22.ii.	
Notes:								
* The frequency base date is established for planning purposes only; see Rule 62-297.310, F.A.C.								
**CMS [=] continuous monitoring system								
[electronic file name: 12300012.xls]								

Table 2-1, Summary of Compliance Requirements

Buckeye Florida, Limited Partnership — Permit No.: 1230001-044-AV

Foley Mill — Facility ID No.: 1230001

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

E.U. ID No.	Brief Description
3	#2 Power Boiler

Pollutant Name or Parameter	Fuel(s)	Compliance Method	Testing Time Frequency	Frequency Base Date *	Min. Compliance Test Duration	CMS**	See permit condition(s)
Visible Emissions	Natural Gas	EPA Method 9	FFY	1-Mar			III.B.8.a.
Visible Emissions (Sootblowing & Load Change)	Natural Gas	EPA Method 9	FFY	1-Mar			III.B.8.b.
FUEL FLOW	Natural Gas	Monitor and Recorder	Continuously				III.B.13.

Notes:

* The frequency base date is established for planning purposes only; see Rule 62-297.310, F.A.C.

**CMS [=] continuous monitoring system

[electronic file name: 12300012.xls]

Table 2-1, Summary of Compliance Requirements

Buckeye Florida, Limited Partnership — Permit No.: 1230001-044-AV

Foley Mill — Facility ID No.: 1230001

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

E.U. ID No.	Brief Description
4	#1 Bark Boiler

Pollutant Name or Parameter	Fuel(s)	Compliance Method	Testing Time Frequency	Frequency Base Date *	Min. Compliance Test Duration	CMS**	See permit condition(s)
Particulate Matter	Carb./ Fuel Oil/Tall Oil	EPA Method 5	FFY	31-Oct-98			III.C.23.
Sulfur Dioxide	Fuel Oil/Tall Oil and Natural Gas	EPA Method 6, Recordkeeping and Annual Summary	DEP Request, Each Shipment, Sample Monthly	31-Oct-98			III.C.24.
Total Reduced Sulfur		EPA Method 16, 16A, 16B, or 16C	Every 5 years	31-Oct-98			III.C.25.
TRS Parameter		Inc. Temperature	Continuous			Yes	III.C.29.i.
Visible Emissions	Fuel Oil/ Tall Oil	EPA Method 9	FFY	31-Oct-98			III.C.26.
Fuel Flow Rate		Monitor and Record, Monthly Record, 12 Month Rolling Total	Continuously			Yes	III.C.29.ii.,31.ii.
Tall Oil S Content		Sampling - monthly	Monthly				III.C.27
		Fuel Analysis	Monthly				III.C.28

Notes:

* The frequency base date is established for planning purposes only; see Rule 62-297.310, F.A.C.

**CMS [=] continuous monitoring system							
[electronic file name: 12300012.xls]							

Table 2-1, Summary of Compliance Requirements

Buckeye Florida, Limited Partnership — Permit No.: 1230001-044-AV

Foley Mill — Facility ID No.: 1230001

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

E.U. ID No.	**Brief Description**
6	#2 Recovery Boiler

Pollutant Name or Parameter	Fuel(s)	Compliance Method	Testing Time Frequency	Frequency Base Date *	Min. Compliance Test Duration	CMS**	See permit condition(s)
Particulate Matter	BLS	EPA Method 5	FFY	30-Apr	60 min/run		III.D.13., D.14., D.15, D.16.
Visible Emissions	BLS	COMS	FFY/Continuously	30-Apr		Yes	III.D.17., 21., 22.
Total Reduced Sulfur	BLS	EPA Method 16, 16A, 16B, or 16C	Every 5 Yrs			Yes	III.D.19., 20.
Carbon Monoxide	All	CEMS	Continuously			Yes	III.D.28.a.
Oxides of Nitrogen	All	CEMS	Continuously			Yes	III.D.28.b.
Fuel Flow	All	Monitor and Record	Continuously			Yes	III.D.27.
Tall Oil S Content		Sampling - monthly	Monthly				III.D.25., 26.
		Fuel Analysis	Monthly				

Notes:

* The frequency base date is established for planning purposes only; see Rule 62-297.310, F.A.C.

**CMS [=] continuous monitoring system

[electronic file name: 12300012.xls]

Table 2-1, Summary of Compliance Requirements

Buckeye Florida, Limited Partnership — Permit No.: 1230001-044-AV

Foley Mill — Facility ID No.: 1230001

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

E.U. ID No.	Brief Description
7	#3 Recovery Boiler

Pollutant Name or Parameter	Fuel(s)	Compliance Method	Testing Time Frequency	Frequency Base Date *	Min. Compliance Test Duration	CMS**	See permit condition(s)
Particulate Matter		EPA Method 5	FFY	30-Apr			III.E.13., E.14., E.15.,E.16.
Total Reduced Sulfur		EPA Method 16, 16A, 16B, or 16C	Every 5 Yrs			Yes	III.E.18., 19., 20.
Visible Emissions	BLS	COMS	FFY/Continuously	30-Apr		Yes	III.E.17., 21., 22.
Carbon Monoxide	All	CEMS	Continuously			Yes	III.E.28.a.
Oxides of Nitrogen	All	CEMS	Continuously			Yes	III.E.28.b.
Fuel Flow	All	Monitor and Record	Continuously			Yes	III.E.27.
Tall Oil S Content		Sampling - monthly	Monthly				III.E.25., 26.
		Fuel Analysis	Monthly				

Notes:

* The frequency base date is established for planning purposes only; see Rule 62-297.310, F.A.C.

**CMS [=] continuous monitoring system

[electronic file name: 12300012.xls]

Table 2-1, Summary of Compliance Requirements

Buckeye Florida, Limited Partnership — Permit No.: 1230001-044-AV

Foley Mill — Facility ID No.: 1230001

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

E.U. ID No.	Brief Description
11	#4 Recovery Boiler

Pollutant Name or Parameter	Fuel(s)	Compliance Method	Testing Time Frequency	Frequency Base Date *	Min. Compliance Test Duration	CMS**	See permit condition(s)
Particulate Matter	BLS	EPA Method 5	FFY	30-Sep			III.F.10., F.11., F.12.,F.13.
Total Reduced Sulfur	BLS	EPA Method 16, 16A, 16B, or 16C	Every 5 yrs			Yes	III.E.15., 16., 17.
Visible Emissions	BLS	EPA Method 9	FFY	30-Sep		YES	III.F.14., F.18.
Tall Oil S Content		Sampling - monthly	Monthly				III.F.21., 22.
		Fuel Analysis	Monthly				

Notes:

* The frequency base date is established for planning purposes only; see Rule 62-297.310, F.A.C.

**CMS [=] continuous monitoring system

[electronic file name: 12300012.xls]

Table 2-1, Summary of Compliance Requirements

Buckeye Florida, Limited Partnership — Permit No.: 1230001-044-AV

Foley Mill — Facility ID No.: 1230001

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

E.U. ID No.	Brief Description
19	#2 Bark Boiler

Pollutant Name or Parameter	Fuel(s)	Compliance Method	Testing Time Frequency	Frequency Base Date *	Min. Compliance Test Duration	CMS**	See permit condition(s)
Particulate Matter	Carb	EPA Method 5	FFY	31-May			III.G.10.
Sulfur Dioxide	Fuel Oil/Tall Oil and Natural Gas	EPA Method 6, Recordkeeping and Annual Summary	DEP Request, Each Shipment, Sample Monthly	31-May			III.G.11.
Visible Emissions		EPA Method 9	FFY	31-May			III.G.12.
Fuel Flow Rate		Monitor and Record, Monthly Record, 12 Month Rolling Total	Continuously			Yes	III.G.11., G.16., G.17.
Sulfur Content of Tall Oil		Sampling - monthly	Monthly				III.G.13, 14.
		Fuel Analysis	Monthly				

Notes:

* The frequency base date is established for planning purposes only; see Rule 62-297.310, F.A.C.

**CMS [=] continuous monitoring system

[electronic file name: 12300012.xls]								

Table 2-1, Summary of Compliance Requirements

Buckeye Florida, Limited Partnership — Permit No.: 1230001-044-AV

Foley Mill — Facility ID No.: 1230001

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

E.U. ID No.	Brief Description
21	#2 Smelt Dissolving Tank

Pollutant Name or Parameter	Fuel(s)	Compliance Method	Testing Time Frequency	Frequency Base Date *	Min. Compliance Test Duration	CMS**	See permit condition(s)
Particulate Matter		EPA Method 5	FFY	30-Apr			III.H.6.,H.7.
PM HAP Parameter		Pressure Drop	Continuous			Yes	III.H.11.
PM HAP Parameter		Scrubber Flow	Continuous			Yes	III.H.11.
Total Reduced Sulfur		EPA Method 16, 16A, 16B, or 16C	Every 5 yrs	30-Apr-96		Yes	III.H.9.
TRS Parameter		Weak Wash	Continuous			Yes	III.H.10.
Visible Emissions		EPA Method 9	FFY	30-Apr			III.H.8.

Notes:

* The frequency base date is established for planning purposes only; see Rule 62-297.310, F.A.C.

**CMS [=] continuous monitoring system

[electronic file name: 12300012.xls]

Table 2-1, Summary of Compliance Requirements

Buckeye Florida, Limited Partnership — Permit No.: 1230001-044-AV

Foley Mill — Facility ID No.: 1230001

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

E.U. ID No.	Brief Description
22	#3 Smelt Dissolving Tank

Pollutant Name or Parameter	Fuel(s)	Compliance Method	Testing Time Frequency	Frequency Base Date *	Min. Compliance Test Duration	CMS**	See permit condition(s)
Particulate Matter		EPA Method 5	FFY	30-Nov			III.I.6., I.7.
PM HAP Parameter		Pressure Drop	Continuous			Yes	III.I.11.
PM HAP Parameter		Scrubber Flow	Continuous			Yes	III.I.11.
Total Reduced Sulfur		EPA Method 16, 16A, 16B, or 16C	5 years	30-Nov-95			III.I.9.
TRS Parameter		Weak Wash Flow	Continuous			Yes	III.I.10.
Visible Emissions		EPA Method 9	FFY	30-Nov			III.I.8.

Notes:

* The frequency base date is established for planning purposes only; see Rule 62-297.310, F.A.C.

**CMS [=] continuous monitoring system

[electronic file name: 12300012.xls]

Table 2-1, Summary of Compliance Requirements

Buckeye Florida, Limited Partnership — Permit No.: 1230001-044-AV

Foley Mill — Facility ID No.: 1230001

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

E.U. ID No.	Brief Description
23	#4 Smelt Dissolving Tank

Pollutant Name or Parameter	Fuel(s)	Compliance Method	Testing Time Frequency	Frequency Base Date *	Min. Compliance Test Duration	CMS**	See permit condition(s)
Particulate Matter		EPA Method 5	Annually	30-Sep			III.J.6., J.7.
PM HAP Parameter		Pressure Drop	Continuous			Yes	III.J.11.
PM HAP Parameter		Scrubber Flow	Continuous			Yes	III.J.11.
Total Reduced Sulfur		EPA Method 16, 16A, 16B, or 16C	Every 5 yrs	30-Sep-96			III.J.9.
TRS Parameter		Weak Wash Flow	Continuous			Yes	III.J.10.
Visible Emissions		EPA Method 9	Annually	30-Sep			III.J.8.

Notes:

* The frequency base date is established for planning purposes only; see Rule 62-297.310, F.A.C.

**CMS [=] continuous monitoring system

[electronic file name: 12300012.xls]

Table 2-1, Summary of Compliance Requirements

Buckeye Florida, Limited Partnership — Permit No.: 1230001-044-AV

Foley Mill — Facility ID No.: 1230001

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

E.U. ID No.	Brief Description
24	#4 Lime Kiln

Pollutant Name or Parameter	Fuel(s)	Compliance Method	Testing Time Frequency	Frequency Base Date *	Min. Compliance Test Duration	CMS**	See permit condition(s)
Particulate Matter (Kiln)		EPA Method 5 or 17	FFY	30-May			III.K.14., K.15, K.16, K.17.
Nitrogen Oxide (Kiln)		EPA Method 7 or 7E	Every 5 yrs	30-May-97			III.K.19.
TRS (Kiln)		EPA Method 16, 16A, 16B, or 16C	Every 5 yrs	30-May-97		Yes	III.K.20., K.21., K.27
Visible Emissions (Kiln)		EPA Method 9	FFY	30-May		Yes	III.K.22., K.26.
Visible Emissions (Bins)		EPA Method 9	FFY	30-May			III.K.23.
Sulfur Dioxide (Kiln)		Tracking daily lime production					III.K.18.
Fuel Flow	Nat Gas, Fuel Oil, Tall Oil					Yes	III.K.25.
Sulfur Content of Tall Oil		Sampling - monthly	Monthly				III.K.31, 32.
		Fuel Analysis	Monthly				

Notes:								
* The frequency base date is established for planning purposes only; see Rule 62-297.310, F.A.C.								
**CMS [=] continuous monitoring system								
[electronic file name: 12300012.xls]								

Table 2-1, Summary of Compliance Requirements

Buckeye Florida, Limited Partnership
Foley Mill

Permit No.: 1230001-044-AV
Facility ID No.: 1230001

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

E.U. ID No.	Brief Description
25	2 Lime Slakers

Pollutant Name or Parameter	Fuel(s)	Compliance Method	Testing Time Frequency	Frequency Base Date *	Min. Compliance Test Duration	CMS**	See permit condition(s)
Particulate Matter		EPA Method 5	FFY				III.L.5.
PM Parameter		Supply Pressure	Continuous			Yes	III.L.7.
Visible Emissions		EPA Method 9	FFY	30-May			III.L.6.

Notes:
* The frequency base date is established for planning purposes only; see Rule 62-297.310, F.A.C.
**CMS [=] continuous monitoring system

[electronic file name: 12300012.xls]

Table 2-1, Summary of Compliance Requirements

Buckeye Florida, Limited Partnership — Permit No.: 1230001-044-AV

Foley Mill — Facility ID No.: 1230001

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

E.U. ID No.	Brief Description
40	Tall Oil Plant

Pollutant Name or Parameter	Fuel(s)	Compliance Method	Testing Time Frequency	Frequency Base Date *	Min. Compliance Test Duration	CMS**	See permit condition(s)
TRS		EPA Method 16, 16A, 16B, or 16C	Every 5 yrs	30-Nov-99			III.M.4.
TRS Parameter		Equivalent 100% NaOH aqueous solution flow	Continuous			Yes	III.M.5.

Notes:

* The frequency base date is established for planning purposes only; see Rule 62-297.310, F.A.C.

**CMS [=] continuous monitoring system

[electronic file name: 12300012.xls]

Table 2-1, Summary of Compliance Requirements

Buckeye Florida, Limited Partnership — Permit No.: 1230001-044-AV

Foley Mill — Facility ID No.: 1230001

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

E.U. ID No.	Brief Description
41	#2 Bleach Plant

Pollutant Name or Parameter	Fuel(s)	Compliance Method	Testing Time Frequency	Frequency Base Date *	Min. Compliance Test Duration	CMS**	See permit condition(s)
Vent sampling and port locatioins		EPA Methods 1,1A, 2, 2A, 2B, 2C, 2D, 4 and 308	Annual	FFY			III.N.7
Total Chlorinated HAPs		EPA Method 26A	Annual	FFY			III.N.7
The pH or the oxidation/reduction potential of the gas scrubber effluent						Yes	III.N.12, N.14.
The gas scrubber liquid influent flow rate						Yes	III.N.12, N.14.
The on/off operation of the scrubber fan						Yes	III.N.12, N.14.

Notes:

* The frequency base date is established for planning purposes only; see Rule 62-297.310, F.A.C.

**CMS [=] continuous monitoring system

[electronic file name: 12300012.xls]								

Table 2-1, Summary of Compliance Requirements

Buckeye Florida, Limited Partnership — Permit No.: 1230001-044-AV

Foley Mill — Facility ID No.: 1230001

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

E.U. ID No.	Brief Description
45	#1 Bleach Plant

Pollutant Name or Parameter	Fuel(s)	Compliance Method	Testing Time Frequency	Frequency Base Date *	Min. Compliance Test Duration	CMS**	See permit condition(s)
Total Chlorinated HAPs						YES (when applicable)	III.O.5., O.6.

Notes:

* The frequency base date is established for planning purposes only; see Rule 62-297.310, F.A.C.

**CMS [=] continuous monitoring system

[electronic file name: 12300012.xls]

Table 2-1, Summary of Compliance Requirements

Buckeye Florida, Limited Partnership
Foley Mill

Permit No.: 1230001-044-AV
Facility ID No.: 1230001

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

E.U. ID No.	Brief Description
46	Pulping System MACT I

Pollutant Name or Parameter	Fuel(s)	Compliance Method	Testing Time Frequency	Frequency Base Date *	Min. Compliance Test Duration	CMS**	See permit condition(s)
63.446 Condensate Collection		Collection efficiency; 11.1 lbs/ton of ODBP; 15-day average			15-day	YES	III.P.4., P.5, P.9., P.10.
63.446 Condensate treatment		Inspections, Methanol Concentration Factors,	Annually Qtrly Tests	FFY QTR	5-day	YES	III.P.11., P.12., P.13., P.14.
63.447 Clean Condenstate Alternative		Collection & Treatment above 63.446; ≥ 0.08 lb/ODTP totatl HAP reduction beyond 2.32 lb/ODTP baseline	Annually Qtrly Tests	FFY QTR	15-day/5-day	YES	III.P.33., P.34., P.35.

Notes:
* The frequency base date is established for planning purposes only; see Rule 62-297.310, F.A.C.
**CMS [=] continuous monitoring system

[electronic file name: 12300012.xls]