Table 1-1, Summary of Air Pollutant Standards and Terms

Buckeye Florida, Limited Partnership
Foley Mill

Permit No.: 1230001-044-AV
Facility ID No.:1230001

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

E.U. ID No.	Brief Description
002	#1 Power Boiler

			Allowable Emissions			Equivalent Emissions*			
Pollutant Name	Fuel(s)	Hours/Year	Standard(s)	lbs./hour	TPY	lbs./hour	TPY	Regulatory Citation(s)	See permit condition(s)
Particulate Matter	Fuel Oil/ Tall Oil	8760	BACT	47.9	209.96			62-296.406(2), F.A.C.	III.A.6.a.
Particulate Matter (Sootblowing & Load Change)	Fuel Oil/ Tall Oil	1095	0.3 lb/MMBTU					62-210.700(3), F.A.C.	III.A.6.b.
Sulfur Dioxide	Fuel Oil/ Tall Oil	8760	BACT	671.9	2,943.18			62-296.406(3), F.A.C.	III.A.7.
TRS	Fuel Oil/ Tall Oil	960	5 ppmvd @ 10% O2, as a 12 hour average	2.28	1.1			Rule 62-296.404(3)(f)1., F.A.	III.A.8.
Visible Emissions	Fuel Oil/ Tall Oil/Natural Gas	8760	20% opacity except 40/2 (moisture interference)					62-296.406(1) & .404(2)(b)	III.A.9.a.
Visible Emissions (Sootblowing & Load Change)	Fuel Oil/ Tall Oil/Natural Gas	1095	not to exceed 60% opacity					62-210.700(3), F.A.C.	III.A.9.b.

Note:
* The "Equivalent Emissions" listed are for informational purposes only.

[electronic file name: 12300011.xls]

Table 1-1, Summary of Air Pollutant Standards and Terms

Buckeye Florida, Limited Partnership
Foley Mill

Permit No.: 1230001-044-AV
Facility ID No.:1230001

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

E.U. ID No.	Brief Description
003	#2 Power Boiler

			Allowable Emissions			Equivalent Emissions*			
Pollutant Name	Fuel(s)	8760	Standard(s)	lbs./hour	TPY	lbs./hour	TPY	Regulatory Citation(s)	See permit condition(s)
Particulate Matter	Natural Gas	8760	BACT					62-296.406(2), F.A.C.	III.B.4.a.
Particulate Matter (Sootblowing & Load Change)	Natural Gas	1095	0.3 lb/MMBTU					62-210.700(3), F.A.C.	III.B.4.b.
Sulfur Dioxide	Natural Gas	8760	BACT					Permit 1230001-023-AC/PSD-FL-397	III.B.5.
Visible Emissions	Natural Gas	8760	20% opacity except 40/2 (moisture interference)					62-296.406(1) & .404(2)(b)	III.B.6.a.
Visible Emissions (Sootblowing & Load Change)	Natural Gas	1095	not to exceed 60% opacity					62-210.700(3),F.A.C.	III.B.6.b.

Notes:
* The "Equivalent Emissions" listed are for informational purposes only.

[electronic file name: 12300011.xls]

Table 1-1, Summary of Air Pollutant Standards and Terms

Buckeye Florida, Limited Partnership
Foley Mill

Permit No.: 1230001-044-AV
Facility ID No.:1230001

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

E.U. ID No.	Brief Description
004	#1 Bark Boiler

			Allowable Emissions			Equivalent Emissions*			
Pollutant Name	Fuel(s)	8760	Standard(s)	lbs./hour	TPY	lbs./hour	TPY	Regulatory Citation(s)	See permit condition(s)
Particulate Matter	Carb.	8760	0.158 lb per MMBtu	47.3	207.0			62-296.410(1)(b)2., F.A.C.	III.C.18.
Particulate Matter	Fuel Oil/ Tall Oil	8760	0.1 lb per MMBtu			8.16	35.76	62-296.410(1)(b)2., F.A.C.	III.C.18.
Sulfur Dioxide	Fuel Oil/ Tall Oil	8760	2.5% sulfur content			248.4	1,088.0	Permit #AC62-141927	III.C.19.
Total Reduced Sulfur	NCGs	8760	5 ppmvd @ 10% O2	2.43	10.64			62-296.404(3)(f)1., F.A.C.	III.C.20.
Visible Emissions	Fuel Oil/ Tall Oil	8760	30% opacity except 40/2 (moisture interference)					62-296.410(1)(b)1.&.404(2)(	III.C.21.

Notes:
* The "Equivalent Emissions" listed are for informational purposes only.

[electronic file name: 12300011.xls]

Table 1-1, Summary of Air Pollutant Standards and Terms

Buckeye Florida, Limited Partnership
Foley Mill

Permit No.: 1230001-044-AV
Facility ID No.:1230001

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

E.U. ID No.	Brief Description
006	#2 Recovery Boiler

			Allowable Emissions			Equivalent Emissions*			
Pollutant Name	Fuel(s)	Hours/Year	Standard(s)	lbs./hour	TPY	lbs./hour	TPY	Regulatory Citation(s)	See permit condition(s)
Particulate Matter	BLS/ULSD	8760	0.030 grain per dscf corr 8% O2	31.6				BACT: PSD-FL-397	III.D.7.a.
Particulate Matter	BLS/ULSD	8760	0.044 grain per dscf corr 8% O2			46.35		40 CFR 63.862(a)(1)(i)(A)]	III.D.7.b.
Particulate Matter	BLS/ULSD	8760	3 lbs/3000 lbs BLS	97.6	427.49			62-296.404(2), F.A.C.	III.D.7.c.
Total Reduced Sulfur	BLS/ULSD	8760	17.5 ppmvd 8%O2 12-hr avg	11.38	49.86			62-296.404(3)(c)1.a., F.A.C	III.D.8.
Visible Emissions	BLS/ULSD	8760	45% opacity, except 60/6					62-296.404(1), F.A.C.	III.D.9.b.
Visible Emissions	BLS/ULSD	8760	20% opacity					BACT: PSD-FL-397	III.D.9.a.
Visible Emissions	BLS/ULSD	SSM**	35% opacity					BACT: PSD-FL-397	III.D.9.a(i),(ii),(iii)
Carbon Monoxide	BLS/ULSD	8760	400 ppmvd 8%O2 30 Day RA	214.1				BACT: PSD-FL-397	III.D.10.
Oxides of Nitrogen	BLS/ULSD	8760	80 ppmvd 8%O2 30 Day RA	70.4				BACT: PSD-FL-397	III.D.11.

Notes:
* The "Equivalent Emissions" listed are for informational purposes only.
** Startup/Shudown/Malfunction

[electronic file name: 12300011.xls]

Table 1-1, Summary of Air Pollutant Standards and Terms

Buckeye Florida, Limited Partnership
Foley Mill

Permit No.: 1230001-044-AV
Facility ID No.:1230001

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

E.U. ID No.	Brief Description
007	#3 Recovery Boiler

			Allowable Emissions			Equivalent Emissions*			
Pollutant Name	Fuel(s)	Hours/Year	Standard(s)	lbs./hour	TPY	lbs./hour	TPY	Regulatory Citation(s)	See permit condition(s)
Particulate Matter	BLS/ULSD /Natural Gas	8760	0.030 grain per dscf corr 8% O2	30.7				BACT: PSD-FL-397	III.E.7.a.
Particulate Matter	BLS/ULSD /Natural Gas	8760	0.044 grain per dscf corr 8% O2			45.03		40 CFR 63.862(a)(1)(i)(A)]	III.E.7.b.
Particulate Matter	BLS/ULSD /Natural Gas	8760	3 lbs/3000 lbs BLS	82.35	360.69			62-296.404(2), F.A.C.	III.E.7.c.
Total Reduced Sulfur	BLS/ULSD /Natural Gas	8760	17.5 ppmvd 8%O2 12-hr avg	11.05	48.28			62-296.404(3)(c)1.a., F.A.C.	III.E.8.
Visible Emissions	BLS/ULSD /Natural Gas	8760	45% opacity, except 60/6					62-296.404(1), F.A.C.	III.E.9.b.
Visible Emissions	BLS/ULSD /Natural Gas	8760	20% opacity					BACT: PSD-FL-397	III.E.9.a.
Visible Emissions	BLS/ULSD /Natural Gas	SSM**	35% opacity					BACT: PSD-FL-397	III.E.9.a(i),(ii),(iii)
Carbon Monoxide	BLS/ULSD /Natural Gas	8760	400 ppmvd 8%O2 30 Day RA	208.0				BACT: PSD-FL-397	III.E.10.
Oxides of Nitrogen	BLS/ULSD /Natural Gas	8760	80 ppmvd 8%O2 30 Day RA	68.3				BACT: PSD-FL-397	III.E.11.

Notes: RA = Rolling Average
* The "Equivalent Emissions" listed are for informational purposes only.
** Startup/Shudown/Malfunction

[electronic file name: 12300011.xls]

Table 1-1, Summary of Air Pollutant Standards and Terms

Buckeye Florida, Limited Partnership
Foley Mill

Permit No.: 1230001-044-AV
Facility ID No.:1230001

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

E.U. ID No.	Brief Description
011	#4 Recovery Boiler

			Allowable Emissions			Equivalent Emissions*			
Pollutant Name	Fuel(s)	Hours/Year	Standard(s)	lbs./hour	TPY	lbs./hour	TPY	Regulatory Citation(s)	See permit condition(s)
Particulate Matter	BLS/ULSD	8760	0.044 grain per dscf corr 8% O2					40 CFR 63.862(a)(1)(i)(A)]	III.F.6.a.
Particulate Matter	BLS/ULSD	8760	3 lbs/3000 lbs BLS	113.4	496.69			62-296.404(2), F.A.C.	III.F.6.b.
Total Reduced Sulfur	BLS/ULSD	8760	5 ppmvd 8%O2 12-hr avg	4.73	20.71			62-296.404(3)(c)1.b., F.A.C.	III.F.7.
Visible Emissions	BLS/ULSD	8760	45% Opacity, except 60/6					62-296.404(1), F.A.C.	III.F.8.

Notes:
* The "Equivalent Emissions" listed are for informational purposes only.

[electronic file name: 12300011.xls]

Table 1-1, Summary of Air Pollutant Standards and Terms

Buckeye Florida, Limited Partnership
Foley Mill

Permit No.: 1230001-044-AV
Facility ID No.:1230001

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

E.U. ID No.	Brief Description
019	#2 Bark Boiler

			Allowable Emissions			Equivalent Emissions*			
Pollutant Name	Fuel(s)	Hours/Year	Standard(s)	lbs./hour	TPY	lbs./hour	TPY	Regulatory Citation(s)	See permit condition(s)
Particulate Matter	Carb	8760	0.178 lb/MMBtu		467.48	106.73		62-296.410(2)(b)2., F.A.C.	III.G.6.
Particulate Matter	Fuel Oil/ Tall Oil	8760	0.1 lb/MMBtu	18.0				62-296.410(2)(b)2., F.A.C.	III.G.6.
Sulfur Dioxide	Fuel Oil/ Tall Oil	8760	2.5% sulfur content	498.96				AC62-30466	III.G.7.
Visible Emissions	Fuel Oil/ Tall Oil	8760	30% Opacity, except 40/2 (moisture interference)					62-296.410(2)(b)1.&.404(2)(b	III.G.8.

Notes:
* The "Equivalent Emissions" listed are for informational purposes only.

[electronic file name: 12300011.xls]

Table 1-1, Summary of Air Pollutant Standards and Terms

Buckeye Florida, Limited Partnership
Foley Mill

Permit No.: 1230001-044-AV
Facility ID No.:1230001

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

E.U. ID No.	Brief Description
021	#2 Smelt Dissolving Tank

			Allowable Emissions			Equivalent Emissions*			
Pollutant Name	Fuel(s)	Hours/Year	Standard(s)	lbs./hour	TPY	lbs./hour	TPY	Regulatory Citation(s)	See permit condition(s)
Particulate Matter		8760	0.20 pound per ton (lb/ton)					40 CFR 63.862(a)(1)(i)(B)	III.H.3.a.
Particulate Matter		8760	Process Wt. Table	25.9	113.6			62-296.320(4)(a)2., FAC	III.H.3.b.
Total Reduced Sulfur		8760	0.048 lb TRS/3000 lbs BLS	1.56	6.83			62-297404(3)(d)1., FAC	III.H.4.
Visible Emissions		8760	< 20% opacity (moisture interference)					62-297.404(2)(b), FAC	III.H.5.

Notes:
* The "Equivalent Emissions" listed are for informational purposes only.

[electronic file name: 12300011.xls]

Table 1-1, Summary of Air Pollutant Standards and Terms

Buckeye Florida, Limited Partnership
Foley Mill

Permit No.: 1230001-044-AV
Facility ID No.:1230001

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

E.U. ID No.	Brief Description
022	#3 Smelt Dissolving Tank

			Allowable Emissions			Equivalent Emissions*			
Pollutant Name	Fuel(s)	8760	Standard(s)	lbs./hour	TPY	lbs./hour	TPY	Regulatory Citation(s)	See permit condition(s)
Particulate Matter		8760	0.20 pound per ton (lb/ton)					40 CFR 63.862(a)(1)(i)(B)	III.I.3.a.
Particulate Matter		8760	Process Wt. Table	24.05	105.34			62-296.320(4)(a)2., FAC	III.I.3.b.
Total Reduced Sulfur		8760	0.048 lb TRS/3000 lbs BLS	1.32	5.78			62-297404(3)(d)1., FAC	III.I.4.
Visible Emissions		8760	< 20% opacity (moisture interference)					62-296.404(2)(b), F.A.C.	III.I.5.

Notes:
* The "Equivalent Emissions" listed are for informational purposes only.

[electronic file name: 12300011.xls]

Table 1-1, Summary of Air Pollutant Standards and Terms

Buckeye Florida, Limited Partnership
Foley Mill

Permit No.: 1230001-044-AV
Facility ID No.:1230001

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

E.U. ID No.	Brief Description
023	#4 Smelt Dissolving Tank

			Allowable Emissions			Equivalent Emissions*			
Pollutant Name	Fuel(s)	8760	Standard(s)	lbs./hour	TPY	lbs./hour	TPY	Regulatory Citation(s)	See permit condition(s)
Particulate Matter		8760	0.20 pound per ton (lb/ton)					40 CFR 63.862(a)(1)(i)(B)	III.J.3.a.
Particulate Matter		8760	Process Wt. Table	30.19	132.22			62-296.320(4)(a)2., FAC	III.J.3.b
Total Reduced Sulfur		8760	0.048lb TRS/3000 lbs BLS	2.14	9.4			62-297404(3)(d)1., FAC	III.J.4.
Visible Emissions		8760	< 20% opacity (moisture interference)					62-296.404(2)(b), F.A.C.	III.J.5.

Notes:
* The "Equivalent Emissions" listed are for informational purposes only.

[electronic file name: 12300011.xls]

Table 1-1, Summary of Air Pollutant Standards and Terms

Buckeye Florida, Limited Partnership
Foley Mill

Permit No.: 1230001-044-AV
Facility ID No.:1230001

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

E.U. ID No.	Brief Description
024	# 4 Lime Kiln & 2 Bins

			Allowable Emissions			Equivalent Emissions*			
Pollutant Name	Fuel(s)	Hours/Year	Standard(s)	lbs./hour	TPY	lbs./hour	TPY	Regulatory Citation(s)	See permit condition(s)
Particulate Matter (Kiln)	FF/Tall Oil	8760	0.0451 gr/dscf at 10% O2	20.0	87.6			62-210.200(42), F.A.C.	III.K.6.a.
Particulate Matter (Kiln)	FF/Tall Oil	8760	0.064 gr/dscf at 10% O2					40 CFR 63.862(a)(1)(i)(C	III.K.6.b.
Particulate Matter (Kiln)	Gas FF	8760	0.067 gr/dscf					40 CFR 60.282(a)(3)(i)	III.K.6.c.
Particulate Matter (Kiln)	Liq.FF	8760	0.13 gr/dscf					40 CFR 60.282(a)(3)(ii)	III.K.6.c.
Sulfur Dioxide (Kiln)	FF/Tall Oil	8760	1.0 lb/ton CaO	31.25	136.9			62-210.200(42), F.A.C.	III.K.7.
Nitrogen Oxide (Kiln)	FF/Tall Oil	8760	2.19 lb/ton CaO	68.44	299.8			62-210.200(42), F.A.C.	III.K.8.
TRS (Kiln)	FF/Tall Oil	8760	7 ppmvd at 10% O2	2.64	11.58			Permit #1230001-004-AC	III.K.9.a.
TRS (Kiln)	FF/Tall Oil	8760	8 ppmvd at 10% O2					40 CFR 60.283(a)(5)]	III.K.9.b.
Visible Emissions (Kiln)	FF/Tall Oil	8760	20% Opacity					Permit #1230001-004-AC	III.K.10.
Visible Emissions (Bins)		8760	5% Opacity					Permit #1230001-004-AC	III.K.12.
PM/PM10		8760	0.02 gr/scf	0.343	1.5			Permit #1230001-004-AC	III.K.11.

Notes:
* The "Equivalent Emissions" listed are for informational purposes only.

[electronic file name: 12300011.xls]

Table 1-1, Summary of Air Pollutant Standards and Terms

Buckeye Florida, Limited Partnership
Foley Mill

Permit No.: 1230001-044-AV
Facility ID No.:1230001

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

E.U. ID No.	Brief Description
025	2 Lime Slakers

			Allowable Emissions			Equivalent Emissions*			
Pollutant Name	Fuel(s)	8760	Standard(s)	lbs./hour	TPY	lbs./hour	TPY	Regulatory Citation(s)	See permit condition(s)
Particulate Matter		8760		2.08	9.13			Permit #AC62-143536	III.L.3.
Visible Emissions		8760	<20% opacity (moisture interference)					Permit #AC62-143536; 62-296.404(2)(b)	III.L.4.

Notes:
* The "Equivalent Emissions" listed are for informational purposes only.

[electronic file name: 12300011.xls]

Table 1-1, Summary of Air Pollutant Standards and Terms

Buckeye Florida, Limited Partnership
Foley Mill

Permit No.: 1230001-044-AV
Facility ID No.:1230001

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

E.U. ID No.	Brief Description
040	Tall Oil Plant

			Allowable Emissions			Equivalent Emissions*			
Pollutant Name	Fuel(s)	8760	Standard(s)	lbs./hour	TPY	lbs./hour	TPY	Regulatory Citation(s)	See permit condition(s)
Total Reduced Sulfur		8760	0.05lb TRS/ton Tall Oil, 12-hr avg.	0.5	2.2			62-296.404(3)(b)1., F.A.C.	III.M.3.

Notes:
* The "Equivalent Emissions" listed are for informational purposes only.

[electronic file name: 12300011.xls]

Table 1-1, Summary of Air Pollutant Standards and Terms

Buckeye Florida, Limited Partnership
Foley Mill

Permit No.: 1230001-044-AV
Facility ID No.:1230001

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

E.U. ID No.	Brief Description
041	#2 Purification Plant

			Allowable Emissions			Equivalent Emissions*			
Pollutant Name	Fuel(s)	8760	Standard(s)	lbs./hour	TPY	lbs./hour	TPY	Regulatory Citation(s)	See permit condition(s)
Chloroform		8760	Applicable requirements in 40 CFR Part 430 and not use hypochlorite or chlorine					40 CFR 63.445(d)(2),	III.N.4.
Total Chlorinated HAPs		8760	< 10 parts per million by volume					40 CFR 63.445(c)(2);	III.N.6.

Notes:
* The "Equivalent Emissions" listed are for informational purposes only.

[electronic file name: 12300011.xls]

Table 1-1, Summary of Air Pollutant Standards and Terms

Buckeye Florida, Limited Partnership
Foley Mill

Permit No.: 1230001-044-AV
Facility ID No.:1230001

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

E.U. ID No.	Brief Description
045	#1 Purification Plant

			Allowable Emissions			Equivalent Emissions*			
Pollutant Name	Fuel(s)	8760	Standard(s)	lbs./hour	TPY	lbs./hour	TPY	Regulatory Citation(s)	See permit condition(s)
HAPs		8760	40 CFR 63 Subpart S					Permit #1230001-006-AC	III.O.3.

Notes:
* The "Equivalent Emissions" listed are for informational purposes only.

[electronic file name: 12300011.xls]

Table 1-1, Summary of Air Pollutant Standards and Terms

Buckeye Florida, Limited Partnership
Foley Mill

Permit No.: 1230001-044-AV
Facility ID No.:1230001

This table summarizes information for convenience purposes only. This table does not supersede any of the terms or conditions of this permit.

E.U. ID No.	Brief Description
046	Pulping System MACT I

			Allowable Emissions			Equivalent Emissions*			
Pollutant Name	Fuel(s)	8760	Standard(s)	lbs./hour	TPY	lbs./hour	TPY	Regulatory Citation(s)	See permit condition(s)
63.446 Condensate collection		8760	Collect 11.1 lb/ton ODBP based on 15-day average					40 CFR 63.446(c)(3) 40 CFR 63.453(i)	III.P.4., P.9., P.10.a., P.10.b., P.10.c.
63.446 Condensate treatment		8760	remove 10.2 lb/Ton ODUBP					40 CFR 63.446(e)(2) 63.446(e)(5) 63.453(g)	III.P.6., III.P.11.
HAP Vent Collection		8760	Named Sources enclosed and routed to No. 1 Power Boiler or No. 1 Bark Boiler					40 CFR 63.443(a) 40 CFR 63.443(c) 40 CFR 63.443(d)(4)(i) and (ii)	III.P.2.
63.447 Clean Condenstate Alternative		8760	Total HAP reduction of ≥ 0.08 lb/ODTP from baseline of 2.32 lb/ODTP					40 CFR 63.447	III.P.33., P.34.

Notes:
* The "Equivalent Emissions" listed are for informational purposes only.

[electronic file name: 12300011.xls]