ATTACHMENT. Emission Unit ID 001 - 003
Volatile Organic Compounds

Sea Ray Boats, Inc - Palm Coast Facility

CC	SC	MRP #	DESCRIPTION	UTIL. RATE	UOM	Dens. or Size	UOM	UTIL. RATE (lbs)	UOM	CHEMICAL	CAS #	VOC %	VOC INPUT RATE	FL INTERIM EMIS. FCTR	EMISSIONS (lbs)	EMIS. (tons)
10	140	100917	MEK Peroxide, MEKP-9 Clear					160.00	lbs	Dimethyl Phthalate	131-11-3	43.0%	68.80	na	neg	neg
10	140	100917	MEK Peroxide, MEKP-9 Clear					160.00	lbs	Methyl Ethyl Ketone	78-93-3	2.0%	3.20	100%	3.20	0.00
10	120	101154	Gelcoat, Silge Grey Mis/Mix					256,206.00	lbs	Styrene	100-42-5	28.1%	72,114.87	48.0%	34,615.14	17.31
10	120	101436	Gelcoat, Black Tooling					225.00	lbs	Methyl Methacrylate	80-62-6	4.4%	9.88	54%	5.34	0.00
10	120	101436	Gelcoat, Black Tooling					225.00	lbs	Styrene	100-42-5	42.5%	95.55	54%	51.59	0.03
15	60	101485	Paint, Latex Black (Delta Labs)	440.00	gal	10.1	#/gl	4,444.00	lbs	Other:Ethylene Glycol Vapor	107-21-1	5.0%	222.20	100%	222.20	0.11
15	60	101435	Paint, Latex Black (Delta Labs)	440.00	gal	10.1	#/gl	4,444.00	lbs	Other:VOC		2.4%	106.21	100%	106.21	0.05
10	30	102087	Adhesive, Mica Contact Spray	4,921.00	gal	6.6	#/gl	32,476.60	lbs	Hexane	110-54-3	9.3%	3,020.51	100%	3,020.51	1.51
10	30	102087	Adhesive, Mica Contact Spray	4,921.00	gal	6.6	#/gl	32,476.60	lbs	Hexane Other Isomers	64742-89-8	33.1%	10,750.42	100%	10,750.42	[illegible]
10	30	102087	Adhesive, Mica Contact Spray	4,921.00	gal	6.6	#/gl	32,476.60	lbs	Methyl Ethyl Ketone	78-93-3	0.1%	32.48	100%	32.48	[illegible]
10	30	102087	Adhesive, Mica Contact Spray	4,921.00	gal	6.6	#/gl	32,476.60	lbs	Other:VOC		0.2%	64.96	100%	64.96	[illegible]
10	30	102087	Adhesive, Mica Contact Spray	4,921.00	gal	6.6	#/gl	32,476.60	lbs	Toluene	108-88-3	14.9%	4,839.31	100%	4,839.31	2.4[illegible]
10	110	102574	Bonding Putty, Flex-Bond	694.00	gal	9.17	#/gl	6,383.98	lbs	Styrene	100-42-5	43.0%	2,736.51	12.0%	328.38	0.1[illegible]
25	120	102565	Silicon, Lubricant	37.00	gal	6.68	#/gl	247.16	lbs	Other:Stoddard Solvent	8052-41-3	70.0%	173.01	100%	173.01	0.0[illegible]
25	120	102565	Silicon, Lubricant	37.00	gal	6.68	#/gl	247.16	lbs	Other:VOC		0.95%	2.35	100%	2.35	0.00
25	110	156884	Sealant, Silicone WHT	7,679.00	ea	10.3	oz	4,943.36	lbs	Other:VOC		3.9%	194.77	100%	194.77	0.10
25	110	156892	Sealant, Silicone BLK	1,451.00	ea	10.3	oz	934.08	lbs	Other:VOC		3.9%	36.43	100%	36.43	0.02
25	110	157008	Sealant, Silicone Clear	9,155.00	ea	10.3	oz	5,893.53	lbs	Other:VOC		3.9%	229.85	100%	229.85	0.11
25	110	157016	Sealant, Silicone	23.00	ea	10.3	oz	14.81	lbs	Other:VOC		3.7%	0.55	100%	0.55	0.00
15	120	162982	Thinner, Lacquer	3,019.00	gal	6.64	#/gl	20,046.16	lbs	Methyl Alcohol	67-56-1	4.0%	801.85	100%	801.85	0.40
15	120	162982	Thinner, Lacquer	3,019.00	gal	6.64	#/gl	20,046.16	lbs	Methyl Isobutyl Ketone	108-10-1	5.0%	1,002.31	100%	1,002.31	0.50
15	120	162982	Thinner, Lacquer	3,019.00	gal	6.64	#/gl	20,046.16	lbs	Other:Isopropyl Alcohol	67-63-0	10.0%	2,004.62	100%	2,004.62	1.00
15	120	162982	Thinner, Lacquer	3,019.00	gal	6.64	#/gl	20,046.16	lbs	Other:VOC		25.0%	5,011.54	100%	5,011.54	2.51
15	120	162982	Thinner, Lacquer	3,019.00	gal	6.64	#/gl	20,046.16	lbs	Toluene	108-88-3	31.0%	6,214.31	100%	6,214.31	3.11
15	120	162982	Thinner, Lacquer	3,019.00	gal	6.64	#/gl	20,046.16	lbs	Xylene	1330-20-7	5.0%	1,002.31	100%	1,002.31	0.50
195	60	165621	Plastic Wood	205.00	ea	20	oz	256.25	lbs	Other:n-Butyl Acetate	123-86-4	10.0%	25.63	100%	25.63	0.01
195	60	165621	Plastic Wood	205.00	ea	20	oz	256.25	lbs	Other:VOC		18.6%	47.66	100%	47.66	0.02
195	35	179341	Compound, Sealer Glaze TR	4.00	gal	8.75	#/gl	35.00	lbs	Other:Formaldehyde	50-00-0	0.5%	0.18	100%	0.18	0.00
195	35	179341	Compound, Sealer Glaze TR	4.00	gal	8.75	#/gl	35.00	lbs	Other:VOC		32.5%	11.38	100%	11.38	0.01
185	35	179358	Compound, Mold Release TR Hi-Temp	268.00	can	14	oz	234.50	lbs	Other:VOC		70.0%	164.15	100%	164.15	0.08
195	65	179432	Silicone Spray	2,192.00	ea	13.25	oz	1,815.25	lbs	Hexane & othr	110-54-3	20.5%	372.13	100%	372.13	0.19
195	65	179432	Silicone Spray	2,192.00	ea	13.25	oz	1,815.25	lbs	Other:VOC		60.0%	1,089.15	100%	1,089.15	0.54
15	80	181255	Paint, Spray Pt (Black)	33.00	can	11	oz	22.69	lbs	Other:Butane	106-97-8	11.7%	2.65	100%	2.65	0.00
15	80	181255	Paint, Spray Pt (Black)	33.00	can	11	oz	22.69	lbs	Other:Propane	74-98-6	11.7%	2.65	100%	2.65	0.00
15	80	181255	Paint, Spray Pt (Black)	33.00	can	11	oz	22.69	lbs	Other:VOC		19.8%	4.49	100%	4.49	[illegible]
15	80	181255	Paint, Spray Pt (Black)	33.00	can	11	oz	22.69	lbs	Toluene	108-88-3	25.0%	5.67	100%	5.67	[illegible]
15	80	181255	Paint, Spray Pt (Black)	33.00	can	11	oz	22.69	lbs	Xylene	1330-20-7	12.5%	2.84	100%	2.84	0.00
15	80	181271	Paint, Spray Black Gloss	149.00	can	10	oz	93.13	lbs	Other:Butane	106-97-8	15.0%	13.97	100%	13.97	0.0[illegible]
15	80	181271	Paint, Spray Black Gloss	149.00	can	10	oz	93.13	lbs	Other:Ethylbenzene	100-41-4	2.0%	1.86	100%	1.86	0.0[illegible]
15	80	181271	Paint, Spray Black Gloss	149.00	can	10	oz	93.13	lbs	Other:Propane	74-98-6	15.0%	13.97	100%	13.97	0.0[illegible]
15	80	181271	Paint, Spray Black Gloss	149.00	can	10	oz	93.13	lbs	Other:VOC		2.7%	2.51	100%	2.51	0.00
15	80	181271	Paint, Spray Black Gloss	149.00	can	10	oz	93.13	lbs	Toluene	108-88-3	10.0%	9.31	100%	9.31	0.00
15	80	181271	Paint, Spray Black Gloss	149.00	can	10	oz	93.13	lbs	Xylene	1330-20-7	10.0%	9.31	100%	9.31	0.00
10	30	191569	Adhesive, Threadlocker	55.00	ea	1.69	oz	5.81	lbs	Methyl Alcohol	67-56-1	2.0%	0.12	100%	0.12	0.00
10	30	191569	Adhesive, Threadlocker	55.00	ea	1.69	oz	5.81	lbs	Other:VOC		11.3%	0.66	100%	0.66	0.00
195	35	192864	Super Polyglaze	29.00	cn (2 qt)	6.99	#/gl	101.36	lbs	Other:Stoddard Solvent	8052-41-3	70.0%	70.95	100%	70.95	0.04
195	35	192872	Imperial Hand Glaze	35.00	cn (qt)	7.92	#/gl	69.30	lbs	Other:Glycerin Mist	56-81-5	4.3%	2.98	100%	2.98	0.00
195	35	192872	Imperial Hand Glaze	35.00	cn (qt)	7.92	#/gl	69.30	lbs	Other:Stoddard Solvent	8052-41-3	10.0%	6.93	100%	6.93	0.00
25	30	194308	Dye, Dykem Blue	7.00	gal	7.18	#/gl	50.26	lbs	Other:Ethyl Acetate	141-78-6	2.6%	1.31	100%	1.31	0.00
25	30	194308	Dye, Dykem Blue	7.00	gal	7.18	#/gl	50.26	lbs	Other:Ethyl Alcohol	64-17-5	18.1%	9.10	100%	9.10	0.00
25	30	194308	Dye, Dykem Blue	7.00	gal	7.18	#/gl	50.26	lbs	Other:Isopropyl Alcohol	67-63-0	2.6%	1.31	100%	1.31	0.00
25	30	194308	Dye, Dykem Blue	7.00	gal	7.18	#/gl	50.26	lbs	Other:n-Butyl Alcohol	71-36-3	18.1%	9.10	100%	9.10	0.00
25	30	194308	Dye, Dykem Blue	7.00	gal	7.18	#/gl	50.26	lbs	Other:VOC		38.5%	19.35	100%	19.35	0.01
25	30	194308	Dye, Dykem Blue	7.00	gal	7.18	#/gl	50.26	lbs	Toluene	108-88-3	2.6%	1.31	100%	1.31	0.00
10	30	209783	Adhesive, Contact	12,346.00	ea	13	oz	10,031.13	lbs	Hexane	110-54-3	27.2%	2,728.47	100%	2,728.47	1.36

Sea Ray Boats Part Number ID including
CC = Commodity Code
SC = Subcommodity Code
MRP # = Material Requirements Planning

CC	SC	MRP #	DESCRIPTION	UTIL. RATE	UOM	Dens. or Size	UOM	UTIL. RATE (lbs)	UOM	CHEMICAL	CAS #	VOC %	VOC INPUT RATE	FL INTERIM EMIS. FCTR	EMISSIONS (lbs)	EMIS. (tons)
10	30	209763	Adhesive, Contact	12,346.00	ea	13	oz	10,031.13	lbs	Other:Propane	74-98-6	13.6%	1,364.23	100%	1,364.23	0.68
10	30	209763	Adhesive, Contact	12,346.00	ea	13	oz	10,031.13	lbs	Other:VOC		10.2%	1,023.17	100%	1,023.17	0.51
175	15	209690	Maint. Cleaner Glass	808.00	ea	19	oz	959.50	lbs	Other:2-Butoxyethanol	111-76-2	3.0%	28.79	100%	28.79	0.01
175	15	209690	Maint. Cleaner Glass	808.00	ea	19	oz	959.50	lbs	Other:Butane	106-97-8	3.0%	28.79	100%	28.79	0.01
175	15	209890	Maint. Cleaner Glass	808.00	ea	19	oz	959.50	lbs	Other:Isopropyl Alcohol	67-63-0	12.5%	119.94	100%	119.94	0.06
175	15	209890	Maint. Cleaner Glass	808.00	ea	19	oz	959.50	lbs	Other:Propane	74-98-6	3.0%	28.79	100%	28.79	0.01
25	110	211441	Sealant, Hycralic	49.00	ea (50ml)	8.75	#/gl	5.66	lbs	Other:VOC		8.7%	0.49	100%	0.49	0.00
195	65	211748	Anti-Seize Lubricant	51.00	ea	1	1 lb bottle	51.00	lbs	Other:VOC		13.20%	6.73	100%	6.73	0.00
175	15	211789	Cleaner, Spot Remover K-2R	104.00	ea	5	oz	32.50	lbs	Other:VOC		94.0%	30.55	100%	30.55	0
10	30	211805	Adhesive Threadlocker	85.00	ea	8.45	oz	44.89	lbs	Methyl Alcohol	67-56-1	3.0%	1.35	100%	1.35	0.
10	30	211805	Adhesive, Threadlocker	85.00	ea	8.45	oz	44.89	lbs	Other:VOC		13.9%	6.24	100%	6.24	0.00
175	15	225417	Cleaner, Industrial Citrus Base Aerosol	2,941.00	can	18.5	oz	3,400.53	lbs	Other:Propane	74-98-6	15.7%	533.88	100%	533.88	0.27
175	15	225417	Cleaner, Industrial Citrus Base Aerosol	2,941.00	can	18.5	oz	3,400.53	lbs	Other:VOC		78.7%	2,676.22	100%	2,676.22	1.34
25	110	257907	Sealant, Sikaflex	8,626.00	ea	10.3	oz	5,552.99	lbs	Xylene	1330-20-7	8.2%	452.57	100%	452.57	0.23
195	60	277681	Seam Fill, Antique White	34.00	ea	1	oz	2.13	lbs	Other:Ethyl Acetate	141-78-6	15.0%	0.32	100%	0.32	0.00
195	60	277681	Seam Fill, Antique White	34.00	ea	1	oz	2.13	lbs	Other:Propylene Glycol Methyl Ether Acetate	108-65-6	4.65%	0.10	100%	0.10	0.00
195	60	277681	Seam Fill, Antique White	34.00	ea	1	oz	2.13	lbs	Other:Stoddard Solvent	8052-41-3	2.79%	0.06	100%	0.06	0.00
195	60	277681	Seam Fill, Antique White	34.00	ea	1	oz	2.13	lbs	Toluene	108-88-3	11.62%	0.25	100%	0.25	0.00
195	60	277681	Seam Fill, Antique White	34.00	ea	1	oz	2.13	lbs	Xylene	1330-20-7	13.94%	0.30	100%	0.30	0.00
10	110	298638	Bonding Putty, Ultra Filler White	154.00	gal	14.26	#/gl	2,196.04	lbs	Styrene	100-42-5	15.0%	329.41	11.0%	36.23	0.02
10	110	298661	Bonding Putty, Ultra Filler Black	18.00	gal	14.26	#/gl	256.68	lbs	Styrene	100-42-5	15.0%	38.50	11.0%	4.24	0.00
10	140	308205	MEK Peroxide, Clear MEKP-9H					16,534.00	lbs	Dimethyl Phthalate	131-11-3	43.0%	7,131.12	na	neg	neg
10	140	308205	MEK Peroxide, Clear MEKP-9H					16,534.00	lbs	Methyl Ethyl Ketone	78-93-2	2.0%	331.68	100%	331.68	0.17
25	110	352443	Sealant, Silicone	2,343.00	ea	3	8.7	477.75	lbs	Other:VOC		5.2%	24.84	100%	24.84	0.01
195	35	353482	Compound, Polishing Finesse-It II	1.00	qt	8.14	#/gl	2.04	lbs	Other:Isobutyl Alcohol	78-83-1	0.5%	0.01	100%	0.01	0.00
195	35	353482	Compound, Polishing Finesse-It II	1.00	qt	8.14	#/gl	2.04	lbs	Other:Morpholine	110-91-8	0.5%	0.01	100%	0.01	0.00
195	35	353482	Compound, Polishing Finesse-It II	1.00	qt	8.14	#/gl	2.04	lbs	Other:Stoddard Solvent	8052-41-3	20.0%	0.41	100%	0.41	0.00
195	35	353482	Compound, Polishing Finesse-It II	1.00	qt	8.14	#/gl	2.04	lbs	Other:VOC		9.2%	0.19	100%	0.19	0.00
25	30	411272	Dye, Dykem White	3.00	gal	7.18	#/gl	21.54	lbs	Other:Ethyl Acetate	141-78-6	2.6%	0.56	100%	0.56	0.00
25	30	411272	Dye, Dykem White	3.00	gal	7.18	#/gl	21.54	lbs	Other:Ethyl Alcohol	64-17-5	18.1%	3.90	100%	3.90	0.00
25	30	411272	Dye, Dykem White	3.00	gal	7.18	#/gl	21.54	lbs	Other:Isopropyl Alcohol	67-63-0	2.6%	0.56	100%	0.56	0.00
25	30	411272	Dye, Dykem White	3.00	gal	7.18	#/gl	21.54	lbs	Other:n-Butyl Alcohol	71-36-3	18.1%	3.90	100%	3.90	0
25	30	411272	Dye, Dykem White	3.00	gal	7.18	#/gl	21.54	lbs	Other:VOC		38.5%	8.29	100%	8.29	0
25	30	411272	Dye, Dykem White	3.00	gal	7.18	#/gl	21.54	lbs	Toluene	108-88-3	2.6%	0.56	100%	0.56	0.00
195	35	490094	Compound, Polishing Paste Finesse It	3.00	gal	9.93	#/gl	29.79	lbs	Other:Stoddard Solvent	8052-41-3	10.0%	2.98	100%	2.98	0.00
195	35	490094	Compound, Polishing Paste Finesse It	3.00	gal	9.93	#/gl	29.79	lbs	Other:VOC		20.8%	6.20	100%	6.20	0.00
195	35	490094	Compound, Polishing Paste Finesse It	3.00	gal	9.93	#/gl	29.79	lbs	Xylene	1330-20-7	0.2%	0.06	100%	0.06	0.00
195	35	492963	Ez Cleanup Finesse	100.00	gal	8.13	#/gl	813.00	lbs	Other:Glycerin Mist	56-81-5	3.0%	24.39	100%	24.39	0.01
195	35	492963	Ez Cleanup Finesse	100.00	gal	8.13	#/gl	813.00	lbs	Other:Morpholine	110-91-8	1.0%	8.13	100%	8.13	0.00
195	35	492963	Ez Cleanup Finesse	100.00	gal	8.13	#/gl	813.00	lbs	Other:Stoddard Solvent	8052-41-3	16.5%	134.15	100%	134.15	0.07
195	35	514568	Compound, Mold Release Self-Stripping	152.00	gal	7.2	#/gl	1,094.40	lbs	Other:Cumene	98-82-8	2.8%	30.64	100%	30.64	0.02
195	35	514568	Compound, Mold Release Self-Stripping	152.00	gal	7.2	#/gl	1,094.40	lbs	Other:VOC		3.7%	40.49	100%	40.49	0.02
195	35	514568	Compound, Mold Release Self-Stripping	152.00	gal	7.2	#/gl	1,094.40	lbs	Toluene	108-88-3	80.0%	875.52	100%	875.52	0.44
195	35	514568	Compound, Mold Release Self-Stripping	152.00	gal	7.2	#/gl	1,094.40	lbs	Xylene	1330-20-7	3.5%	38.30	100%	38.30	0.02
195	35	515742	Compound, Polishing Finesse-It II	7.00	gal	8.35	#/gl	58.42	lbs	Other:Isobutyl Alcohol	78-83-1	0.5%	0.29	100%	0.29	0.00
195	35	515742	Compound, Polishing Finesse-It II	7.00	gal	8.35	#/gl	58.42	lbs	Other:VOC		22.5%	13.14	100%	13.14	0.01
10	110	581975	Gunk, Creamy Polyester Putty	50.00	gal	13.77	#/gl	688.45	lbs	Styrene	100-42-5	21.0%	144.57	11.0%	15.90	0.01
10	140	590794	MEK, Red Norac MEKP-9					42,520.00	lbs	Dimethyl Phthalate	131-11-3	41.0%	17,433.20	na	neg	neg
10	140	590794	MEK, Red Norac MEKP-9					42,520.00	lbs	Methyl Ethyl Ketone	78-93-2	2.0%	850.40	100%	850.40	0.43
175	15	612127	Cleaner, Fantastic	65.00	gal	8.345	#/gl	542.43	lbs	Other:2-Butoxyethanol	111-76-2	7.0%	37.97	100%	37.97	0.02
10	120	625947	Green Tooling					257.00	lbs	Methyl Methacrylate	80-62-6	4.9%	12.71	54%	6.87	0.00
10	120	625947	Green Tooling					257.00	lbs	Styrene	100-42-5	42.1%	108.12	54%	58.36	0.03
175	15	662437	Cleaner, Super Blue Resin	825.00	gal	8.9	#/gl	7,342.50	lbs	Other:Dipropylene glycol methyl ether	34950-94-8	7.0%	513.98	100%	513.98	0.26

Sea Ray Boats Part Number ID Including:
CC = Commodity Code
SC = Subcommodity Code
MRP # = Material Requirements Planning

Sent By: Cantelou ; 3212594165; Apr 03 4:14PM; Page 11/23

ATTACHMENT: Emission Unit ID 001 - 003
Volatile Organic Compounds

Sea Ray Boats, Inc. - Palm Coast Facility

CC	SC	MRP #	DESCRIPTION	UTIL. RATE	UOM	Dens. or Size	UOM	UTIL. RATE (lbs)	UOM	CHEMICAL	CAS #	VOC %	VOC INPUT RATE	FL INTERIM EMIS. FCTR	EMISSIONS (lbs)	EMIS. (tons)
25	100	882445	Solvent, Super Flush S-280	690.00	gal	8.86	#/gl	6,113.40	lbs	Other:Dipropylene glycol methyl ether	34590-94-8	9.00%	550.21	100%	550.21	0.28
25	100	882445	Solvent, Super Flush S-280	690.00	gal	8.86	#/gl	6,113.40	lbs	Other:VOC		90.90%	5,557.08	100%	5,557.08	2.78
10	120	865877	Gelcoat, White (Summer)					269,547.00	lbs	Methyl Methacrylate	80-62-6	4.6%	12,453.07	51%	6,351.07	3.18
10	120	865877	Gelcoat, White (Summer)					269,547.00	lbs	Styrene	100-42-5	31.0%	83,532.82	51%	42,601.83	21.30
10	120	865885	Gelcoat, White Amorcote					156,103.00	lbs	Methyl Methacrylate	80-62-6	10.0%	15,544.74	54%	8,394.16	4.20
10	120	865885	Gelcoat, White Amorcote					156,103.00	lbs	Styrene	100-42-5	29.2%	45,516.51	54%	24,578.92	12.29
10	120	865893	Gelcoat, White-Antique					56,843.00	lbs	Methyl Methacrylate	80-62-6	4.7%	2,586.40	51%	1,370.06	0.69
10	120	865892	Gelcoat, White-Antique					56,843.00	lbs	Styrene	100-42-5	33.3%	18,928.15	51%	9,653.36	4.83
25	100	670950	Ethyl Acetate					58,045.00	lbs	Other:Ethyl Acetate	141-78-6	100.0%	58,045.00	100%	58,045.00	29.02
10	120	718551	Gelcoat, Bilge Oyster w/ wax					1,280.00	lbs	Styrene	100-42-5	27.33%	349.82	48.0%	167.92	
10	120	721126	Gelcoat, Zephyr					8,710.00	lbs	Methyl Methacrylate	80-62-6	9.4%	814.39	54%	439.77	
10	120	721126	Gelcoat, Zephyr					8,710.00	lbs	Styrene	100-42-5	33.6%	2,922.21	54%	1,577.99	0.7
10	110	734318	Hvy Wt Gunk					438,037.00	lbs	Styrene	100-42-5	13.0%	56,944.81	11.0%	6,263.93	3.1
10	60	743476	Gel Patch, Speed patchwaid					6,078.00	lbs	Styrene	100-42-6	52.0%	3,160.56	54.0%	1,706.70	0.8
25	110	744920	Urethane Sealant	352.00	ea	10.3	oz	226.50	lbs	Other:VOC		1.9%	4.33	100%	4.33	0.00
25	110	751289	Sealant, Silicone	309.00	ea	3	8.7	63.31	lbs	Other:VOC		5.2%	3.28	100%	3.28	0.00
25	110	757591	Urethane Sealant	12,069.00	ea	10.3	oz	7,769.42	lbs	Xylene	1330-20-7	6.0%	466.17	100%	466.17	0.23
195	35	799213	Compound, Reducer DT 870	4.00	gal	6.9	#/gl	27.60	lbs	Methyl Ethyl Ketone	78-93-3	35.0%	9.66	100%	9.66	0.00
195	35	799213	Compound, Reducer DT 870	4.00	gal	6.9	#/gl	27.60	lbs	Other:Propylene Glycol Methyl Ether Acetate	108-65-6	25.0%	6.90	100%	6.90	0.00
195	35	799213	Compound, Reducer DT 870	4.00	gal	6.9	#/gl	27.60	lbs	Other:VOC		20.0%	5.52	100%	5.52	0.00
195	35	799213	Compound, Reducer DT 870	4.00	gal	6.9	#/gl	27.60	lbs	Toluene	108-88-3	20.0%	5.52	100%	5.52	0.00
195	35	799239	Compound, 3M 06011	2.00	qt	10.31	#/gl	5.16	lbs	Other:Glycerin	56-81-5	2.0%	0.10	100%	0.10	0.00
195	35	799239	Compound, 3M 06011	2.00	qt	10.31	#/gl	5.16	lbs	Other:Isobutyl Alcohol	78-83-1	0.5%	0.03	100%	0.03	0.00
195	35	799239	Compound, 3M 06011	2.00	qt	10.31	#/gl	5.16	lbs	Other:VOC		18.4%	0.95	100%	0.95	0.00
195	35	799254	Compound Acr Liquid Clean	2.00	qt	6.43	#/gl	3.22	lbs	Other:VOC		100.0%	3.22	100%	3.22	0.00
15	180	800664	Paint, Spray Arctic White Powder Coat	19.00	ea	16	oz	19.00	lbs	Other:Butane	106-97-8	6.0%	1.14	100%	1.14	0.00
15	180	800664	Paint, Spray Arctic White Powder Coat	19.00	ea	16	oz	19.00	lbs	Other:Ethylbenzene	100-41-4	2.0%	0.38	100%	0.38	0.00
15	180	800664	Paint, Spray Arctic White Powder Coat	19.00	ea	16	oz	19.00	lbs	Other:Propane	74-98-6	18.0%	3.42	100%	3.42	0.00
15	180	800664	Paint, Spray Arctic White Powder Coat	19.00	ea	16	oz	19.00	lbs	Other:Propylene Glycol Methyl Ether Acetate	108-65-6	6.0%	1.14	100%	1.14	0.00
15	180	800664	Paint, Spray Arctic White Powder Coat	19.00	ea	16	oz	19.00	lbs	Other:VOC		25.4%	4.82	100%	4.82	0.00
15	180	800664	Paint, Spray Arctic White Powder Coat	19.00	ea	16	oz	19.00	lbs	Xylene	1330-20-7	9.0%	1.71	100%	1.71	0.00
195	65	810820	Protectc-Flex Aerosol	785.00	ea	15	oz	735.94	lbs	Other:VOC		75.0%	551.95	100%	551.95	0.28
10	30	814869	Adhesive, PVC Cement Grey	298.00	qt	7.9	#/gl	588.55	lbs	Methyl Ethyl Ketone	78-93-3	10.0%	58.86	100%	58.86	0.03
10	30	814869	Adhesive, PVC Cement Grey	298.00	qt	7.9	#/gl	588.55	lbs	Other:Cyclohexanone	108-94-1	10.0%	58.86	100%	58.86	0.03
10	30	814869	Adhesive, PVC Cement Grey	298.00	qt	7.9	#/gl	588.55	lbs	Other:Tetrahydrofuran	109-99-9	63.0%	370.79	100%	370.79	
10	120	831115	Gelcoat, Clear					9.00	lbs	Styrene	100-42-5	46.5%	4.19	54%	2.26	
10	30	862169	Adhesive, Carpet Water Based	1,980.00	gal	9.2	#/gl	18,216.00	lbs	Other:VOC		3.2%	32.79	100%	32.79	0.02
15	30	868885	Paint, Bottom Black (Aqua-Clean)	722.00	gal	20	#/gl	14,440.00	lbs	Other:2-Butoxyethanol	111-76-2	3.0%	433.20	100%	433.20	0.2
15	30	868885	Paint, Bottom Black (Aqua-Clean)	722.00	gal	20	#/gl	14,440.00	lbs	Other:VOC		3.0%	433.20	100%	433.20	0.2
15	70	868893	Paint, Primer Sandless	356.00	gal	7.81	#/gl	2,780.36	lbs	Methyl Isobutyl Ketone	108-10-1	52.5%	1,459.69	100%	1,459.69	0.75
15	70	868893	Paint, Primer Sandless	356.00	gal	7.81	#/gl	2,780.36	lbs	Other:MDI	101-68-8	7.5%	208.53	na	negl	neg
15	70	868893	Paint, Primer Sandless	356.00	gal	7.81	#/gl	2,780.36	lbs	Other:Naphthalene	91-20-3	3.0%	83.41	100%	83.41	0.04
15	70	868893	Paint, Primer Sandless	356.00	gal	7.81	#/gl	2,780.36	lbs	Other:VOC		7.5%	208.53	100%	208.53	0.10
15	120	868901	Thinner, Bottom Paint	150.00	gal	7.08	#/gl	1,062.00	lbs	Other:VOC		100.0%	1,062.00	100%	1,062.00	0.53
10	120	893420	Gelcoat, Black Backcoat					50.00	lbs	Styrene	100-42-5	32.0%	16.00	48%	7.68	0.00
10	120	894782	Gelcoat, Sandstone					1,650.00	lbs	Methyl Methacrylate	80-62-6	4.0%	66.00	48%	31.68	0.02
10	120	894782	Gelcoat, Sandstone					1,650.00	lbs	Styrene	100-42-5	24.0%	396.00	48%	190.08	0.10
10	120	894790	Gelcoat, Bone Backcoat					100.00	lbs	Styrene	100-42-5	32.0%	32.00	48%	15.36	0.01
10	190	899757	Resin DCPD B-end Bulk					2,648,828.00	lbs	Styrene	100-42-5	35.0%	927,089.80	11.0%	101,979.88	50.99
175	15	900381	Cleaner, Dishsoap	70.00	gal	8.6	#/gl	602.00	lbs	Other:VOC		1.4%	8.43	100%	8.43	0.00
15	70	946152	Paint, Primer Metal (Part A)	18.00	gal	7.44	#/gl	66.96	lbs	Other:Isopropyl Alcohol	67-63-0	55.0%	36.83	100%	36.83	0.02
15	70	946152	Paint, Primer Metal (Part B)	18.00	gal	7.27	#/gl	65.43	lbs	Other:Isopropyl Alcohol	67-63-0	81.5%	53.33	100%	53.33	0.03
15	70	946152	Paint, Primer Metal (Part A)	18.00	gal	7.44	#/gl	66.96	lbs	Other:n-Butyl Alcohol	71-36-3	25.0%	16.74	100%	16.74	0.01
15	70	946160	Paint, Primer Grey Epoxy, Part A	27.00	gal	11.39	#/gl	153.77	lbs	Other:n-Butyl Alcohol	71-36-3	11.1%	17.10	100%	17.10	0.01
15	70	946160	Paint, Primer Grey Epoxy, Part B	27.00	gal	10.53	#/gl	142.16	lbs	Other:VOC		13.0%	18.45	100%	18.45	0.01

Sea Ray Boats Part Number ID including:
CC = Commodity Code
SC = Subcommodity Code
MRP # = Material Requirements Planning

ATTACHMENT Emission Unit ID 001 - 003
Volatile Organic Compounds

Sea Ray Boats, Inc. - Palm Coast Facility

CC	SC	MRP #	DESCRIPTION	UTIL. RATE	UOM	Dens. or Size	UOM	UTIL. RATE (lbs)	UOM	CHEMICAL	CAS #	VOC %	VOC INPUT RATE	FL INTERIM EMIS. FCTR	EMISSIONS (lbs)	EMIS. (tons)
15	70	946160	Paint, Primer Grey Epoxy, Part B	27.00	gal	10.53	#/gl	142.16	lbs	Xylene	1330-20-7	1.9%	2.63	100%	2.63	0.00
15	120	952051	Thinner, Klean Strip	717.00	gal	6.26	#/gl	4,488.42	lbs	Other:VOC		100.0%	4,488.42	100%	4,488.42	2.24
15	50	964619	Paint, Lacquer Moisture Hi-Gloss	510.00	gal	7.38	#/gl	3,763.80	lbs	Methyl Ethyl Ketone	78-93-3	3.0%	112.91	100%	112.91	0.06
15	50	964619	Paint, Lacquer Moisture Hi-Gloss	510.00	gal	7.38	#/gl	3,763.80	lbs	Other:VOC		65.9%	2,479.59	100%	2,479.59	1.24
15	50	964619	Paint, Lacquer Moisture Hi-Gloss	510.00	gal	7.38	#/gl	3,763.80	lbs	Toluene	108-88-3	3.0%	112.91	100%	112.91	0.06
15	50	964619	Paint, Lacquer Moisture Hi-Gloss	510.00	gal	7.38	#/gl	3,763.80	lbs	Xylene	1330-20-7	4.0%	150.55	100%	150.55	0.08
10	120	967792	Gelcoat, Aurora (Granicoat)					10,644.00	lbs	Methyl Methacrylate	80-62-6	4.0%	425.76	48%	204.36	0.10
10	120	967792	Gelcoat, Aurora (Granicoat)					10,644.00	lbs	Styrene	100-42-5	24.0%	2,554.56	48%	1,226.19	0.61
15	80	993220	Paint, Spray Krylon Dk Machine Grey Rust Tough	378.00	can	15	oz	354.38	lbs	Other:Butane	106-97-8	6.0%	21.26	100%	21.26	0.01
15	80	993220	Paint, Spray Krylon Dk Machine Grey Rust Tough	378.00	can	15	oz	354.38	lbs	Other:Propane	74-98-6	14.0%	49.61	100%	49.61	[illegible]
15	80	993220	Paint, Spray Krylon Dk Machine Grey Rust Tough	378.00	can	15	oz	354.38	lbs	Other:VOC		14.4%	51.03	100%	51.03	[illegible]
15	80	993220	Paint, Spray Krylon Dk Machine Grey Rust Tough	378.00	can	15	oz	354.38	lbs	Toluene	108-88-3	14.0%	49.61	100%	49.61	0.0[illegible]
15	80	993220	Paint, Spray Krylon Dk Machine Grey Rust Tough	378.00	can	15	oz	354.38	lbs	Xylene	1330-20-7	2.0%	7.09	100%	7.09	0.0[illegible]
175	15	994095	Cleaner, Hand Handglo	420.00	gal	7.93	#/gl	3,330.60	lbs	Other:VOC		30.0%	999.18	100%	999.18	0.5[illegible]
25	110	997288	Sealant, Silicone Redwood	502.00	ea (10.3 fl oz)	13.5	#/gl	545.34	lbs	Other:Ethylene Glyco	107-21-1	1.2%	6.54	100%	6.54	0.00
25	110	997288	Sealant, Silicone Redwood	502.00	ea (10.3 fl oz)	13.5	#/gl	545.34	lbs	Other:VOC		3.3%	17.78	100%	17.78	0.01
25	110	1004506	Sealant, Caulk Cedar	146.00	ea (10.3 fl oz)	13.5	#/gl	158.60	lbs	Other:Ethylene Glyco	107-21-1	1.2%	1.90	100%	1.90	0.00
25	110	1004506	Sealant, Caulk Cedar	146.00	ea (10.3 fl oz)	13.5	#/gl	158.60	lbs	Other:VOC		3.3%	5.17	100%	5.17	0.00
10	30	1019314	Adhesive, Epoxy Neat & Easy	9.00	ea	4	grams	0.08	lbs	Other:VOC		0.8%	0.00	100%	0.00	
15	80	1044122	Paint, Spray Krylon Bright Red	79.00	can	15	oz	74.06	lbs	Other:Butane	106-97-8	6.0%	4.44	100%	4.44	0.00
15	80	1044122	Paint, Spray Krylon Bright Red	79.00	can	15	oz	74.06	lbs	Other:Propane	74-98-6	14.0%	10.37	100%	10.37	0.01
15	80	1044122	Paint, Spray Krylon Bright Red	79.00	can	15	oz	74.06	lbs	Other:VOC		17.0%	12.59	100%	12.59	0.01
15	80	1044122	Paint, Spray Krylon Bright Red	79.00	can	15	oz	74.06	lbs	Toluene	108-88-3	13.0%	9.63	100%	9.63	0.00
15	80	1044122	Paint, Spray Krylon Bright Red	79.00	can	15	oz	74.06	lbs	Xylene	1330-20-7	4.0%	2.96	100%	2.96	0.00
15	80	1044130	Paint, Spray Krylon Gloss Wht	143.00	can	15	oz	134.06	lbs	Other:Butane	106-97-8	6.0%	8.04	100%	8.04	0.00
15	80	1044130	Paint, Spray Krylon Gloss Wht	143.00	can	15	oz	134.06	lbs	Other:Propane	74-98-6	14.0%	18.77	100%	18.77	0.01
10	80	1044130	Paint, Spray Krylon Gloss Wht	143.00	can	15	oz	134.06	lbs	Other:VOC		15.3%	20.51	100%	20.51	0.01
15	80	1044130	Paint, Spray Krylon Gloss Wht	143.00	can	15	oz	134.06	lbs	Toluene	108-88-3	10.0%	13.41	100%	13.41	0.01
15	80	1044130	Paint, Spray Krylon Gloss Wht	143.00	can	15	oz	134.06	lbs	Xylene	1330-20-7	3.0%	4.02	100%	4.02	0.00
15	40	1044668	Paint, Enamel Ironized Hi-Gloss	9.00	gal	7.8	#/gl	70.20	lbs	Other:VOC		39.7%	27.87	100%	27.87	0.01
10	120	1047307	Gelcoat, Desert Beige					15,280.00	lbs	Methyl Methacrylate	80-62-6	4.5%	679.96	51%	346.78	
10	120	1047307	Gelcoat, Desert Beige					15,280.00	lbs	Styrene	100-42-5	32.7%	4,996.56	51%	2,548.25	
10	30	1051408	Adhesive, Treadlocker Rector Seal	8.00	pint	11.43	#/gl	11.43	lbs	Other:VOC		30.0%	3.43	100%	3.43	0.00
10	110	1051432	Bonding Putty Cuz	271.00	gal	13.6	#/gl	3,685.60	lbs	Styrene	100-42-5	15.0%	552.84	11%	60.81	0.03
15	60	1079126	Paint, Latx Beige Flat Enamel	1.00	ea	32	oz	2.00	lbs	Other:VOC		60.1%	1.20	100%	1.20	0.0[illegible]
15	60	1079126	Paint, Latx Beige Flat Enamel	1.00	ea	32	oz	2.00	lbs	Othr:Ethylene Glycol	107-21-1	2.0%	0.04	100%	0.04	0.00
195	60	1082526	Seam Fill, Desert Beige	391.00	ea	1	oz	24.44	lbs	Other:Ethyl Acetate	141-78-6	15.0%	3.67	100%	3.67	0.00
195	60	1082526	Seam Fill, Desert Beige	391.00	ea	1	oz	24.44	lbs	Other:Propylene Glycol Methyl Ether Acetate	108-65-6	4.65%	1.14	100%	1.14	0.00
195	60	1082526	Seam Fill, Desert Beige	391.00	ea	1	oz	24.44	lbs	Other:Stoddard Solvent	8052-41-3	2.79%	0.68	100%	0.68	0.00
195	60	1082526	Seam Fill, Desert Beige	391.00	ea	1	oz	24.44	lbs	Toluene	108-88-3	11.62%	2.84	100%	2.84	0.00
195	60	1082526	Seam Fill, Desert Beige	391.00	ea	1	oz	24.44	lbs	Xylene	1330-20-7	13.94%	3.41	100%	3.41	0.00
10	30	1089085	Adhesive, Joint Cartridge Corian Bone	20.00	ea (1.5 fl oz)	10.2	#/gl	2.39	lbs	Methyl Methacrylate	80-62-6	40.0%	0.96	100%	0.96	0.00
195	60	1089101	Seam Fill, Atlante Sea Oyster	135.00	ea	1	oz	8.44	lbs	Other:Ethyl Acetate	141-78-6	15.0%	1.27	100%	1.27	0.00
195	60	1089101	Seam Fill, Atlante Sea Oyster	135.00	ea	1	oz	8.44	lbs	Other:Propylene Glycol Methyl Ether Acetate	108-65-6	4.65%	0.39	100%	0.39	0.00
195	60	1089101	Seam Fill, Atlante Sea Oyster	135.00	ea	1	oz	8.44	lbs	Other:Stoddard Solvent	8052-41-3	2.79%	0.24	100%	0.24	0.00
195	60	1089101	Seam Fill, Atlante Sea Oyster	135.00	ea	1	oz	8.44	lbs	Toluene	108-88-3	11.62%	0.98	100%	0.98	0.00
195	60	1089101	Seam Fill, Atlante Sea Oyster	135.00	ea	1	oz	8.44	lbs	Xylene	1330-20-7	13.94%	1.18	100%	1.18	0.00
195	60	1089119	Seam Fill, Mocha	11.00	ea	1	oz	0.69	lbs	Other:Ethyl Acetate	141-78-6	15.0%	0.10	100%	0.10	0.00
195	60	1089119	Seam Fill, Mocha	11.00	ea	1	oz	0.69	lbs	Other:Propylene Glycol Methyl Ether Acetate	108-65-6	4.65%	0.03	100%	0.03	0.00
195	60	1089119	Seam Fill, Mocha	11.00	ea	1	oz	0.69	lbs	Other:Stoddard Solvent	8052-41-3	2.79%	0.02	100%	0.02	0.00

Sea Ray Boats Part Number ID including:
CC = Commodity Code
SC = Subcommodity Code
MRP # = Material Requirements Planning

ATTACHMENT: Emission Unit ID 001 - 003
Volatile Organic Compounds

Sea Ray Boats, Inc. - Palm Coast Facility

CC	SC	MRP #	DESCRIPTION	UTIL. RATE	UOM	Dens. or Size	UOM	UTIL. RATE (lbs)	UOM	CHEMICAL	CAS #	VOC %	VOC INPUT RATE	FL INTERIM EMIS. FCTR	EMISSIONS (lbs)	EMIS. (tons)
195	60	1089119	Seam Fill, Mocha	11.00	ea	1	oz	0.69	lbs	Toluene	108-88-3	11.62%	0.08	100%	0.08	0.00
195	60	1089119	Seam Fill, Mocha	11.00	ea	1	oz	0.69	lbs	Xylene	1330-20-7	13.94%	0.10	100%	0.10	0.00
195	60	1090620	Seam Fill, Atlante Grey	3.00	ea	1	oz	0.19	lbs	Other:Ethyl Acetate	141-78-6	15.0%	0.03	100%	0.03	0.00
195	60	1090620	Seam Fill, Atlante Grey	3.00	ea	1	oz	0.19	lbs	Other:Propylene Glycol Methyl Ether Acetate	108-65-6	4.65%	0.01	100%	0.01	0.00
195	60	1090620	Seam Fill, Atlante Grey	3.00	ea	1	oz	0.19	lbs	Other:Stoddard Solvent	8052-41-3	2.79%	0.01	100%	0.01	0.00
195	60	1090620	Seam Fill, Atlante Grey	3.00	ea	1	oz	0.19	lbs	Toluene	108-88-3	11.62%	0.02	100%	0.02	0.00
195	60	1090620	Seam Fill, Atlante Grey	3.00	ea	1	oz	0.19	lbs	Xylene	1330-20-7	13.94%	0.03	100%	0.03	0.00
195	35	1097971	Compound, Buff Magic	309.00	gal	9.1	#/gl	2,811.90	lbs	Other:VOC		20.0%	562.38	100%	562.38	0.28
25	70	1100338	Fluid, Hydraulic Oil	53.00	gal	7.29	#/gl	386.37	lbs	Other:VOC		3.0%	11.59	100%	11.59	0.01
25	30	1104843	Alcohol, Denatured	5,818.00	gal	6.72	#/gl	39,096.96	lbs	Methyl Alcohol	67-56-1	16.04%	6,271.15	100%	6,271.15	3.14
25	30	1104843	Alcohol, Denatured	5,818.00	gal	6.72	#/gl	39,096.96	lbs	Methyl Isobutyl Ketone	108-10-1	1.00%	390.97	100%	390.97	0.20
25	30	1104843	Alcohol, Denatured	5,818.00	gal	6.72	#/gl	39,096.96	lbs	Other:VOC		82.96%	32,434.84	100%	32,434.84	
195	35	1104918	Compound, Weld-On Primer	7.00	ea (qt)	7.26	#/gl	12.71	lbs	Methyl Ethyl Ketone	78-93-3	8.0%	1.02	100%	1.02	
195	35	1104918	Compound, Weld-On Primer	7.00	ea (qt)	7.26	#/gl	12.71	lbs	Other:Cyclohexanone	108-94-1	47.0%	5.97	100%	5.97	0.0
195	35	1104918	Compound, Weld-On Primer	7.00	ea (qt)	7.26	#/gl	12.71	lbs	Other:Tetrahydrofuran	109-99-9	45.0%	5.72	100%	5.72	0.00
195	60	1107143	Seam Fill, Champagne	53.00	ea	1	oz	3.31	lbs	Other:Ethyl Acetate	141-78-6	15.0%	0.50	100%	0.50	0.00
195	60	1107143	Seam Fill, Champagne	53.00	ea	1	oz	3.31	lbs	Other:Propylene Glycol Methyl Ether Acetate	108-65-6	4.65%	0.15	100%	0.15	0.00
195	60	1107143	Seam Fill, Champagne	53.00	ea	1	oz	3.31	lbs	Other:Stoddard Solvent	8052-41-3	2.79%	0.09	100%	0.09	0.00
195	60	1107143	Seam Fill, Champagne	53.00	ea	1	oz	3.31	lbs	Toluene	108-88-3	11.62%	0.38	100%	0.38	0.00
195	60	1107143	Seam Fill, Champagne	53.00	ea	1	oz	3.31	lbs	Xylene	1330-20-7	13.94%	0.46	100%	0.46	0.00
10	30	1111004	Adhesive, PVC Cement Catay	4.00	ea	32	oz	8.00	lbs	Methyl Ethyl Ketone	78-93-3	5.0%	0.40	100%	0.40	0.00
10	30	1111004	Adhesive, PVC Cement Catay	4.00	ea	32	oz	8.00	lbs	Other:VOC		68.0%	5.44	100%	5.44	0.00
15	80	1129923	Paint, Spray Wht Flat	662.00	ea	11	oz	455.13	lbs	Other:Butane	106-97-8	7.9%	35.95	100%	35.95	0.02
15	80	1129923	Paint, Spray Wht Flat	662.00	ea	11	oz	455.13	lbs	Other:Ethylbenzene	100-41-4	3.9%	17.75	100%	17.75	0.01
15	80	1129923	Paint, Spray Wht Flat	662.00	ea	11	oz	455.13	lbs	Other:Propane	74-98-6	23.7%	107.86	100%	107.86	0.05
15	80	1129923	Paint, Spray Wht Flat	662.00	ea	11	oz	455.13	lbs	Other:VOC		11.8%	53.70	100%	53.70	0.03
15	80	1129923	Paint, Spray Wht Flat	662.00	ea	11	oz	455.13	lbs	Toluene	108-88-3	7.9%	35.95	100%	35.95	0.02
15	80	1129923	Paint, Spray Wht Flat	662.00	ea	11	oz	455.13	lbs	Xylene	1330-20-7	19.7%	89.66	100%	89.66	0.04
15	80	1129931	Paint, Spray Black Flat	9,652.00	ea	11	oz	6,635.75	lbs	Other:Butane	106-97-8	8.0%	530.86	100%	530.86	0.27
15	80	1129931	Paint, Spray Black Flat	9,652.00	ea	11	oz	6,635.75	lbs	Other:Ethylbenzene	100-41-4	4.0%	265.43	100%	265.43	0.13
15	80	1129931	Paint, Spray Black Flat	9,652.00	ea	11	oz	6,635.75	lbs	Other:Propane	74-98-6	20.0%	1,327.15	100%	1,327.15	0.66
15	80	1129931	Paint, Spray Black Flat	9,652.00	ea	11	oz	6,635.75	lbs	Other:VOC		12.0%	796.29	100%	796.29	0.40
15	80	1129931	Paint, Spray Black Flat	9,652.00	ea	11	oz	6,635.75	lbs	Toluene	108-88-3	24.0%	1,592.58	100%	1,592.58	0.80
15	80	1129931	Paint, Spray Black Flat	9,652.00	ea	11	oz	6,635.75	lbs	Xylene	1330-20-7	12.0%	796.29	100%	796.29	0.40
195	35	1217843	Compond, Mold/Tooling	14.00	gal	10.85	#/gl	151.90	lbs	Other:VOC		24.6%	37.31	100%	37.31	0.02
10	190	1228636	Resin, Hydropell A-35					171,305.00	lbs	Styrene	100-42-5	35.0%	59,956.75	11.0%	6,595.24	3.30
10	190	1228766	Resin, DCPD Blend (Low Styrene) Winter					408,792.00	lbs	Styrene	100-42-5	35.0%	142,377.20	11.0%	15,661.49	
195	35	1240308	Compond, Swirl Remover	9.00	gal	9	#/gl	81.00	lbs	Other:Formaldehyde	50-00-0	0.5%	0.41	100%	0.41	
195	35	1240308	Compond, Swirl Remover	9.00	gal	9	#/gl	81.00	lbs	Other:VOC		8.4%	6.80	100%	6.80	0.0
15	60	1240316	Paint, Touch-up	13.00	qt	8.51	#/gl	27.66	lbs	Other:n-Butyl Acetate	123-86-4	10.0%	2.77	100%	2.77	0.00
15	60	1240316	Paint, Touch-up	13.00	qt	8.51	#/gl	27.66	lbs	Other:n-Butyl Alcohol	71-36-3	2.4%	0.66	100%	0.66	0.00
15	60	1240316	Paint, Touch-up	13.00	qt	8.51	#/gl	27.66	lbs	Other:Propylene Glycol Methyl Ether Acetate	108-65-6	12.1%	3.35	100%	3.35	0.00
15	60	1240316	Paint, Touch-up	13.00	qt	8.51	#/gl	27.66	lbs	Other:VOC		15.5%	4.29	100%	4.29	0.00
15	60	1240316	Paint, Touch-up	13.00	qt	8.51	#/gl	27.66	lbs	Xylene	1330-20-7	19.0%	5.25	100%	5.25	0.00
10	140	1310440	MEK Peroxide, Norox MCP-75 Red					32.00	lbs	Cumene	98-82-8	1.5%	0.48	100%	0.48	0.00
10	140	1310440	MEK Peroxide, Norox MCP-75 Red					32.00	lbs	Dimethyl Phthlate	131-11-3	32.0%	10.24	na	neg	neg
10	140	1310440	MEK Peroxide, Norox MCP-75 Red					32.00	lbs	Methyl Ethyl Ketone	78-93-3	1.5%	0.48	100%	0.48	0.00
10	140	1310440	MEK Peroxide, Norox MCP-75 Red					32.00	lbs	Other:VOC		23.0%	7.36	100%	7.36	0.00
15	30	1355338	Paint, Bottom Black	288.00	gal	17.76	#/gl	5,114.88	lbs	Other:2-Butoxyethanol	111-76-2	5.0%	255.74	100%	255.74	0.13
15	30	1355338	Paint, Bottom Black	288.00	gal	17.76	#/gl	5,114.88	lbs	Other:VOC		4.2%	214.82	100%	214.82	0.11
10	120	1398205	Gel Coat, Arctic White					2,731.00	lbs	Methyl Methacrylate	80-62-6	29.3%	798.82	54%	431.36	0.22
10	120	1398205	Gel Coat, Arctic White					2,731.00	lbs	Styrene	100-42-5	10.5%	285.94	54%	154.41	0.08
			SUBTOTAL												441,447.64	220.72

Sea Ray Boats Part Number ID including:
CC = Commodity Code
SC = Subcommodity Code
MRP # = Material Requirements Planning