NOTE: The spreadsheet provides a generic estimate of potential emissions from the Sea Ray Boats Palm Coast plant that includes painting of boats/parts using polyurethane paints. The actual distribution of VOC emissions from individual matgerial usage will vary depending upon customer demands. However, the total estimated VOC emissions will not exceed 489 tons/year.

DESCRIPTION	UTIL. RATE	UOM	Density or Size	UOM	UTIL. RATE (lbs)	UOM	CHEMICAL	CAS #	VOC %	VOC INPUT RATE	EMISSION FACTOR	EMISSIONS (lbs)	EMISSIONS (tons)
Tooling Gelcoat 1					475.97	lbs	Methyl Methacrylate	80-62-6	4.460%	21.23	75%	15.92	0.01
Tooling Gelcoat 1					475.97	lbs	Styrene	100-42-5	43.650%	207.76	58.95%	122.48	0.06
Tooling Gelcoat 1					475.97	lbs	Other:VOC		0.1922%	0.91	100%	0.91	0.00
Tooling Gelcoat 2					423.09	lbs	Other:VOC		1.29%	5.46	100%	5.46	0.00
Tooling Gelcoat 2					423.09	lbs	Styrene	100-42-5	40.45%	171.14	55.43%	94.86	0.05
Gelcoat 1					830,109.82	lbs	Styrene	100-42-5	26.60%	220,809.21	44.5%	98,260.10	49.13
Gelcoat 1					830,109.82	lbs	Methyl Methacrylate	80-62-6	9.66%	80,188.61	75%	60,141.46	30.07
Gelcoat 1					830,109.82	lbs	Cobalt 2-Ethylhexanoate	136-52-7	0.07%	581.08	100%	581.08	0.29
Gelcoat 1					830,109.82	lbs	Cobalt Neodecanoate	27253-31-2	0.02%	166.02	100%	166.02	0.08
Gelcoat 1					830,109.82	lbs	Other:HAP		0.47%	3,901.52	100%	3,901.52	1.95
Gelcoat 1					830,109.82	lbs	Other:VOC		1.00%	8,301.10	100%	8,301.10	4.15
Gelcoat 2 Bilge Non-atomized					182,422.45	lbs	Styrene	100-42-5	19.94%	36,375.04	18.5%	6,729.38	3.36
Gelcoat 2 Bilge Non-atomized					182,422.45	lbs	Cobalt 2-Ethylhexanoate	136-52-7	0.17%	310.12	100%	310.12	0.16
Gelcoat 2 Bilge Non-atomized					182,422.45	lbs	Cobalt Neodecanoate	27253-31-2	0.03%	54.73	100%	54.73	0.03
Gelcoat 2 Bilge Non-atomized					182,422.45	lbs	Other:HAP		0.27%	492.54	100%	492.54	0.25
Gelcoat 2 Bilge Non-atomized					182,422.45	lbs	Other:VOC		0.52%	948.60	100%	948.60	0.47
Gelcoat 2 Bilge Atomized					182,422.45	lbs	Styrene	100-42-5	19.94%	36,375.04	44.5%	16,186.89	8.09
Gelcoat 2 Bilge Atomized					182,422.45	lbs	Cobalt 2-Ethylhexanoate	136-52-7	0.17%	310.12	100%	310.12	0.16
Gelcoat 2 Bilge Atomized					182,422.45	lbs	Cobalt Neodecanoate	27253-31-2	0.03%	54.73	100%	54.73	0.03
Gelcoat 2 Bilge Atomized					182,422.45	lbs	Other:HAP		0.27%	492.54	100%	492.54	0.25
Gelcoat 2 Bilge Atomized					182,422.45	lbs	Other:VOC		0.52%	948.60	100%	948.60	0.47
Gelcoat 3					9,456.02	lbs	Styrene	100-42-5	30.43%	2,877.47	44.5%	1,280.47	0.64
Gelcoat 3					9,456.02	lbs	Cobalt 2-Ethylhexanoate	136-52-7	0.13%	12.29	100%	12.29	0.01
Gelcoat 3					9,456.02	lbs	Cobalt Neodecanoate	27253-31-2	0.03%	2.84	100%	2.84	0.00
Gelcoat 3					9,456.02	lbs	Other:HAP		0.23%	21.75	100%	21.75	0.01
Gelcoat 3					9,456.02	lbs	Other:VOC		12.07%	1,141.34	100%	1,141.34	0.57
Gelcoat 4					16,056.20	lbs	Styrene	100-42-5	29.65%	4,760.66	44.5%	2,118.50	1.06
Gelcoat 4					16,056.20	lbs	Cobalt 2-Ethylhexanoate	136-52-7	0.12%	19.27	100%	19.27	0.01
Gelcoat 4					16,056.20	lbs	Other:HAP		0.25%	40.14	100%	40.14	0.02
Gelcoat 4					16,056.20	lbs	Other:VOC		11.86%	1,904.27	100%	1,904.27	0.95
Gelcoat 5					2,818.83	lbs	Styrene	100-42-5	30.94%	872.14	44.5%	388.10	0.19
Gelcoat 5					2,818.83	lbs	Cobalt 2-Ethylhexanoate	136-52-7	0.13%	3.66	100%	3.66	0.00
Gelcoat 5					2,818.83	lbs	Cobalt Neodecanoate	27253-31-2	0.03%	0.85	100%	0.85	0.00
Gelcoat 5					2,818.83	lbs	Other:HAP		0.23%	6.48	100%	6.48	0.00
Gelcoat 5					2,818.83	lbs	Other:VOC		12.27%	345.87	100%	345.87	0.17
Gelcoat 6					47,243.10	lbs	Styrene	100-42-5	30.02%	14,182.38	44.5%	6,311.16	3.16
Gelcoat 6					47,243.10	lbs	Cobalt 2-Ethylhexanoate	136-52-7	0.13%	61.42	100%	61.42	0.03
Gelcoat 6					47,243.10	lbs	Cobalt Neodecanoate	27253-31-2	0.03%	14.17	100%	14.17	0.01
Gelcoat 6					47,243.10	lbs	Other:HAP		0.22%	103.93	100%	103.93	0.05
Gelcoat 6					47,243.10	lbs	Other:VOC		11.93%	5,636.10	100%	5,636.10	2.82
Gelcoat 7					10,603.65	lbs	Styrene	100-42-5	30.81%	3,266.98	44.5%	1,453.81	0.73
Gelcoat 7					10,603.65	lbs	Cobalt 2-Ethylhexanoate	136-52-7	0.13%	13.78	100%	13.78	0.01
Gelcoat 7					10,603.65	lbs	Cobalt Neodecanoate	27253-31-2	0.03%	3.18	100%	3.18	0.00
Gelcoat 7					10,603.65	lbs	Other:HAP		0.23%	24.39	100%	24.39	0.01
Gelcoat 7					10,603.65	lbs	Other:VOC		12.22%	1,295.77	100%	1,295.77	0.65
Gelcoat 8					18,287.99	lbs	Styrene	100-42-5	31.00%	5,669.28	44.5%	2,522.83	1.26
Gelcoat 8					18,287.99	lbs	Cobalt 2-Ethylhexanoate	136-52-7	0.13%	23.77	100%	23.77	0.01
Gelcoat 8					18,287.99	lbs	Cobalt Neodecanoate	27253-31-2	0.03%	5.49	100%	5.49	0.00
Gelcoat 8					18,287.99	lbs	Other:HAP		0.23%	42.06	100%	42.06	0.02

DESCRIPTION	UTIL. RATE	UOM	Density or Size	UOM	UTIL. RATE (lbs)	UOM	CHEMICAL	CAS #	VOC %	VOC INPUT RATE	EMISSION FACTOR	EMISSIONS (lbs)	EMISSIONS (tons)
Gelcoat 8					18,287.99	lbs	Other:VOC		12.28%	2,245.77	100%	2,245.77	1.12
Gelcoat 9					237.99	lbs	Styrene	100-42-5	30.96%	73.68	44.5%	32.79	0.02
Gelcoat 9					237.99	lbs	Cobalt 2-Ethylhexanoate	136-52-7	0.13%	0.31	100%	0.31	0.00
Gelcoat 9					237.99	lbs	Cobalt Neodecanoate	27253-31-2	0.03%	0.07	100%	0.07	0.00
Gelcoat 9					237.99	lbs	Other:HAP		0.23%	0.55	100%	0.55	0.00
Gelcoat 9					237.99	lbs	Other:VOC		12.30%	29.27	100%	29.27	0.01
Gelcoat 10					179,087.99	lbs	Styrene	100-42-5	27.66%	49,535.74	44.5%	22,043.40	11.02
Gelcoat 10					179,087.99	lbs	Methyl Methacrylate	80-62-6	9.00%	16,117.92	75%	12,088.44	6.04
Gelcoat 10					179,087.99	lbs	Cobalt 2-Ethylhexanoate	136-52-7	0.07%	125.36	100%	125.36	0.06
Gelcoat 10					179,087.99	lbs	Cobalt Neodecanoate	27253-31-2	0.02%	35.82	100%	35.82	0.02
Gelcoat 10					179,087.99	lbs	Other:HAP		0.23%	411.90	100%	411.90	0.21
Gelcoat 10					179,087.99	lbs	Other:VOC		1.69%	3,026.59	100%	3,026.59	1.51
Gelcoat Barrier Coat					136,974.84	lbs	Styrene	100-41-4	32%	43,831.95	44.5%	19,505.22	9.75
Gelcoat Barrier Coat					136,974.84	lbs	Cobalt 2-Ethylhexanoate	136-52-7	0.2%	273.95	100%	273.95	0.14
Gelpatch 1					10,534.90	lbs	Styrene	100-42-5	50.045%	5,272.19	64.6%	3,405.83	1.70
Gelpatch 1					10,534.90	lbs	Other:HAP		0.075%	7.90	100%	7.90	0.00
Gelpatch 1					10,534.90	lbs	Other:VOC		1.41%	148.54	100%	148.54	0.07
Gelpatch 2					5.29	lbs	Styrene	100-42-5	38.90%	2.06	53.5%	1.10	0.00
Gelpatch 2					5.29	lbs	Cobalt 2-Ethylhexanoate	136-52-7	0.11%	0.01	100%	0.01	0.00
Gelpatch 2					5.29	lbs	Cobalt Neodecanoate	27253-31-2	0.02%	0.00	100%	0.00	0.00
Gelpatch 2					5.29	lbs	Other:HAP		0.15%	0.01	100%	0.01	0.00
Gelpatch 2					5.29	lbs	Other:VOC		8.73%	0.46	100%	0.46	0.00
Resin 1					467,565.45	lbs	Styrene	100-42-5	33.5%	156,634.43	10.82%	16,947.85	8.47
Resin 2					7,355,149.16	lbs	Styrene	100-42-5	33.5%	2,463,974.97	10.82%	266,602.09	133.30
Resin 2					7,355,149.16	lbs	Cobalt 2-Ethylhexanoate	136-52-7	0.3%	22,065.45	100%	22,065.45	11.03
Resin, Closed Mold					96,807.89	lbs	Styrene	100-42-5	39.5%	38,239.12	1.5%	573.59	0.29
Resin, Closed Mold					96,807.89	lbs	Methyl Methacrylate	80-62-6	2%	1,936.16	1.5%	29.04	0.01
Resin, Closed Mold					96,807.89	lbs	Cobalt 2-Ethylhexanoate	136-52-7	0.2%	193.62	100%	193.62	0.10
Bonding Putty 1	772.14	ea (3 gal)	12.68	#/gl	29,372.06	lbs	Styrene	100-42-5	14.4%	4,229.58	10.7%	452.56	0.23
Gunk, Med Wt Bonding Putty (Mech Non-atomized)					309,848.71	lbs	Styrene	100-42-5	15%	46,477.31	10.7%	4,973.07	2.49
Gunk, Med Wt Bonding Putty (Manual)					9,582.95	lbs	Styrene	100-42-5	15%	1,437.44	12.6%	181.12	0.09
Bonding Putty, Flex Resin Solution					27,812.77	lbs	Styrene	100-42-5	20%	5,562.55	12.6%	700.88	0.35
Bonding Putty, Keel Fill					19,033.68	lbs	Styrene	100-42-5	40%	7,613.47	11.63%	885.45	0.44
MEKP Catalyst, Clear					24,073.72	lbs	Dimethyl Phthalate	131-11-3	43.0%	10,351.70	na	neg	neg
MEKP Catalyst, Clear					24,073.72	lbs	Other:VOC		3.7%	890.73	100%	890.73	0.45
MEKP Catalyst Red 1					86,394.47	lbs	Dimethyl Phthalate	131-11-3	43%	37,149.62	na	neg	neg
MEKP Catalyst Red 1					86,394.47	lbs	Other:VOC		7.1%	6,134.01	100%	6,134.01	3.07
MEKP Catalyst Red 2					3,215.47	lbs	Dimethyl Phthalate	131-11-3	43%	1,382.65	na	neg	neg
MEKP Catalyst Red 2					3,215.47	lbs	Cumene	98-82-8	2%	64.31	100%	64.31	0.03
MEKP Catalyst Red 2					3,215.47	lbs	Acetophenone	98-86-0	2%	64.31	100%	64.31	0.03
MEKP Catalyst Red 2					3,215.47	lbs	Other:VOC		1.7%	54.66	100%	54.66	0.03
MEKP, Catalyst Red 3					6,684.80	lbs	Dimethyl Phthalate	131-11-3	33%	2,205.98	na	neg	neg
MEKP, Catalyst Red 3					6,684.80	lbs	Cumene	98-82-8	2%	133.70	100%	133.70	0.07
MEKP, Catalyst Red 3					6,684.80	lbs	Acetophenone	98-86-0	2%	133.70	100%	133.70	0.07
MEKP, Catalyst Red 3					6,684.80	lbs	Other:VOC		1.7%	113.64	100%	113.64	0.06
Thinner, Klean Strip	729.83	gal	6.26	#/gl	4,568.72	lbs	Xylene (3% from CAS # 64742-89-8)	1330-20-7	3.0%	137.06	100%	137.06	0.07
Thinner, Klean Strip	729.83	gal	6.26	#/gl	4,568.72	lbs	Toluene (3% from CAS # 64742-89-8)	108-88-3	3.0%	137.06	100%	137.06	0.07

DESCRIPTION	UTIL. RATE	UOM	Density or Size	UOM	UTIL. RATE (lbs)	UOM	CHEMICAL	CAS #	VOC %	VOC INPUT RATE	EMISSION FACTOR	EMISSIONS (lbs)	EMISSIONS (tons)
Thinner, Klean Strip	729.83	gal	6.26	#/gl	4,568.72	lbs	Other:VOC		94.0%	4,294.60	100%	4,294.60	2.15
Thinner, Lacquer	877.91	gal	6.59	#/gal	5,785.42	lbs	Toluene	108-88-3	15.00%	867.81	100%	867.81	0.43
Thinner, Lacquer	877.91	gal	6.59	#/gal	5,785.42	lbs	Ethyl Benzene	100-41-1	0.90%	52.07	100%	52.07	0.03
Thinner, Lacquer	877.91	gal	6.59	#/gal	5,785.42	lbs	Xylene	1330-20-7	5.00%	289.27	100%	289.27	0.14
Thinner, Lacquer	877.91	gal	6.59	#/gal	5,785.42	lbs	Methyl Alcohol	67-56-1	4.00%	231.42	100%	231.42	0.12
Thinner, Lacquer	877.91	gal	6.59	#/gal	5,785.42	lbs	Toluene (3% from CAS # 64742-89-8)	108-88-3	1.02%	59.01	100%	59.01	0.03
Thinner, Lacquer	877.91	gal	6.59	#/gal	5,785.42	lbs	Xylene (3% from CAS # 64742-89-8)	1330-20-7	1.02%	59.01	100%	59.01	0.03
Thinner, Lacquer	877.91	gal	6.59	#/gal	5,785.42	lbs	Other:VOC		54.71%	3,165.20	100%	3,165.20	1.58
Thinner, Lacquer Thinner 55 gal drum	11,634.93	gal	6.59	#/gal	76,674.18	lbs	Toluene	108-88-3	15.00%	11,501.13	100%	11,501.13	5.75
Thinner, Lacquer Thinner 55 gal drum	11,634.93	gal	6.59	#/gal	76,674.18	lbs	Ethyl Benzene	100-41-1	0.90%	690.07	100%	690.07	0.35
Thinner, Lacquer Thinner 55 gal drum	11,634.93	gal	6.59	#/gal	76,674.18	lbs	Xylene	1330-20-7	5.00%	3,833.71	100%	3,833.71	1.92
Thinner, Lacquer Thinner 55 gal drum	11,634.93	gal	6.59	#/gal	76,674.18	lbs	Methyl Alcohol	67-56-1	4.00%	3,066.97	100%	3,066.97	1.53
Thinner, Lacquer Thinner 55 gal drum	11,634.93	gal	6.59	#/gal	76,674.18	lbs	Toluene (3% from CAS # 64742-89-8)	108-88-3	1.02%	782.08	100%	782.08	0.39
Thinner, Lacquer Thinner 55 gal drum	11,634.93	gal	6.59	#/gal	76,674.18	lbs	Xylene (3% from CAS # 64742-89-8)	1330-20-7	1.02%	782.08	100%	782.08	0.39
Thinner, Lacquer Thinner 55 gal drum	11,634.93	gal	6.59	#/gal	76,674.18	lbs	Other:VOC		54.81%	42,025.12	100%	42,025.12	21.01
Chemical, Mineral Spirits	264.43	gal	6.56	#/gl	1,734.66	lbs	Other:VOC		99.0%	1,717.32	100%	1,717.32	0.86
Chemical, Mineral Spirits	264.43	gal	6.56	#/gl	1,734.66	lbs	Xylene (1% from CAS # 8052-41-3)	1330-20-7	1.0%	17.35	100%	17.35	0.01
Alcohol, Denatured	2,036.11	gal	6.68	#/gl	13,601.23	lbs	Methyl Alcohol	67-56-1	4.5%	612.06	100%	612.06	0.31
Alcohol, Denatured	2,036.11	gal	6.68	#/gl	13,601.23	lbs	Methyl Isobutyl Ketone	108-10-1	0.9%	122.41	100%	122.41	0.06
Alcohol, Denatured	2,036.11	gal	6.68	#/gl	13,601.23	lbs	Other:VOC		94.6%	12,866.76	100%	12,866.76	6.43
Acetate, Isopropyl					177,379.77	lbs	Other:VOC		100.00%	177,379.77	100%	177,379.77	88.69
Solvent, Surfasolve Tool Cleaner					21,508.75	lbs	Other:VOC		1%	215.09	100%	215.09	0.11
Solvent, Surfasolve Parts Soak					2,115.44	lbs	Other:VOC		1%	21.15	100%	21.15	0.01
Miscellaneous Materials (e.g., paints, adhesives, sealants, solvents, primers, lubricants, degreasers, caulkings, cleaners, stains, etc.)					**422,332.86**	lbs	Hexane	110-54-3				12,921.96	6.46
Miscellaneous Materials (e.g., paints, adhesives, sealants, solvents, primers, lubricants, degreasers, caulkings, cleaners, stains, etc.)					**422,332.86**	lbs	MDI	101-68-8				negl	negl
Miscellaneous Materials (e.g., paints, adhesives, sealants, solvents, primers, lubricants, degreasers, caulkings, cleaners, stains, etc.)					**422,332.86**	lbs	Dibutyl Phthalate	84-74-2				negl	negl
Miscellaneous Materials (e.g., paints, adhesives, sealants, solvents, primers, lubricants, degreasers, caulkings, cleaners, stains, etc.)					**422,332.86**	lbs	Xylene	1330-20-7				3,203.01	1.60
Miscellaneous Materials (e.g., paints, adhesives, sealants, solvents, primers, lubricants, degreasers, caulkings, cleaners, stains, etc.)					**422,332.86**	lbs	Toluene	108-88-3				2,491.45	1.25
Miscellaneous Materials (e.g., paints, adhesives, sealants, solvents, primers, lubricants, degreasers, caulkings, cleaners, stains, etc.)					**422,332.86**	lbs	Hydroquinone	123-31-9				0.02	0.00
Miscellaneous Materials (e.g., paints, adhesives, sealants, solvents, primers, lubricants, degreasers, caulkings, cleaners, stains, etc.)					**422,332.86**	lbs	Methyl Methacrylate	80-62-6				6,273.03	3.14
Miscellaneous Materials (e.g., paints, adhesives, sealants, solvents, primers, lubricants, degreasers, caulkings, cleaners, stains, etc.)					**422,332.86**	lbs	Styrene	100-42-5				886.73	0.44
Miscellaneous Materials (e.g., paints, adhesives, sealants, solvents, primers, lubricants, degreasers, caulkings, cleaners, stains, etc.)					**422,332.86**	lbs	Vinyl Acetate	108-05-4				9.93	0.00
Miscellaneous Materials (e.g., paints, adhesives, sealants, solvents, primers, lubricants, degreasers, caulkings, cleaners, stains, etc.)					**422,332.86**	lbs	Ethyl Benzene	100-41-4				224.04	0.11
Miscellaneous Materials (e.g., paints, adhesives, sealants, solvents, primers, lubricants, degreasers, caulkings, cleaners, stains, etc.)					**422,332.86**	lbs	Cumene	98-82-8				2.12	0.00
Miscellaneous Materials (e.g., paints, adhesives, sealants, solvents, primers, lubricants, degreasers, caulkings, cleaners, stains, etc.)					**422,332.86**	lbs	Ethylene Glycol	107-21-1				1,118.42	0.56
Miscellaneous Materials (e.g., paints, adhesives, sealants, solvents, primers, lubricants, degreasers, caulkings, cleaners, stains, etc.)					**422,332.86**	lbs	Formaldehyde	50-50-0				0.20	0.00

DESCRIPTION	UTIL. RATE	UOM	Density or Size	UOM	UTIL. RATE (lbs)	UOM	CHEMICAL	CAS #	VOC %	VOC INPUT RATE	EMISSION FACTOR	EMISSIONS (lbs)	EMISSIONS (tons)
Miscellaneous Materials (e.g., paints, adhesives, sealants, solvents, primers, lubricants, degreasers, caulkings, cleaners, stains, etc.)					**422,332.86**	lbs	Ethylene Glycol Monopropyl Ether	2807-30-9				0.01	0.00
Miscellaneous Materials (e.g., paints, adhesives, sealants, solvents, primers, lubricants, degreasers, caulkings, cleaners, stains, etc.)					**422,332.86**	lbs	Other:VOCs					30,609.46	15.30
Two Part Polyurethane Painting Materials (e.g., topcoat paints,converters, reducers, primers, solvents,accelerators, fairing materials, etc.)					57,546.89	lbs	Cumene (1% from CAS # 64742-95-6)	98-82-8				34.06	0.02
Two Part Polyurethane Painting Materials (e.g., topcoat paints,converters, reducers, primers, solvents,accelerators, fairing materials, etc.)					57,546.89	lbs	Ethylbenzene	100-41-4				329.27	0.16
Two Part Polyurethane Painting Materials (e.g., topcoat paints,converters, reducers, primers, solvents,accelerators, fairing materials, etc.)					57,546.89	lbs	Hexamethylene Diisocyanate	822-06-0				negl	negl
Two Part Polyurethane Painting Materials (e.g., topcoat paints,converters, reducers, primers, solvents,accelerators, fairing materials, etc.)					57,546.89	lbs	Toluene	108-88-3				1,076.52	0.54
Two Part Polyurethane Painting Materials (e.g., topcoat paints,converters, reducers, primers, solvents,accelerators, fairing materials, etc.)					57,546.89	lbs	Xylene	1330-20-7				851.37	0.43
Two Part Polyurethane Painting Materials (e.g., topcoat paints,converters, reducers, primers, solvents,accelerators, fairing materials, etc.)					57,546.89	lbs	Other:VOC					45,516.62	22.76

CHEMICAL	CAS #	EMISSIONS (lbs)	EMISSIONS (tons)
Dimethyl Phthalate	131-11-3	negl	negl
Dibutyl Phthalate	84-74-2	negl	negl
MDI	101-68-8	negl	negl
Hexamethylene Diisocyanate	822-06-0	negl	negl
Ethylene Glycol Monopropyl Ether	2807-30-9	0.01	0.00
Hydroquinone	123-31-9	0.02	0.00
Formaldehyde	50-50-0	0.20	0.00
Vinyl Acetate	108-05-4	9.93	0.00
Methyl Isobutyl Ketone	108-10-1	122.41	0.06
Acetophenone	98-86-0	198.01	0.10
Cumene	98-82-8	234.18	0.12
Cobalt Neodecanoate	27253-31-2	337.89	0.17
Ethyl Benzene	100-41-1	1295.44	0.65
Ethylene Glycol	107-21-1	1118.42	0.56
Methyl Alcohol	67-56-1	3910.44	1.96
Xylene	1330-20-7	9172.86	4.59
Hexane	110-54-3	12921.96	6.46
Toluene	108-88-3	16915.06	8.46
Cobalt 2-Ethylhexanoate	136-52-7	23994.20	12.00
Methyl Methacrylate	80-62-6	78547.89	39.27
Styrene	100-42-5	472660.26	236.33
Other:HAPs		5545.71	2.77
Other:VOCs		350982.76	175.49
TOTAL OF ALL HAPS =		**626984.89**	**313.49**
TOTAL OF ALL VOCs =		**977967.65**	**488.98**