Armstrong World Industries, Inc.
Pensacola Facility
Facility ID No.: 0330006
Escambia County

Air Construction Permit
Permit No.: 0330006-002-AC

Permitting and Compliance Authority:
Department of Environmental Protection
Northwest District Office
160 Governmental Center
Pensacola, FL 32501-5794
Telephone: 850/595-8364
Fax: 850/595-8096

[electronic file name: 0330006c.doc]

Air Construction Permit
Permit No.: 0330006-002-AC

Table of Contents

Section **Page Number**

Placard Page 1

I. Project Information 2
- A. Project Description.
- B. Summary of Emissions Unit ID No(s). and Brief Description(s).
- C. Relevant Documents.

II. Facility-wide Conditions 3

III. Project Conditions 5

Appendices
- Appendix TV-1, Title V Conditions

Permittee:
Armstrong World Industries, Inc.

Permit No.: 0330006-002-AC
Facility ID No.: 0330006
SIC No.: 39
Project: Air Construction Permit

This permit is for the construction of an additional paint mixer at the Pensacola Facility located at 300 South Myrick Street in Pensacola, Escambia County; UTM Coordinates: Zone 16, 475.9 km East and 3363.5 km North; Latitude: 30° 24' 19" North and Longitude: 87° 15' West.

STATEMENT OF BASIS: This air construction permit is issued under the provisions of Chapter 403, Florida Statutes (F.S.) and Florida Administrative Code (F.A.C.) Chapters 62-4, 62-210, and 62-213. The above named permittee is hereby authorized to perform the work or operate the facility shown on the application and approved drawing(s), plans, and other documents, attached hereto or on file with the permitting authority, in accordance with the terms and conditions of this permit.

Referenced attachments made a part of this permit:

Appendix TV-1, Title V Conditions

Effective Date: May 13, 1999
Expiration Date: May 13, 2004

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

_____

Ed K. Middleswart, P.E.
Air Program Administrator

EKM/RVK

Section I. Project Information.

Subsection A. Project Description.

This project consists of the construction of an additional 300-gallon paint mixer for an existing paint mixing operation. The mixer exhaust will tie into an existing scrubber and emission unit (Emission unit 056 - Dust sources controlled by Scrubber No. 8) with an existing PM limit of 7.3 lbs/hr. This additional mixer will increase the maximum operation rate for the emission unit from 0.3 to 0.4 tons/hour materials mixed with no increase in allowable emissions. Actual PM emissions may be potentially increased by 0.14 lbs/hr.

Subsection B. Affected Emissions Unit ID No. and Brief Description.

E.U. ID No.	Brief Description
056	Sources controlled by Scrubber No. 8

Please reference the Permit No., Facility ID No., and appropriate Emissions Unit(s) ID No(s). on all correspondence, test report submittals, applications, etc.

Subsection C. Relevant Documents.

The documents listed below are not a part of this permit; however, they are specifically related to this permitting action.

These documents are on file with permitting authority:
Permit Application received March 31, 1999, and additional information received April 9, 1999

Section II. Facility-wide Conditions.

The following conditions apply facility-wide:

1. APPENDIX TV-1, TITLE V CONDITIONS, is a part of this permit.
{Permitting note: APPENDIX TV-1, TITLE V CONDITIONS, is distributed to the permittee only. Other persons requesting copies of these conditions shall be provided one copy when requested or otherwise appropriate. If desired, a copy of Appendix TV-1, Title V Conditions can be downloaded from the Division of Air Resources management's Internet Web site located at either of the following addresses:
"http://www2.dep.state.fl.us/air/enhancd/permitting/TitleVperm.htm"
"http://www2.dep.state.fl.us/air/litesite/TitleVperm.htm"}

2. Not federally enforceable. General Pollutant Emission Limiting Standards. Objectionable Odor Prohibited. The permittee shall not cause, suffer, allow, or permit the discharge of air pollutants which cause or contribute to an objectionable odor.
[Rule 62-296.320(2), F.A.C.]

3. General Particulate Emission Limiting Standards. General Visible Emissions Standard. Except for emissions units that are subject to a particulate matter or opacity limit set forth or established by rule and reflected by conditions in this permit, no person shall cause, let, permit, suffer or allow to be discharged into the atmosphere the emissions of air pollutants from any activity, the density of which is equal to or greater than that designated as Number 1 on the Ringelmann Chart (20 percent opacity). EPA Method 9 is the method of compliance pursuant to Chapter 62-297, F.A.C.
[Rules 62-296.320(4)(b)1. & 4., F.A.C.]

4. Prevention of Accidental Releases (Section 112(r) of CAA). If required by 40 CFR 68, the permittee shall submit to the implementing agency:
a. a risk management plan (RMP) when, and if, such requirement becomes applicable; and
b. certification forms and/or RMPs according to the promulgated rule schedule.
[Rule 62-204.800(12), F.A.C., and 40 CFR 68]

5. Not federally enforceable. General Pollutant Emission Limiting Standards. Volatile Organic Compounds (VOC) Emissions or Organic Solvents (OS) Emissions. The permittee shall allow no person to store, pump, handle, process, load, unload or use in any process or installation, volatile organic compounds (VOC) or organic solvents (OS) without applying known and existing vapor emission control devices or systems deemed necessary and ordered by the Department. These shall include as a minimum the following procedures to minimize pollutant emissions:
a. VOC containers shall be tightly covered or closed when not in use.
b. Piping, valves, fittings, for VOCs shall be maintained in good operating condition.
c. Excessive air turbulence across exposed VOCs shall be prevented.
d. VOC spills shall be immediately confined and cleaned up, and waste VOCs shall be placed in closed containers for reuse, recycling, or proper disposal.
[Rule 62-296.320(1)(a), F.A.C.]

6. Not federally enforceable. The permittee shall take reasonable precautions to prevent the emission of unconfined particulate matter. Reasonable precautions to prevent emissions of unconfined particulate matter at this facility include:

a. Paving and maintenance of roads, parking areas, and yards.

b. Application of water, or other dust suppressants to unpaved roads, yards, and similar areas as necessary.

c. Removal of excessive particulate matter from roads and other paved areas to prevent excess particulate matter from manufacturing buildings or work areas from reentrainment or becoming airborne.

d. Use of landscaping or planting vegetation.

e. Use of hoods, fans, filters, and similar equipment.

f. Confining abrasive blasting as necessary.

[Rule 62-296.320(4)(c)2., F.A.C.]

7. When appropriate, any recording, monitoring, or reporting requirements that are time-specific shall be in accordance with the effective date of the permit, which defines day one.
[Rule 62-213.440, F.A.C.]

8. The Department telephone number for reporting problems, malfunctions or exceedances under this permit is (850) 595-8364, day or night, and for emergencies involving a significant threat to human health or the environment is (800) 320-0519. For routine business, telephone (850) 595-8364 during normal working hours.
[Rules 62-210.700 and 62-4.130, F.A.C.]

9. The permittee shall submit all compliance related notifications and reports required of this permit to the Department's Northwest District office:

Department of Environmental Protection
160 Governmental Center
Pensacola, Florida 32501-5794
Telephone: 850/595-8364
Fax: 850/595-8096

10. Any reports, data, notifications, certifications, and requests required to be sent to the United States Environmental Protection Agency, Region 4, should be sent to:

United States Environmental Protection Agency
Region 4
Air, Pesticides & Toxics Management Division
Air & EPCRA Enforcement Branch
Air Compliance Section
61 Forsyth Street
Atlanta, Georgia 30303
Telephone: 404/562-9099
Fax: 404/562-9095

Section III. Project Conditions.

Subsection A. This section addresses the following project.

This project consists of the construction of an additional 300-gallon paint mixer for an existing paint mixing operation. The mixer exhaust will tie into an existing scrubber and emission unit (Emission unit 056 - Dust sources controlled by Scrubber No. 8) with an existing PM limit of 7.3 lbs/hr. This additional mixer will increase the maximum operation rate for the emission unit from 0.3 to 0.4 tons/hour materials mixed with no increase in allowable emissions. Actual PM emissions may be potentially increased by 0.14 lbs/hr.

The following specific conditions apply to the project listed above:

Essential Potential to Emit (PTE) Parameters

1. Capacity. The operation rate for emission unit 056 shall not exceed 0.4 tons/hour materials mixed after construction of this additional paint mixer.
[Rules 62-4.160(2) and 62-210.200(PTE), F.A.C.]

2. Hours of Operation. This emissions unit is allowed to operate continuously, i.e., 8,760 hours/year.
[Rules 62-4.160(2) and 62-210.200(PTE), F.A.C.]

Emission Limitations and Standards

3. Particulate Matter: The particulate matter (PM) emission limit for EU 056 shall not be changed following construction of this additional paint mixer, and shall not exceed 7.3 lbs/hr.

Test Methods and Procedures

4. Emissions tests are required to show compliance with the standards of the Department. The test results must provide reasonable assurance that the source is capable of compliance at the permitted maximum operating rate. Such tests shall be scheduled within thirty days after initial operation of this additional paint mixer. The Department shall be notified at least fifteen days prior to testing to allow witnessing. Results shall be submitted to the Department within forty-five days after testing.

Pollutant	Test Method
VE	EPA method 9

[Rules 62-4.070, 62-297.310(7), and 62-297.401(9), F.A.C.]

5. The test reports shall comply with applicable portions of Rule 62-297.310, F.A.C., Test Reports. The Department can require special compliance tests in accordance with Rule 62-297.310(7) F.A.C. Other test methods and alternate compliance procedures may be used only after prior Departmental approval has been obtained in writing.
[Rules 62-297.310(7) and 62-297.620(1), F.A.C.]

6. Testing of emissions shall be conducted with the source operating at capacity. Capacity is defined as 90-100% of rated capacity. If it is impractical to test at capacity, then sources may be tested at less than capacity; in this case subsequent source operation is limited to 110% of the test load until a new test is conducted. Once the unit is so limited, then operation at higher capacities is allowed for no more than fifteen days for purposes of additional compliance testing to regain the rated capacity in the permit, with prior notification to the Department.
[Rules 62-297.310(2) and 62-4.070, F.A.C.]

Reasonable Assurances

7. The applicant shall retain a Professional Engineer, registered in the State of Florida, for the inspection of this project. The engineer shall inspect for conformity to the permit application and associated documents within thirty days of completion of construction. A report of the engineer's inspection shall be submitted with the test results required by condition 4 above.
[Rules 62-210.300(2) and 62-4.050(3), F.A.C.]

8. The Department shall be notified upon commencement of construction. The Department shall be notified of and prior approval shall be obtained for any changes or revisions made during construction. Projects beyond one year require annual status reports.
[Rule 62-4.030, F.A.C.]

Permit Processing Data

Name, Title, and Mailing Address of Party to Receive Permit:
George M. Koontz
Plant Manager
Armstrong World Industries, Inc.
P.O. Box 1991
Pensacola, FL 32589

The Engineer to be Copied:
Kresimir C. Sviglin, P.E., Pensacola P.O.C., Inc.

In the Matter of an
Application for Permit by:

Permit No.: 0330006-002-AC
Escambia County

George M. Koontz
Plant Manager
Armstrong World Industries, Inc.
P.O. Box 1991
Pensacola, FL 32589
_____/

INTENT TO ISSUE PERMIT

The Department of Environmental Protection (permitting authority) gives notice of its intent to issue an air construction permit (copy of DRAFT Permit enclosed) for the source detailed in the application specified above, for the reasons stated below.

The applicant, Armstrong World Industries, Inc., applied on March 31, 1999 to the permitting authority for an air construction permit for an additional paint mixer located at 300 South Myrick Street in Pensacola.

The permitting authority has permitting jurisdiction under the provisions of Chapter 403, Florida Statutes (F.S.), and Florida Administrative Code (F.A.C.) Chapters 62-4, 62-210, and 62-213. This source is not exempt from permitting procedures. The permitting authority has determined that an air construction permit is required to commence or continue operations at the described facility.

The permitting authority intends to issue this permit based on the belief that reasonable assurances have been provided to indicate that operation of the source will not adversely impact air quality, and the source will comply with all appropriate provisions of Chapters 62-4, 62-204, 62-210, 62-212, 62-213, 62-256, 62-257, 62-281, 62-296, and 62-297, F.A.C.

Pursuant to Sections 403.815 and 403.0872, F.S., and Rules 62-110.106 and 62-210.350(3), F.A.C., you (the applicant) are required to publish at your own expense the enclosed "PUBLIC NOTICE OF INTENT TO ISSUE PERMIT." The notice shall be published one time only within 30 (thirty) days in the legal advertisement section of a newspaper of general circulation in the area affected. For the purpose of these rules, "publication in a newspaper of general circulation in the area affected" means publication in a newspaper meeting the requirements of Sections 50.011 and 50.031, F.S., in the county where the activity is to take place. Where there is more than one newspaper of general circulation in the county, the newspaper used must be one with significant circulation in the area that may be affected by the permit. If you are uncertain that a newspaper meets these requirements, please contact the permitting authority at the address or telephone number listed below. The applicant shall provide proof of publication to the permitting authority's office, Northwest District, 160 Governmental Center, Pensacola, FL 32501-5794 (Telephone: 850/595-8364; Fax: 850/595-8417), within 7 (seven) days of publication. Failure to publish the notice and provide proof of publication within the allotted time may result in the denial of the permit pursuant to Rule 62-110.106, F.A.C.

The permitting authority will issue the permit, in accordance with the conditions of the enclosed DRAFT Permit unless a response received in accordance with the following procedures results in a different decision or significant change of terms or conditions.

The permitting authority will issue the permit unless a timely petition for an administrative hearing is filed pursuant to Sections 120.569 and 120.57, F.S. Mediation under Section 120.573, F.S., will not be available for this proposed action.

A person whose substantial interests are affected by the proposed permitting decision may petition for an administrative hearing in accordance with Sections 120.569 and 120.57, F.S. The petition must contain the information set forth below and must be filed (received) in the Office of General Counsel of the Department of Environmental Protection, 3900 Commonwealth Boulevard, Mail Station #35, Tallahassee, FL 32399-3900 (Telephone: 850/488-9735; Fax: 850/487-4938). Petitions filed by the permit applicant or any of the parties listed below must be filed within 14 (fourteen) days of receipt of this notice of intent. Petitions filed by any other person must be filed within 14 (fourteen) days of publication of the public notice or within 14 (fourteen) days of receipt of this notice of intent, whichever occurs first. A petitioner must mail a copy of the petition to the applicant at the address indicated above, at the time of filing. The failure of any person to file a petition within the appropriate time period shall constitute a waiver of that person's right to request an administrative determination (hearing) under Sections 120.569 and 120.57, F.S., or to intervene in this proceeding and participate as a party to it. Any subsequent intervention will be only at the approval of the presiding officer upon the filing of a motion in compliance with Rule 28-5.207, F.A.C.

A petition must contain the following information:

(a) The name, address, and telephone number of each petitioner, the applicant's name and address, the Permit File Number, and the county in which the project is proposed;

(b) A statement of how and when each petitioner received notice of the permitting authority's action or proposed action;

(c) A statement of how each petitioner's substantial interests are affected by the permitting authority's action or proposed action;

(d) A statement of the material facts disputed by the petitioner, if any;

(e) A statement of the facts that the petitioner contends warrant reversal or modification of the permitting authority's action or proposed action;

(f) A statement identifying the rules or statutes that the petitioner contends require reversal or modification of the permitting authority's action or proposed action; and,

(g) A statement of the relief sought by the petitioner, stating precisely the action that the petitioner wants the permitting authority to take with respect to the action or proposed action addressed in this notice of intent.

Because the administrative hearing process is designed to formulate final agency action, the filing of a petition means that the permitting authority's final action may be different from the position taken by it in this notice of intent. Persons whose substantial interests will be affected by any such final decision of the permitting authority on the application have the right to petition to become a party to the proceeding, in accordance with the requirements set forth above.

In addition to the above, a person subject to regulation has a right to apply to the Department of Environmental Protection for a variance from or waiver of the requirements of particular rules, on certain conditions, under Section 120.542, F.S. The relief provided by this state statute applies only to state rules, not statutes, and not to any federal regulatory requirements. Applying for a variance or waiver does not substitute or extend the time for filing a petition for an administrative hearing or exercising any other right that a person may have in relation to the action proposed in this notice of intent.

The application for a variance or waiver is made by filing a petition with the Office of General Counsel of the Department of Environmental Protection, 3900 Commonwealth Boulevard, Mail Station #35, Tallahassee, Florida 32399-3000. The petition must specify the following information:

(a) The name, address, and telephone number of the petitioner;

(b) The name, address, and telephone number of the attorney or qualified representative of the petitioner, if any;

(c) Each rule or portion of a rule from which a variance or waiver is requested;

(d) The citation to the statute underlying (implemented by) the rule identified in (c) above;

(e) The type of action requested;

(f) The specific facts that would justify a variance or waiver for the petitioner;

(g) The reason why the variance or waiver would serve the purposes of the underlying statute (implemented by the rule); and,

(h) A statement whether the variance or waiver is permanent or temporary and, if temporary, a statement of the dates showing the duration of the variance or waiver requested.

The Department will grant a variance or waiver when the petition demonstrates both that the application of the rule would create a substantial hardship or violate principles of fairness, as each of those terms is defined in Section 120.542(2), F.S., and that the purpose of the underlying statute will be or has been achieved by other means by the petitioner.

Persons subject to regulation pursuant to any federally delegated or approved air program should be aware that Florida is specifically not authorized to issue variances or waivers from any requirements of any such federally delegated or approved program. The requirements of the program remain fully enforceable by the Administrator of the United States Environmental Protection Agency and by any person under the Clean Air Act unless and until the Administrator separately approves any variance or waiver in accordance with the procedures of the federal program.

Executed in Pensacola, Florida.

STATE OF FLORIDA DEPARTMENT
OF ENVIRONMENTAL PROTECTION

_____
ED K. MIDDLESWART, P.E.
Air Program Administrator

CERTIFICATE OF SERVICE

The undersigned duly designated deputy agency clerk hereby certifies that this INTENT TO ISSUE PERMIT (including the PUBLIC NOTICE and the DRAFT permit) and all copies were sent by certified mail before the close of business on _____ to the person(s) listed:

George M. Koontz, Armstrong World Industries, Inc.

In addition, the undersigned duly designated deputy agency clerk hereby certifies that copies of this INTENT TO ISSUE PERMIT (including the PUBLIC NOTICE and the DRAFT permit) were sent by U.S. mail or electronically transmitted on the same date to the person(s) listed:

Kresimir C. Sviglin, P.E., Pensacola P.O.C., Inc.

FILING AND ACKNOWLEDGMENT FILED, on this date, pursuant to Section 120.52(7), Florida Statutes, with the designated agency Clerk, receipt of which is hereby acknowledged.

_____ _____
(Clerk) (Date)

STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
NOTICE OF INTENT TO ISSUE PERMIT
I.D. Number 0330006-002-AC

The Department of Environmental Protection gives notice of its intent to issue a permit to Armstrong World Industries, Inc., to construct an additional paint mixer at their Pensacola facility located at 300 South Myrick Street.

This project consists of the construction of an additional 300-gallon paint mixer for an existing paint mixing operation. The mixer exhaust will tie into an existing scrubber and emission unit with an existing PM limit of 7.3 lbs/hr. This additional mixer will increase the maximum operation rate for the emission unit from 0.3 to 0.4 tons/hour materials mixed with no increase in allowable emissions. Actual PM emissions may be potentially increased by 0.14 lbs/hr.

A person whose substantial interests are affected by the Department's proposed permitting decision may petition for an administrative proceeding (hearing) in accordance with Section 120.57, Florida Statutes. The petition must contain the information set forth below and must be filed (received) in the Office of General Counsel of the Department at 3900 Commonwealth Boulevard, Tallahassee, Florida 32399-3000, within 14 days of publication of this notice. Petitioner shall mail a copy of the petition to the applicant at the address indicated above at the time of filing. Failure to file a petition within this time period shall constitute a waiver of any right such person may have to request an administrative determination (hearing) under Section 120.57, Florida Statutes.

The petition shall contain the following information; (a) The name, address, and telephone number of each petitioner, the applicant's name and address, the Department Permit File Number and the county in which the project is proposed; (b) A statement of how and when each petitioner received notice of the Department's action or proposed action; (c) A statement of how each petitioner's substantial interests are affected by the Department's action or proposed action; (d) A statement of the material facts disputed by petitioner, if any; (e) A statement of facts which petitioner contends warrant reversal or modification of the Department's action or proposed action; (f) A statement of which rules or statutes petitioner contends require reversal or modification of the Department's action or proposed action; and (g) A statement of the relief sought by petitioner, stating precisely the action petitioner wants the Department to take with respect to the Department's action or proposed action.

If a petition is filed, the administrative hearing process is designed to formulate agency action. Accordingly, the Department's final action may be different from the position taken by it in this Notice. Persons whose substantial interests will be affected by any decision of the Department with regard to the application have the right to petition to become a party to the proceeding. The petition must conform to the requirements specified above and be filed (received) within 14 days of publication of this notice in the Office of General Counsel at the above address of the Department. Failure to petition within the allowed time frame constitutes a waiver of any right such person has to request a hearing under Section 120.57, Florida Statutes, and to participate as a party to this proceeding. Any subsequent intervention will only be at the approval of the presiding officer upon motion filed pursuant to Rule 28-5.207, F.A.C.

The application is available for public inspection during normal business hours, 8:00 a.m. to 5:00 p.m., Monday through Friday, except for legal holidays, at the Northwest District, 160 Governmental Center, Pensacola, Florida.

STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
NOTICE OF PERMIT

In the matter of an
Application for Permit
By:
George M. Koontz
Plant Manager
Armstrong World Industries, Inc.
P.O. Box 1991
Pensacola, FL 32589
_____/

DEP File No. 0330006-002-AC
Escambia County

Enclosed is Permit Number 0330006-002-AC, issued pursuant to Section 403.087, Florida Statutes.

Any party to this Order (permit) has the right to seek judicial review of the permit pursuant to Section 120.68, Florida Statutes, by the filing of a Notice of Appeal pursuant to Rule 9.110, Florida Rules of Appellate Procedure, with the Clerk of the Department in the Office of General Counsel, 3900 Commonwealth Boulevard, Tallahassee, Florida 32399-3000, and by filing a copy of the Notice of Appeal accompanied by the applicable filing fees with the appropriate District Court of Appeal. The Notice of Appeal must be filed within 30 days from the date this Notice is filed with the Clerk of the Department.

Executed in Pensacola, Florida.

State of Florida Department
of Environmental Protection

_____
ED K. MIDDLESWART, P.E.
Air Program Administrator

160 Governmental Center
Pensacola, Florida 32501-5794
(850) 595-8364

CERTIFICATE OF SERVICE

The undersigned duly designated deputy agency clerk hereby certifies that this NOTICE OF PERMIT and all copies were mailed before the close of business on _____ to the listed persons.

FILING AND ACKNOWLEDGMENT FILED, on this date, pursuant to §120.52(7), Florida Statutes, with the designated Department clerk, receipt of which is hereby acknowledged.

Clerk Date

Copies Furnished to:
Kresimir C. Sviglin, P.E., Pensacola P.O.C., Inc.

MEMORANDUM

TO : Ed K. Middleswart, P.E.
FROM : Andy Allen,
DATE : 6/7/2011
SUBJECT : Evaluation Summary for a construction permit for an additional paint mixer at Armstrong World Industries, Inc.'s Pensacola Facility, 0330006-002-AC, Escambia County

We recommend issuing a permit to Armstrong World Industries, Inc. to construct an additional paint mixer in an existing process line with no increase in allowable emissions.

Process Description

This project consists of the construction of an additional 300 gallon paint mixer for an existing paint mixing operation. The mixer exhaust will tie into an existing scrubber and emission unit (Emission unit 056 - Dust sources controlled by Scrubber no. 8) with an existing PM limit of 7.3 lbs/hr. This additional mixer will increase the maximum operation rate for the emission unit from 0.3 to 0.4 tons/hour materials mixed with no increase in allowable emissions. Actual PM emissions may be potentially increased by 0.14 lbs/hr.

Pollution Control Equipment

Ducon, Dynamic Gas Scrubber, Type UW-4

Environmental Impact

Airborne Contaminant Emitted	FAC Rule	Estimated Emissions lbs/hr	Estimated Emissions T/yr	Allowable Emissions lb/hr	Allowable Emissions T/yr
PM	N/A	0.14	0.6	no increase	
VE	62-296.320			Not more than 20% opacity	

Applicable Rules & Regulations

This particular project is regulated in accordance with FAC Rule 62-296.320, F.A.C. and will be connected to an existing scrubber.

Compliance Monitoring

VE test within 30 days of completion of construction to ensure no impact on the acceptable operation of scrubber no. 8.

Compliance History

None, new source.

Fee Summary

$250 fee for a construction permit for a source with emissions less than 5 tons/year (AC 1F).

Additional notes are attached.

RVK:RVKc