Florida Department of Environmental Protection
Northwest District
160 W. Government Street, Suite 308
Pensacola, Florida 32502-5740

Rick Scott
Governor

Jennifer Carroll
Lt. Governor

Herschel T. Vinyard Jr.
Secretary

PERMITTEE:

Clover Leaf Gin, Inc.
Post Office Box 366
Donalsonville, Georgia 39845

Authorized Representative:
Mr. Scott Mitchell, Executive Vice President

Marianna Plant
Air Permit No. 0630039-009-AC
Facility ID No. 0630039
SIC No. 0724
Permit Expires: September 22, 2012

FACILITY AND LOCATION

Clover Leaf Gin, Inc., is a cotton ginning facility consisting of raw cotton unloading, seed cotton cleaning, lint cotton handling, and trash/mote handling. (Standard Industrial Classification No. 0724). This permit is for the operation of the Marianna Plant located at 4455 Highway 162 in Marianna, Jackson County; UTM Coordinates: Zone 16, 670.3 km East and 3416.3 km North; Latitude: 30° 52' 11" North and Longitude: 85° 13' 06" West.

REGULATORY CLASSIFICATION

Title III: The existing facility is not a major source of hazardous air pollutants (HAP).

Title IV: The existing facility has no units subject to the acid rain provisions of the Clean Air Act.

Title V: The existing facility is not a Title V major source of air pollution (Chapter 62-213, F.A.C.).

PSD: The existing facility is not a PSD-major source of air pollution (Rule 62-212.400, F.A.C.).

SPECIFIC CONDITIONS

1. Previous Permits: This permit supplements all previously issued air construction and operation permits for emissions unit 006 – Cotton Gin Operations. Except for the change noted below, the unit remains subject to the conditions of all other valid air construction and operations permits. [Rule 62-4.070, F.A.C.]

2. Equipment Changes: This construction permit authorizes the replacement of Tower Dryers #1 and #2 with Jet Dryers of the same heat input of 8 MMBtu/hr and 4 MMBtu/hr, respectively. The new Jet Dryers will be fired exclusively by LP gas. This construction permit also authorizes the replacement of the existing 52" diameter cyclones 3 and 4 by new 54" diameter cyclones and using the 52" diameter cyclones removed from cyclones 3 and 4 to replace the existing 46" diameter Cyclones 5 and 6. [Application No. 0630039-009-AC]

3. Appendices: The following Appendices are attached as part of this permit:
   a. Appendix A. Citation Formats and Glossary of Common Terms;
   b. Appendix B. General Conditions;
   c. Appendix C. Common Conditions; and
   d. Appendix D. Common Testing Requirements. (if applicable)

STATEMENT OF BASIS

This air pollution construction permit is issued under the provisions of Chapter 403 of the Florida Statutes (F.S.), and Chapters 62-4, 62-210, and 62-212 of the Florida Administrative Code (F.A.C.).

Executed in Pensacola, Florida.
/s/ 9/22/11

Rick Bradburn, Air Program Administrator — Date
Northwest District