

DAQSTANDARD R6.04
 Data Viewer R6.04
 Waste Management Deborah Perez 115-51232-****

Device Type FX100
 Serial No. S5DC05825
 File Message
 Time Correction None
 Starting Condition Auto
 Dividing Condition Auto
 Meas Ch. 3
 Math Ch. 1
 Data Count 240
 Sampling Interval 120.000 sec
 Start Time 2007/12/03 23:30:00 0.000
 Stop Time 2007/12/04 07:28:00 0.000
 Trigger Time 2007/12/04 07:28:00 0.000
 Trigger No. 239
 Damage Check Not Damaged

Converted Group 1 - 1

Ch. Tag Unit	CH01 Flare Temp °F	CH02 Flare Flow SCFM	CH03 Oxygen % O2	CH31 Total Flow*100 SCF
2007/12/04 00:20:00	0.000 1475	1529 717	720 -0.06	-0.06 332555.46 332569.88
2007/12/04 00:22:00	0.000 1481	1528 718	721 -0.06	-0.05 332569.88 332584.26
2007/12/04 00:24:00	0.000 1481	1522 717	721 -0.06	-0.05 332584.26 332598.62
2007/12/04 00:26:00	0.000 1444	1512 717	721 -0.06	-0.05 332598.62 332613.00
2007/12/04 00:28:00	0.000 1473	1532 717	720 -0.06	-0.05 332613.00 332627.38
2007/12/04 00:30:00	0.000 1450	1532 716	719 -0.06	-0.05 332627.38 332641.72
2007/12/04 00:32:00	0.000 1474	1523 717	720 -0.06	-0.05 332641.72 332656.10
2007/12/04 00:34:00	0.000 1485	1529 717	721 -0.06	-0.05 332656.10 332670.46
2007/12/04 00:36:00	0.000 1520	1530 717	720 -0.06	-0.05 332670.46 332684.88
2007/12/04 00:38:00	0.000 1484	1533 716	720 -0.06	-0.05 332684.88 332699.22
2007/12/04 00:40:00	0.000 1465	1523 716	719 -0.06	-0.05 332699.22 332713.56
2007/12/04 00:42:00	0.000 1461	1521 717	719 -0.06	-0.05 332713.56 332727.90
2007/12/04 00:44:00	0.000 1454	1514 716	721 -0.06	-0.05 332727.90 332742.32
2007/12/04 00:46:00	0.000 1464	1510 716	720 -0.06	-0.05 332742.32 332756.66
2007/12/04 00:48:00	0.000 1470	1526 716	720 -0.06	-0.05 332756.66 332771.04
2007/12/04 00:50:00	0.000 1484	1529 716	720 -0.06	-0.05 332771.04 332785.38
2007/12/04 00:52:00	0.000 1478	1527 718	720 -0.06	-0.06 332785.38 332799.76
2007/12/04 00:54:00	0.000 1478	1531 718	721 -0.06	-0.06 332799.76 332814.16
2007/12/04 00:56:00	0.000 1494	1539 716	720 -0.06	-0.05 332814.16 332828.54
2007/12/04 00:58:00	0.000 1497	1543 716	720 -0.06	-0.05 332828.54 332842.90
2007/12/04 01:00:00	0.000 1490	1544 715	720 -0.06	-0.05 332842.90 332857.26
2007/12/04 01:02:00	0.000 1470	1533 715	721 -0.06	-0.05 332857.26 332871.62
2007/12/04 01:04:00	0.000 1469	1527 717	720 -0.06	-0.05 332871.62 332885.96
2007/12/04 01:06:00	0.000 1479	1530 717	720 -0.06	-0.05 332885.96 332900.32
2007/12/04 01:08:00	0.000 1486	1531 717	721 -0.06	-0.05 332900.32 332914.68

DAQSTANDARD R6.04
 Data Viewer R6.04
 Waste Management Deborah Perez 115-51232-****

Device Type FX100
 Serial No. S5DC05825
 File Message
 Time Correction None
 Starting Condition Auto
 Dividing Condition Auto
 Meas Ch. 3
 Math Ch. 1
 Data Count 240
 Sampling Interval 120.000 sec
 Start Time 2007/12/03 23:30:00 0.000
 Stop Time 2007/12/04 07:28:00 0.000
 Trigger Time 2007/12/04 07:28:00 0.000
 Trigger No. 239
 Damage Check Not Damaged

Converted Group 1 - 1

Ch. Tag		CH01	CH02	CH03	CH31					
Unit		Flare Temp °F	Flare Flow SCFM	Oxygen % O2	Total Flow*100 SCF					
2007/12/03	23:30:00	0.000	1489	1543	718	722	-0.06	-0.06	332195.88	332210.28
2007/12/03	23:32:00	0.000	1502	1549	718	721	-0.06	-0.05	332210.28	332224.66
2007/12/03	23:34:00	0.000	1505	1548	717	721	-0.06	-0.05	332224.66	332239.04
2007/12/03	23:36:00	0.000	1505	1551	717	720	-0.06	-0.05	332239.04	332253.40
2007/12/03	23:38:00	0.000	1501	1550	718	721	-0.06	-0.05	332253.40	332267.82
2007/12/03	23:40:00	0.000	1502	1550	719	722	-0.06	-0.05	332267.82	332282.18
2007/12/03	23:42:00	0.000	1504	1551	717	720	-0.06	-0.05	332282.18	332296.60
2007/12/03	23:44:00	0.000	1484	1535	718	723	-0.06	-0.05	332296.60	332310.96
2007/12/03	23:46:00	0.000	1488	1534	717	721	-0.06	-0.05	332310.96	332325.38
2007/12/03	23:48:00	0.000	1460	1523	718	720	-0.06	-0.05	332325.38	332339.76
2007/12/03	23:50:00	0.000	1461	1515	718	721	-0.06	-0.05	332339.76	332354.16
2007/12/03	23:52:00	0.000	1471	1518	718	721	-0.06	-0.05	332354.16	332368.54
2007/12/03	23:54:00	0.000	1463	1516	717	720	-0.06	-0.05	332368.54	332382.90
2007/12/03	23:56:00	0.000	1463	1530	718	721	-0.06	-0.05	332382.90	332397.32
2007/12/03	23:58:00	0.000	1480	1526	718	721	-0.06	-0.05	332397.32	332411.66
2007/12/04	00:00:00	0.000	1467	1522	717	719	-0.06	-0.05	332411.66	332426.04
2007/12/04	00:02:00	0.000	1478	1527	717	720	-0.06	-0.05	332426.04	332440.40
2007/12/04	00:04:00	0.000	1479	1525	717	720	-0.06	-0.05	332440.40	332454.82
2007/12/04	00:06:00	0.000	1470	1526	717	721	-0.06	-0.05	332454.82	332469.18
2007/12/04	00:08:00	0.000	1484	1531	717	720	-0.06	-0.05	332469.18	332483.56
2007/12/04	00:10:00	0.000	1488	1535	717	720	-0.06	-0.05	332483.56	332497.94
2007/12/04	00:12:00	0.000	1488	1538	717	721	-0.06	-0.05	332497.94	332512.32
2007/12/04	00:14:00	0.000	1472	1535	716	720	-0.06	-0.05	332512.32	332526.68
2007/12/04	00:16:00	0.000	1487	1533	717	721	-0.06	-0.05	332526.68	332541.10
2007/12/04	00:18:00	0.000	1478	1527	717	721	-0.06	-0.05	332541.10	332555.46

DAQSTANDARD R6.04
 Data Viewer R6.04
 Waste Management Deborah Perez 115-51232-****

Device Type FX100
 Serial No. S5DC05825
 File Message
 Time Correction None
 Starting Condition Auto
 Dividing Condition Auto
 Meas Ch. 3
 Math Ch. 1
 Data Count 240
 Sampling Interval 120.000 sec
 Start Time 2007/12/03 23:30:00 0.000
 Stop Time 2007/12/04 07:28:00 0.000
 Trigger Time 2007/12/04 07:28:00 0.000
 Trigger No. 239
 Damage Check Not Damaged

Converted Group 1 - 1

Ch. Tag Unit		CH01 Flare Temp °F	CH02 Flare Flow SCFM	CH03 Oxygen % O2	CH31 Total Flow*100 SCF					
2007/12/04	01:10:00	0.000	1455	1508	716	722	-0.06	-0.05	332914.68	332929.10
2007/12/04	01:12:00	0.000	1467	1513	715	722	-0.06	-0.05	332929.10	332943.44
2007/12/04	01:14:00	0.000	1470	1519	715	720	-0.06	-0.05	332943.44	332957.82
2007/12/04	01:16:00	0.000	1454	1511	714	719	-0.06	-0.05	332957.82	332972.12
2007/12/04	01:18:00	0.000	1489	1513	716	720	-0.06	-0.05	332972.12	332986.54
2007/12/04	01:20:00	0.000	1424	1493	718	720	-0.06	-0.05	332986.54	333000.90
2007/12/04	01:22:00	0.000	1429	1486	718	720	-0.06	-0.05	333000.90	333015.28
2007/12/04	01:24:00	0.000	1432	1497	715	719	-0.06	-0.05	333015.28	333029.66
2007/12/04	01:26:00	0.000	1417	1488	715	719	-0.06	-0.05	333029.66	333044.00
2007/12/04	01:28:00	0.000	1426	1482	716	720	-0.06	-0.05	333044.00	333058.38
2007/12/04	01:30:00	0.000	1426	1461	716	719	-0.06	-0.05	333058.38	333072.72
2007/12/04	01:32:00	0.000	1396	1458	715	719	-0.06	-0.05	333072.72	333087.06
2007/12/04	01:34:00	0.000	1378	1458	718	720	-0.06	-0.05	333087.06	333101.44
2007/12/04	01:36:00	0.000	1376	1444	718	720	-0.06	-0.05	333101.44	333115.82
2007/12/04	01:38:00	0.000	1413	1485	716	720	-0.06	-0.05	333115.82	333130.18
2007/12/04	01:40:00	0.000	1434	1484	715	720	-0.06	-0.05	333130.18	333144.56
2007/12/04	01:42:00	0.000	1399	1463	717	719	-0.06	-0.05	333144.56	333158.90
2007/12/04	01:44:00	0.000	1394	1477	715	719	-0.06	-0.05	333158.90	333173.26
2007/12/04	01:46:00	0.000	1403	1476	715	719	-0.06	-0.05	333173.26	333187.60
2007/12/04	01:48:00	0.000	1381	1476	717	719	-0.06	-0.05	333187.60	333201.96
2007/12/04	01:50:00	0.000	1381	1479	715	721	-0.06	-0.05	333201.96	333216.34
2007/12/04	01:52:00	0.000	1436	1499	716	721	-0.06	-0.05	333216.34	333230.68
2007/12/04	01:54:00	0.000	1412	1502	717	720	-0.06	-0.05	333230.68	333245.10
2007/12/04	01:56:00	0.000	1377	1449	717	719	-0.06	-0.05	333245.10	333259.44
2007/12/04	01:58:00	0.000	1388	1453	717	720	-0.06	-0.05	333259.44	333273.82

DAQSTANDARD R6.04
 Data Viewer R6.04
 Waste Management Deborah Perez 115-51232-****

Device Type FX100
 Serial No. S5DC05825
 File Message
 Time Correction None
 Starting Condition Auto
 Dividing Condition Auto
 Meas Ch. 3
 Math Ch. 1
 Data Count 240
 Sampling Interval 120.000 sec
 Start Time 2007/12/03 23:30:00 0.000
 Stop Time 2007/12/04 07:28:00 0.000
 Trigger Time 2007/12/04 07:28:00 0.000
 Trigger No. 239
 Damage Check Not Damaged

Converted Group 1 - 1

Ch.	CH01	CH02	CH03	CH31						
Tag	Flare Temp	Flare Flow	Oxygen	Total Flow*100						
Unit	°F	SCFM	% O2	SCF						
2007/12/04	02:00:00	0.000	1404	1454	717	719	-0.06	-0.05	333273.82	333288.18
2007/12/04	02:02:00	0.000	1367	1430	716	719	-0.06	-0.05	333288.18	333302.54
2007/12/04	02:04:00	0.000	1374	1428	715	720	-0.06	-0.05	333302.54	333316.90
2007/12/04	02:06:00	0.000	1349	1424	717	719	-0.06	-0.05	333316.90	333331.26
2007/12/04	02:08:00	0.000	1368	1417	715	719	-0.06	-0.05	333331.26	333345.60
2007/12/04	02:10:00	0.000	1386	1453	717	720	-0.06	-0.05	333345.60	333359.96
2007/12/04	02:12:00	0.000	1413	1447	717	720	-0.06	-0.05	333359.96	333374.34
2007/12/04	02:14:00	0.000	1409	1458	717	720	-0.06	-0.05	333374.34	333388.68
2007/12/04	02:16:00	0.000	1312	1421	717	720	-0.06	-0.05	333388.68	333403.06
2007/12/04	02:18:00	0.000	1334	1425	716	721	-0.06	-0.06	333403.06	333417.40
2007/12/04	02:20:00	0.000	1304	1381	717	719	-0.06	-0.05	333417.40	333431.78
2007/12/04	02:22:00	0.000	1323	1369	716	719	-0.06	-0.05	333431.78	333446.12
2007/12/04	02:24:00	0.000	1311	1402	714	719	-0.06	-0.05	333446.12	333460.46
2007/12/04	02:26:00	0.000	1301	1411	717	719	-0.06	-0.05	333460.46	333474.84
2007/12/04	02:28:00	0.000	1261	1352	717	720	-0.06	-0.05	333474.84	333489.22
2007/12/04	02:30:00	0.000	1272	1376	716	719	-0.06	-0.05	333489.22	333503.56
2007/12/04	02:32:00	0.000	1373	1442	717	721	-0.06	-0.05	333503.56	333517.94
2007/12/04	02:34:00	0.000	1416	1465	717	720	-0.06	-0.05	333517.94	333532.32
2007/12/04	02:36:00	0.000	1386	1465	716	720	-0.06	-0.05	333532.32	333546.66
2007/12/04	02:38:00	0.000	1377	1438	716	720	-0.06	-0.05	333546.66	333561.04
2007/12/04	02:40:00	0.000	1397	1445	717	720	-0.06	-0.05	333561.04	333575.38
2007/12/04	02:42:00	0.000	1316	1397	717	720	-0.06	-0.05	333575.38	333589.76
2007/12/04	02:44:00	0.000	1270	1347	714	720	-0.06	-0.05	333589.76	333604.10
2007/12/04	02:46:00	0.000	1323	1395	717	720	-0.06	-0.05	333604.10	333618.46
2007/12/04	02:48:00	0.000	1367	1428	715	719	-0.06	-0.06	333618.46	333632.82

DAQSTANDARD R6.04
 Data Viewer R6.04
 Waste Management Deborah Perez 115-51232-****

Device Type FX100
 Serial No. S5DC05825
 File Message
 Time Correction None
 Starting Condition Auto
 Dividing Condition Auto
 Meas Ch. 3
 Math Ch. 1
 Data Count 240
 Sampling Interval 120.000 sec
 Start Time 2007/12/03 23:30:00 0.000
 Stop Time 2007/12/04 07:28:00 0.000
 Trigger Time 2007/12/04 07:28:00 0.000
 Trigger No. 239
 Damage Check Not Damaged

Converted Group 1 - 1

Ch.		CH01	CH02	CH03	CH31						
Tag	Unit	Flare Temp °F	Flare Flow SCFM	Oxygen % O2	Total Flow*100 SCF						
2007/12/04	02:50:00	0.000	1379	1465	715	719	-0.06	-0.05	333632.82	333647.16	
2007/12/04	02:52:00	0.000	1378	1469	717	720	-0.06	-0.06	333647.16	333661.54	
2007/12/04	02:54:00	0.000	1417	1501	717	720	-0.06	-0.05	333661.54	333675.90	
2007/12/04	02:56:00	0.000	1377	1447	716	722	-0.06	-0.05	333675.90	333690.26	
2007/12/04	02:58:00	0.000	1359	1466	717	720	-0.06	-0.05	333690.26	333704.62	
2007/12/04	03:00:00	0.000	1425	1476	715	719	-0.06	-0.05	333704.62	333719.00	
2007/12/04	03:02:00	0.000	1410	1476	717	719	-0.06	-0.05	333719.00	333733.34	
2007/12/04	03:04:00	0.000	1385	1462	718	720	-0.06	-0.05	333733.34	333747.72	
2007/12/04	03:06:00	0.000	1400	1483	717	720	-0.06	-0.05	333747.72	333762.10	
2007/12/04	03:08:00	0.000	1380	1472	716	719	-0.06	-0.05	333762.10	333776.44	
2007/12/04	03:10:00	0.000	1357	1430	716	720	-0.06	-0.05	333776.44	333790.82	
2007/12/04	03:12:00	0.000	1383	1445	717	720	-0.06	-0.05	333790.82	333805.16	
2007/12/04	03:14:00	0.000	1392	1444	716	720	-0.06	-0.05	333805.16	333819.50	
2007/12/04	03:16:00	0.000	1403	1479	715	720	-0.06	-0.05	333819.50	333833.84	
2007/12/04	03:18:00	0.000	1429	1474	717	720	-0.06	-0.05	333833.84	333848.18	
2007/12/04	03:20:00	0.000	1351	1449	715	719	-0.06	-0.05	333848.18	333862.54	
2007/12/04	03:22:00	0.000	1388	1448	714	719	-0.06	-0.05	333862.54	333876.88	
2007/12/04	03:24:00	0.000	1333	1388	717	718	-0.06	-0.05	333876.88	333891.22	
2007/12/04	03:26:00	0.000	1327	1397	716	719	-0.06	-0.06	333891.22	333905.60	
2007/12/04	03:28:00	0.000	1357	1446	716	718	-0.06	-0.06	333905.60	333919.90	
2007/12/04	03:30:00	0.000	1389	1444	715	719	-0.06	-0.05	333919.90	333934.26	
2007/12/04	03:32:00	0.000	1317	1414	716	719	-0.06	-0.05	333934.26	333948.62	
2007/12/04	03:34:00	0.000	1333	1384	716	720	-0.06	-0.05	333948.62	333962.96	
2007/12/04	03:36:00	0.000	1294	1405	716	718	-0.06	-0.06	333962.96	333977.32	
2007/12/04	03:38:00	0.000	1365	1451	716	720	-0.06	-0.05	333977.32	333991.68	

DAQSTANDARD R6.04
 Data Viewer R6.04
 Waste Management Deborah Perez 115-51232-****

Device Type FX100
 Serial No. S5DC05825
 File Message
 Time Correction None
 Starting Condition Auto
 Dividing Condition Auto
 Meas Ch. 3
 Math Ch. 1
 Data Count 240
 Sampling Interval 120.000 sec
 Start Time 2007/12/03 23:30:00 0.000
 Stop Time 2007/12/04 07:28:00 0.000
 Trigger Time 2007/12/04 07:28:00 0.000
 Trigger No. 239
 Damage Check Not Damaged

Converted Group 1 - 1

	Ch. Tag Unit	CH01 Flare Temp °F	CH02 Flare Flow SCFM	CH03 Oxygen % O2	CH31 Total Flow*100 SCF					
2007/12/04	03:40:00	0.000	1377	1454	716	719	-0.06	-0.05	333991.68	334006.04
2007/12/04	03:42:00	0.000	1317	1423	717	719	-0.06	-0.05	334006.04	334020.38
2007/12/04	03:44:00	0.000	1295	1359	715	718	-0.06	-0.05	334020.38	334034.72
2007/12/04	03:46:00	0.000	1335	1430	715	718	-0.06	-0.05	334034.72	334049.06
2007/12/04	03:48:00	0.000	1310	1444	715	719	-0.06	-0.05	334049.06	334063.40
2007/12/04	03:50:00	0.000	1328	1416	715	718	-0.06	-0.05	334063.40	334077.76
2007/12/04	03:52:00	0.000	1392	1472	711	717	-0.06	-0.05	334077.76	334092.04
2007/12/04	03:54:00	0.000	1422	1484	715	718	-0.06	-0.05	334092.04	334106.38
2007/12/04	03:56:00	0.000	1403	1467	714	718	-0.06	-0.05	334106.38	334120.68
2007/12/04	03:58:00	0.000	1371	1457	716	718	-0.06	-0.05	334120.68	334135.04
2007/12/04	04:00:00	0.000	1404	1483	715	718	-0.06	-0.05	334135.04	334149.38
2007/12/04	04:02:00	0.000	1399	1493	715	718	-0.06	-0.05	334149.38	334163.72
2007/12/04	04:04:00	0.000	1410	1500	715	718	-0.06	-0.05	334163.72	334178.06
2007/12/04	04:06:00	0.000	1462	1506	715	718	-0.06	-0.05	334178.06	334192.40
2007/12/04	04:08:00	0.000	1450	1497	714	718	-0.06	-0.05	334192.40	334206.76
2007/12/04	04:10:00	0.000	1435	1496	715	719	-0.06	-0.05	334206.76	334221.10
2007/12/04	04:12:00	0.000	1435	1500	715	719	-0.06	-0.05	334221.10	334235.40
2007/12/04	04:14:00	0.000	1447	1507	716	719	-0.06	-0.05	334235.40	334249.78
2007/12/04	04:16:00	0.000	1477	1524	715	719	-0.06	-0.05	334249.78	334264.12
2007/12/04	04:18:00	0.000	1474	1524	715	718	-0.06	-0.05	334264.12	334278.46
2007/12/04	04:20:00	0.000	1462	1513	716	719	-0.06	-0.05	334278.46	334292.82
2007/12/04	04:22:00	0.000	1451	1504	715	718	-0.06	-0.05	334292.82	334307.12
2007/12/04	04:24:00	0.000	1462	1514	716	720	-0.06	-0.05	334307.12	334321.50
2007/12/04	04:26:00	0.000	1457	1511	716	720	-0.06	-0.05	334321.50	334335.84
2007/12/04	04:28:00	0.000	1457	1511	716	719	-0.06	-0.05	334335.84	334350.18

DAQSTANDARD R6.04
 Data Viewer R6.04
 Waste Management Deborah Perez 115-51232-****

Device Type FX100
 Serial No. S5DC05825
 File Message
 Time Correction None
 Starting Condition Auto
 Dividing Condition Auto
 Meas Ch. 3
 Math Ch. 1
 Data Count 240
 Sampling Interval 120.000 sec
 Start Time 2007/12/03 23:30:00 0.000
 Stop Time 2007/12/04 07:28:00 0.000
 Trigger Time 2007/12/04 07:28:00 0.000
 Trigger No. 239
 Damage Check Not Damaged

Converted Group 1 - 1

Ch.		CH01	CH02	CH03	CH31					
Tag	Unit	Flare Temp °F	Flare Flow SCFM	Oxygen % O2	Total Flow*100 SCF					
2007/12/04	04:30:00	0.000	1439	1503	717	719	-0.06	-0.05	334350.18	334364.56
2007/12/04	04:32:00	0.000	1463	1515	716	720	-0.06	-0.05	334364.56	334378.90
2007/12/04	04:34:00	0.000	1470	1525	716	719	-0.06	-0.05	334378.90	334393.28
2007/12/04	04:36:00	0.000	1467	1518	717	719	-0.06	-0.05	334393.28	334407.62
2007/12/04	04:38:00	0.000	1453	1510	716	719	-0.06	-0.05	334407.62	334421.96
2007/12/04	04:40:00	0.000	1435	1501	715	719	-0.06	-0.05	334421.96	334436.34
2007/12/04	04:42:00	0.000	1469	1522	716	719	-0.06	-0.05	334436.34	334450.68
2007/12/04	04:44:00	0.000	1469	1523	715	718	-0.06	-0.05	334450.68	334465.04
2007/12/04	04:46:00	0.000	1462	1511	715	719	-0.06	-0.05	334465.04	334479.38
2007/12/04	04:48:00	0.000	1460	1508	716	719	-0.06	-0.05	334479.38	334493.76
2007/12/04	04:50:00	0.000	1465	1518	715	719	-0.06	-0.05	334493.76	334508.10
2007/12/04	04:52:00	0.000	1426	1508	716	721	-0.06	-0.05	334508.10	334522.46
2007/12/04	04:54:00	0.000	1465	1509	717	719	-0.06	-0.05	334522.46	334536.84
2007/12/04	04:56:00	0.000	1457	1514	717	721	-0.06	-0.05	334536.84	334551.22
2007/12/04	04:58:00	0.000	1458	1521	716	720	-0.06	-0.05	334551.22	334565.56
2007/12/04	05:00:00	0.000	1464	1515	716	719	-0.06	-0.05	334565.56	334579.90
2007/12/04	05:02:00	0.000	1470	1517	717	719	-0.06	-0.05	334579.90	334594.28
2007/12/04	05:04:00	0.000	1462	1522	716	719	-0.06	-0.05	334594.28	334608.62
2007/12/04	05:06:00	0.000	1477	1531	716	719	-0.06	-0.05	334608.62	334622.96
2007/12/04	05:08:00	0.000	1487	1532	716	718	-0.06	-0.05	334622.96	334637.32
2007/12/04	05:10:00	0.000	1496	1539	715	718	-0.06	-0.05	334637.32	334651.66
2007/12/04	05:12:00	0.000	1470	1538	716	720	-0.06	-0.05	334651.66	334666.04
2007/12/04	05:14:00	0.000	1477	1534	717	720	-0.06	-0.05	334666.04	334680.38
2007/12/04	05:16:00	0.000	1479	1529	717	720	-0.06	-0.05	334680.38	334694.76
2007/12/04	05:18:00	0.000	1487	1545	716	718	-0.06	-0.05	334694.76	334709.10

DAQSTANDARD R6.04
 Data Viewer R6.04
 Waste Management Deborah Perez 115-51232-****

Device Type FX100
 Serial No. S5DC05825
 File Message
 Time Correction None
 Starting Condition Auto
 Dividing Condition Auto
 Meas Ch. 3
 Math Ch. 1
 Data Count 240
 Sampling Interval 120.000 sec
 Start Time 2007/12/03 23:30:00 0.000
 Stop Time 2007/12/04 07:28:00 0.000
 Trigger Time 2007/12/04 07:28:00 0.000
 Trigger No. 239
 Damage Check Not Damaged

Converted Group 1 - 1

Ch.		CH01	CH02		CH03		CH31			
Tag	Unit	Flare Temp °F	Flare Flow SCFM		Oxygen % O2		Total Flow*100 SCF			
2007/12/04	05:20:00	0.000	1488	1538	715	719	-0.06	-0.05	334709.10	334723.44
2007/12/04	05:22:00	0.000	1479	1533	715	718	-0.06	-0.05	334723.44	334737.78
2007/12/04	05:24:00	0.000	1474	1523	716	719	-0.06	-0.05	334737.78	334752.12
2007/12/04	05:26:00	0.000	1484	1548	716	719	-0.06	-0.05	334752.12	334766.46
2007/12/04	05:28:00	0.000	1499	1552	716	719	-0.06	-0.05	334766.46	334780.82
2007/12/04	05:30:00	0.000	1500	1551	715	719	-0.06	-0.05	334780.82	334795.18
2007/12/04	05:32:00	0.000	1504	1552	715	718	-0.06	-0.05	334795.18	334809.54
2007/12/04	05:34:00	0.000	1480	1538	714	718	-0.06	-0.05	334809.54	334823.88
2007/12/04	05:36:00	0.000	1482	1535	714	719	-0.06	-0.05	334823.88	334838.18
2007/12/04	05:38:00	0.000	1444	1505	715	720	-0.06	-0.05	334838.18	334852.54
2007/12/04	05:40:00	0.000	1468	1517	716	719	-0.06	-0.05	334852.54	334866.88
2007/12/04	05:42:00	0.000	1479	1527	715	719	-0.06	-0.05	334866.88	334881.22
2007/12/04	05:44:00	0.000	1445	1516	715	719	-0.06	-0.05	334881.22	334895.56
2007/12/04	05:46:00	0.000	1463	1517	716	719	-0.06	-0.05	334895.56	334909.90
2007/12/04	05:48:00	0.000	1437	1519	715	719	-0.06	-0.05	334909.90	334924.26
2007/12/04	05:50:00	0.000	1480	1531	717	719	-0.06	-0.05	334924.26	334938.62
2007/12/04	05:52:00	0.000	1444	1530	716	720	-0.06	-0.05	334938.62	334952.96
2007/12/04	05:54:00	0.000	1449	1495	715	718	-0.06	-0.05	334952.96	334967.32
2007/12/04	05:56:00	0.000	1455	1521	715	719	-0.06	-0.05	334967.32	334981.66
2007/12/04	05:58:00	0.000	1460	1523	716	720	-0.06	-0.05	334981.66	334996.04
2007/12/04	06:00:00	0.000	1441	1510	715	719	-0.06	-0.05	334996.04	335010.38
2007/12/04	06:02:00	0.000	1471	1519	716	719	-0.06	-0.05	335010.38	335024.72
2007/12/04	06:04:00	0.000	1431	1516	717	720	-0.06	-0.05	335024.72	335039.10
2007/12/04	06:06:00	0.000	1473	1534	715	720	-0.06	-0.05	335039.10	335053.44
2007/12/04	06:08:00	0.000	1463	1534	715	719	-0.06	-0.05	335053.44	335067.82

DAQSTANDARD R6.04
 Data Viewer R6.04
 Waste Management Deborah Perez 115-51232-****

Device Type FX100
 Serial No. S5DC05825
 File Message
 Time Correction None
 Starting Condition Auto
 Dividing Condition Auto
 Meas Ch. 3
 Math Ch. 1
 Data Count 240
 Sampling Interval 120.000 sec
 Start Time 2007/12/03 23:30:00 0.000
 Stop Time 2007/12/04 07:28:00 0.000
 Trigger Time 2007/12/04 07:28:00 0.000
 Trigger No. 239
 Damage Check Not Damaged

Converted Group 1 - 1

Ch.		CH01	CH02	CH03	CH31		
Tag	Unit	Flare Temp °F	Flare Flow SCFM	Oxygen % O2	Total Flow*100 SCF		
2007/12/04	06:10:00	0.000	1468 1526	716 719	-0.06 -0.05	335067.82	335082.12
2007/12/04	06:12:00	0.000	1444 1515	715 720	-0.06 -0.05	335082.12	335096.50
2007/12/04	06:14:00	0.000	1445 1518	716 719	-0.06 -0.05	335096.50	335110.84
2007/12/04	06:16:00	0.000	1420 1517	717 720	-0.06 -0.05	335110.84	335125.18
2007/12/04	06:18:00	0.000	1421 1484	715 718	-0.06 -0.05	335125.18	335139.54
2007/12/04	06:20:00	0.000	1457 1502	715 719	-0.06 -0.05	335139.54	335153.88
2007/12/04	06:22:00	0.000	1432 1515	718 721	-0.06 -0.05	335153.88	335168.26
2007/12/04	06:24:00	0.000	1438 1503	716 719	-0.06 -0.05	335168.26	335182.62
2007/12/04	06:26:00	0.000	1449 1508	718 721	-0.06 -0.05	335182.62	335197.00
2007/12/04	06:28:00	0.000	1458 1512	717 720	-0.06 -0.05	335197.00	335211.38
2007/12/04	06:30:00	0.000	1460 1517	716 718	-0.06 -0.05	335211.38	335225.68
2007/12/04	06:32:00	0.000	1483 1531	717 721	-0.06 -0.05	335225.68	335240.10
2007/12/04	06:34:00	0.000	1456 1533	718 720	-0.06 -0.05	335240.10	335254.46
2007/12/04	06:36:00	0.000	1408 1500	717 720	-0.06 -0.05	335254.46	335268.82
2007/12/04	06:38:00	0.000	1413 1512	717 720	-0.06 -0.05	335268.82	335283.18
2007/12/04	06:40:00	0.000	1487 1536	718 721	-0.06 -0.05	335283.18	335297.60
2007/12/04	06:42:00	0.000	1444 1517	717 720	-0.06 -0.05	335297.60	335311.96
2007/12/04	06:44:00	0.000	1376 1490	718 720	-0.06 -0.05	335311.96	335326.34
2007/12/04	06:46:00	0.000	1372 1443	717 721	-0.06 -0.05	335326.34	335340.72
2007/12/04	06:48:00	0.000	1428 1488	718 721	-0.06 -0.05	335340.72	335355.10
2007/12/04	06:50:00	0.000	1436 1510	720 722	-0.06 -0.05	335355.10	335369.54
2007/12/04	06:52:00	0.000	1461 1511	719 721	-0.06 -0.05	335369.54	335383.90
2007/12/04	06:54:00	0.000	1459 1516	719 721	-0.06 -0.05	335383.90	335398.32
2007/12/04	06:56:00	0.000	1469 1526	719 722	-0.06 -0.05	335398.32	335412.76
2007/12/04	06:58:00	0.000	1481 1531	719 721	-0.06 -0.05	335412.76	335427.12

DAQSTANDARD R6.04
 Data Viewer R6.04
 Waste Management Deborah Perez 115-51232-****

Device Type FX100
 Serial No. S5DC05825
 File Message
 Time Correction None
 Starting Condition Auto
 Dividing Condition Auto
 Meas Ch. 3
 Math Ch. 1
 Data Count 240
 Sampling Interval 120.000 sec
 Start Time 2007/12/03 23:30:00 0.000
 Stop Time 2007/12/04 07:28:00 0.000
 Trigger Time 2007/12/04 07:28:00 0.000
 Trigger No. 239
 Damage Check Not Damaged

Converted Group 1 - 1

Ch.		CH01	CH02		CH03	CH31				
Tag	Unit	Flare Temp °F	Flare Flow SCFM	Flare Flow SCFM	Oxygen % O2	Total Flow*100 SCF	Total Flow*100 SCF			
2007/12/04	07:00:00	0.000	1482	1533	718	722	-0.06	-0.05	335427.12	335441.56
2007/12/04	07:02:00	0.000	1529	1539	669	722	-0.06	-0.05	335441.56	335455.54
2007/12/04	07:04:00	0.000	1495	1548	705	722	-0.06	-0.05	335455.54	335469.90
2007/12/04	07:06:00	0.000	1501	1548	718	721	-0.06	-0.05	335469.90	335484.32
2007/12/04	07:08:00	0.000	1488	1546	718	722	-0.06	-0.05	335484.32	335498.76
2007/12/04	07:10:00	0.000	1495	1553	719	722	-0.06	-0.05	335498.76	335513.16
2007/12/04	07:12:00	0.000	1457	1532	719	723	-0.06	-0.05	335513.16	335527.60
2007/12/04	07:14:00	0.000	1466	1536	718	722	-0.06	-0.05	335527.60	335541.96
2007/12/04	07:16:00	0.000	1456	1508	718	721	-0.06	-0.05	335541.96	335556.36
2007/12/04	07:18:00	0.000	1463	1544	718	722	-0.06	-0.05	335556.36	335570.76
2007/12/04	07:20:00	0.000	1482	1544	717	721	-0.06	-0.05	335570.76	335585.16
2007/12/04	07:22:00	0.000	1484	1539	717	721	-0.06	-0.05	335585.16	335599.56
2007/12/04	07:24:00	0.000	1398	1508	718	722	-0.06	-0.05	335599.56	335613.96
2007/12/04	07:26:00	0.000	1437	1526	718	721	-0.06	-0.05	335613.96	335628.36
2007/12/04	07:28:00	0.000	1436	1519	718	723	-0.06	-0.05	335628.36	335642.76