

Plant # Eight  
 Location: Ocala  
 Air Permit # 0830135-006-AO

Used Oil  
Gallons

100 cubic ft

Month		October 2011		Tonnage Per Day	Tonnage Cumulative Total	Daily Hours of Operation	Cumulative Daily Hours of Operation	Pressure Differential Readings	Burner Fuel in Gallons	Cumulative Burner Fuel in Gallons	Heater Fuel in Gallons	Cumulative Heater Fuel in Gallons
Prepared by												
<i>JHM</i>	THU	Day	20	436.30	86,028.41	3.0	569.75	.2 .5	773	<del>170,106</del> 170,106	97	26,747
<i>JHM</i>	Fri	Day	21	55.79	86,084.20	1.0	570.75	.4 0	112	170,218	87	26,834
<i>JHM</i>	SAT	Day	22	0	86,084.20	0	570.75	0 0	0	170,218	60	26,894
<i>JHM</i>	SUN	Day	23	0	86,084.20	0	570.75	0 0	0	170,218	70	26,964
<i>JHM</i>	MON	Day	24	209.75	86,293.95	1.50	572.25	.5 0	420	170,638	100	27,064
<i>JHM</i>	TUE	Day	25	289.77	86,583.72	2.0	574.25	.5 0	580	171,218	86	27,150
<i>JHM</i>	WED	Day	26	586.60	87,170.32	4.0	578.25	.5 0	1173	172,391	94	27,244
<i>JHM</i>	THU	Day	27	157.72	87,328.04	1.0	579.25	.5 0	315	172,706	85	27,329
<i>JHM</i>	Fri	Day	28	327.26	87,655.30	2.50	581.75	0 .5	655	173,361	63	27,392
<i>JHM</i>	SAT	Day	29	0	87,655.30	0	581.75	0 0	0	173,361	91	27,483
<i>JHM</i>	SUN	Day	30	0	87,655.30	0	581.75	0 0	0	173,361	58	27,541
<i>JHM</i>	MON	Day	31	0	87,655.30	3.0	584.75	0 .5	740	174,101	101	27,642
Cumulative total for the month												
Cumulative annual total					87,655.30		584.75			174,101		27,642

# TexPar Energy, LLC

Laboratory Analysis Report  
E.P.A. ID #: GAD033590514

Date: 11/1/2011  
Customer Name: Anderson Columbia  
Location: Ocala, FL  
Batch #: B#110001  
COA#: 771  
Terminal: Bainbridge, GA  
Tank #: 12  
Product: # 5 Fuel Oil

Test	Results	Method
API @ 60F:	25.3	ASTM D 287
Water %:	2	ASTM D 95
Viscosity:	174.7	ASTM D 445 (SUS @ 100F)
Sulfur %:	1	ASTM D 4294 (X-RAY)
Arsenic (ppm)	< 1.5	EPA 6010 (X-RAY)
Cadmium (ppm)	< 0.7	EPA 6010 (X-RAY)
Chromium (ppm)	2.07	EPA 6010 (X-RAY)
Lead (ppm)	12.25	EPA 6010 (X-RAY)
Halogens (ppm)	< 1000	EPA 9075 (X-RAY)
PCB (ppm)	< 2	EPA 8082
BOL#	26631	

TexPar Energy, LLC assures this product meets the criteria set by 40 CFR 279.11 pertaining to metals, flash point, and total halogens for on spec. burner fuel.

This document must be retained at the plant for three (3) years.