

# Southern Environmental Sciences, Inc.

1204 North Wheeler Street □ Plant City, Florida 33563 □ (813) 752-5014, Fax (813) 752-


ARMS UPDATED

11/9/09

## VISIBLE EMISSIONS EVALUATION

COMPANY <i>Overstreet Paving</i>	
UNIT <i>RAP Crushing System</i>	
ADDRESS <i>17728 US Highway 41 Spring Hill, FL 34610</i>	
PERMIT NO. <i>1010028-007-AC</i>	COMPLIANCE? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> <i>10/10 10/10</i>
AIRS NO. <i>1010028</i>	EU NO. <i>EU#005, EP#4+11</i>
PROCESS RATE <i>135 TPH</i>	PERMITTED RATE <i>200 TPH</i>
PROCESS EQUIPMENT <i>Conveyor "1" to Screen (same as EP 11)</i>	
CONTROL EQUIPMENT <i>Wetted Material</i>	
OPERATING MODE <i>Normal</i>	AMBIENT TEMP. (° F) START <i>80</i> STOP <i>Same</i>
HEIGHT ABOVE GROUND LEVEL START <i>4-10'</i> STOP <i>Same</i>	HEIGHT RELATIVE TO OBSERVER START <i>4-10'</i> STOP <i>Same</i>
DISTANCE FROM OBSERVER START <i>65'</i> STOP <i>Same</i>	DIRECTION FROM OBSERVER START <i>340</i> STOP <i>Same</i>
EMISSION COLOR <i>None</i>	PLUME TYPE CONTIN. <input type="checkbox"/> INTERMITTENT <input type="checkbox"/> <i>NA</i>
WATER DROPLETS PRESENT? NO <input type="checkbox"/> YES <input checked="" type="checkbox"/> <i>Rain</i>	IS WATER DROPLET PLUME ATTACHED <input type="checkbox"/> DETACHED <input type="checkbox"/> <i>NA</i>
POINT IN PLUME AT WHICH OPACITY WAS DETERMINED START <i>Down to Screens</i> STOP <i>Same</i>	
DESCRIBE BACKGROUND START <i>Sky/Machinery</i> STOP <i>Same</i>	
BACKGROUND COLOR START <i>Various</i> STOP <i>Same</i>	SKY CONDITIONS START <i>Rain</i> STOP <i>Overcast</i>
WIND SPEED (MPH) START <i>3-10</i> STOP <i>Same</i>	WIND DIRECTION START <i>SE</i> STOP <i>Same</i>
AVERAGE OPACITY FOR HIGHEST PERIOD <i>06</i>	RANGE OF OPACITY READINGS MIN. <i>06</i> MAX. <i>02</i>

OBSERVATION DATE <i>10/16/09</i>		START TIME <i>0950</i>				STOP TIME <i>1020</i>			
SEC	0	15	30	45	SEC	0	15	30	45
MIN					MIN				
0	0	0	0	0	30				
1	0	0	0	0	31				
2	0	0	0	0	32				
3	0	0	0	0	33				
4	0	0	0	0	34				
5	0	0	0	0	35				
6	0	0	0	0	36				
7	0	0	0	0	37				
8	0	0	0	0	38				
9	0	0	0	0	39				
10	0	0	0	0	40				
11	0	0	0	0	41				
12	0	0	0	0	42				
13	0	0	0	0	43				
14	0	0	0	0	44				
15	0	0	0	0	45				
16	0	0	0	0	46				
17	0	0	0	0	47				
18	0	0	0	0	48				
19	0	0	0	0	49				
20	0	0	0	0	50				
21	0	0	0	0	51				
22	0	0	0	0	52				
23	0	0	0	0	53				
24	0	0	0	0	54				
25	0	0	0	0	55				
26	0	0	0	0	56				
27	0	0	0	0	57				
28	0	0	0		58				
29					59				



Comments

---



---



---

### EASTERN TECHNICAL ASSOCIATES

DALE WINGLER

WIN141252 STUDENT ID NUMBER

met the specifications of Federal Reference Method 9 and qualifies as a visible emissions evaluator. Maximum deviation on white and black smoke did not exceed 7.5% opacity and no single error exceeding .15% opacity was incurred during the certification test conducted by Eastern Technical Associates of Raleigh, NC. This certificate is valid for six months from date of issue and expires on the date below.

TAMPA, FL 8/12/2009 375447  
 SCHOOL LOCATION DATE OF SCHOOL CERT NUMBER  
 TMPF09 2/11/2010  
 LAST LECTURE CERTIFICATION EXP DATE BEARER


I certify that all data provided to the person conducting the test was true and correct to the best of my knowledge:

Signature: *[Signature]* Title: *QC Manager*

## VISIBLE EMISSIONS EVALUATION

COMPANY <i>Overstreet Paving</i>	
UNIT <i>RAP Crusher System</i>	
ADDRESS <i>17728 US Highway 41 Spray Hill, FL 34610</i>	
PERMIT NO. <i>1010028-007-AC</i>	COMPLIANCE? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
AIRS NO. <i>1010028</i>	ELI NO. <i>EU#005, EP#6</i>
PROCESS RATE <i>135 TPH</i>	PERMITTED RATE <i>200 TPH</i>
PROCESS EQUIPMENT <i>Screen to Conveyor "4"</i>	
CONTROL EQUIPMENT <i>Wetted Material</i>	
OPERATING MODE <i>Normal</i>	AMBIENT TEMP. (°F) START <i>80</i> STOP <i>Same</i>
HEIGHT ABOVE GROUND LEVEL START <i>2'-6"</i> STOP <i>Same</i>	HEIGHT RELATIVE TO OBSERVER START <i>2'-6"</i> STOP <i>Same</i>
DISTANCE FROM OBSERVER START <i>65'</i> STOP <i>Same</i>	DIRECTION FROM OBSERVER START <i>270</i> STOP <i>Same</i>
EMISSION COLOR <i>None</i>	PLUME TYPE CONTIN. <input type="checkbox"/> INTERMITTENT <input type="checkbox"/> <i>N/A</i>
WATER DROPLETS PRESENT? NO <input type="checkbox"/> YES <input checked="" type="checkbox"/> <i>Rain</i>	IS WATER DROPLET PLUME ATTACHED <input type="checkbox"/> DETACHED <input type="checkbox"/> <i>N/A</i>
POINT IN PLUME AT WHICH OPACITY WAS DETERMINED START <i>Screen Transfer to Conveyor</i> STOP <i>Same</i>	
DESCRIBE BACKGROUND START <i>Flt./Equipment</i> STOP <i>Same</i>	
BACKGROUND COLOR START <i>White</i> STOP <i>Same</i>	SKY CONDITIONS START <i>Rain</i> STOP <i>Overcast</i>
WIND SPEED (MPH) START <i>3-10</i> STOP <i>Same</i>	WIND DIRECTION START <i>SE</i> STOP <i>Same</i>
AVERAGE OPACITY FOR HIGHEST PERIOD <i>0%</i>	RANGE OF OPACITY READINGS MIN. <i>0%</i> MAX. <i>0%</i>

OBSERVATION DATE <i>10/16/09</i>		START TIME <i>0950</i>				STOP TIME <i>1020</i>			
SEC	0	15	30	45	SEC	0	15	30	45
MIN					MIN				
0	0	0	0	0	30				
1	0	0	0	0	31				
2	0	0	0	0	32				
3	0	0	0	0	33				
4	0	0	0	0	34				
5	0	0	0	0	35				
6	0	0	0	0	36				
7	0	0	0	0	37				
8	0	0	0	0	38				
9	0	0	0	0	39				
10	0	0	0	0	40				
11	0	0	0	0	41				
12	0	0	0	0	42				
13	0	0	0	0	43				
14	0	0	0	0	44				
15	0	0	0	0	45				
16	0	0	0	0	46				
17	0	0	0	0	47				
18	0	0	0	0	48				
19	0	0	0	0	49				
20	0	0	0	0	50				
21	0	0	0	0	51				
22	0	0	0	0	52				
23	0	0	0	0	53				
24	0	0	0	0	54				
25	0	0	0	0	55				
26	0	0	0	0	56				
27	0	0	0	0	57				
28	0	0	0	0	58				
29	0	0	0	0	59				



Comments

---



---



---

### EASTERN TECHNICAL ASSOCIATES

DALE WINGLER

WIN141252 STUDENT ID NUMBER

met the specifications of Federal Reference Method 9 and qualifies as a visible emissions evaluator. Maximum deviation on white and black smoke did not exceed 7.5% opacity and no single error exceeding 15% opacity was incurred during the certification test conducted by Eastern Technical Associates of Raleigh, NC. This certificate is valid for six months from date of issue and expires on the date below.

TAMPA, FL	8/12/2009	375447
SCHOOL LOCATION	DATE OF SCHOOL	CERT NUMBER
TMPF09	2/11/2010	<i>[Signature]</i>
LAST LECTURE	CERTIFICATION EXP DATE	ISSUER

I certify that all data provided to the person conducting the test was true and correct to the best of my knowledge:


Signature: *[Signature]* Title: *QC Manager*

## VISIBLE EMISSIONS EVALUATION

COMPANY <i>Overstreet Paving</i>	
UNIT <i>RAP Crushing System</i>	
ADDRESS <i>17728 US Highway 41 Spring Hill, FL 34610</i>	
PERMIT NO. <i>1010028-007-AC</i>	COMPLIANCE? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
AIRS NO. <i>1010028</i>	EU NO. <i>EU#805, EP #Z+10</i>
PROCESS RATE <i>135 TPH</i>	PERMITTED RATE <i>200 TPH</i>
PROCESS EQUIPMENT <i>Crusher Inlet</i>	
CONTROL EQUIPMENT <i>Wetted Material</i>	
OPERATING MODE <i>Normal</i>	AMBIENT TEMP. (°F) START <i>90</i> STOP <i>Some</i>
HEIGHT ABOVE GROUND LEVEL START <i>4'-9"</i> STOP <i>Some</i>	HEIGHT RELATIVE TO OBSERVER START <i>4'-9"</i> STOP <i>Some</i>
DISTANCE FROM OBSERVER START <i>35'</i> STOP <i>Some</i>	DIRECTION FROM OBSERVER START <i>ZSS</i> STOP <i>Some</i>
EMISSION COLOR <i>None</i>	PLUME TYPE CONTIN. <input type="checkbox"/> INTERMITTENT <input type="checkbox"/> <i>NA</i>
WATER DROPLETS PRESENT? NO <input checked="" type="checkbox"/> YES <input type="checkbox"/>	IS WATER DROPLET PLUME ATTACHED <input type="checkbox"/> DETACHED <input type="checkbox"/> <i>NA</i>
POINT IN PLUME AT WHICH OPACITY WAS DETERMINED START <i>Crusher Unit</i> STOP <i>Some</i>	
DESCRIBE BACKGROUND START <i>Skylight/Equipment</i> STOP <i>Some</i>	
BACKGROUND COLOR START <i>Various</i> STOP <i>Some</i>	SKY CONDITIONS START <i>Overcast</i> STOP <i>Some</i>
WIND SPEED (MPH) START <i>3-10</i> STOP <i>Some</i>	WIND DIRECTION START <i>NW</i> STOP <i>Some</i>
AVERAGE OPACITY FOR HIGHEST PERIOD <i>0%</i>	RANGE OF OPACITY READINGS MIN. <i>0%</i> MAX. <i>0%</i>

OBSERVATION DATE <i>10/16/09</i>		START TIME <i>0910</i>				STOP TIME <i>0940</i>			
SEC	0	15	30	45	SEC	0	15	30	45
MIN					MIN				
0	0	0	0	0	30				
1	0	0	0	0	31				
2	0	0	0	0	32				
3	0	0	0	0	33				
4	0	0	0	0	34				
5	0	0	0	0	35				
6	0	0	0	0	36				
7	0	0	0	0	37				
8	0	0	0	0	38				
9	0	0	0	0	39				
10	0	0	0	0	40				
11	0	0	0	0	41				
12	0	0	0	0	42				
13	0	0	0	0	43				
14	0	0	0	0	44				
15	0	0	0	0	45				
16	0	0	0	0	46				
17	0	0	0	0	47				
18	0	0	0	0	48				
19	0	0	0	0	49				
20	0	0	0	0	50				
21	0	0	0	0	51				
22	0	0	0	0	52				
23	0	0	0	0	53				
24	0	0	0	0	54				
25	0	0	0	0	55				
26	0	0	0	0	56				
27	0	0	0	0	57				
28	0	0	0	0	58				
29	0	0	0	0	59				

SOURCE LAYOUT SKETCH Draw North Arrow



### EASTERN TECHNICAL ASSOCIATES

DALE WINGLER

WIN141252 STUDENT ID NUMBER

met the specifications of Federal Reference Method 9 and qualifies as a visible emissions evaluator. Maximum deviation on white and black smoke did not exceed 7.5% opacity and no single error exceeding .15% opacity was incurred during the certification test conducted by Eastern Technical Associates of Raleigh, NC. This certificate is valid for six months from date of issue and expires on the date below

TAMPA, FL	8/12/2009	375447
SCHOOL LOCATION	DATE OF SCHOOL	CERT NUMBER
TMPE09	2/11/2010	<i>[Signature]</i>
LAST LECTURE	CERTIFICATION EXP DATE	BEARER

I certify that all data provided to the person conducting the test was true and correct to the best of my knowledge:

Signature: *[Signature]* Title: *QC Manager*

Comments

---



---




---

## VISIBLE EMISSIONS EVALUATION

COMPANY <i>Overstreet Paving</i>	
UNIT <i>RAP Curber System</i>	
ADDRESS <i>17728 US Highway 41 Spring Hill, FL 34610</i>	
PERMIT NO. <i>1010028-009-AC</i>	COMPLIANCE? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
AIRS NO. <i>1010028</i>	EU NO. <i>EU #005, EP #3</i>
PROCESS RATE <i>135 TPH</i>	PERMITTED RATE <i>200 TPH</i>
PROCESS EQUIPMENT <i>Crusher to Conveyor #1</i>	
CONTROL EQUIPMENT <i>Wetted Material</i>	
OPERATING MODE <i>Normal</i>	AMBIENT TEMP. (°F) START <i>60</i> STOP <i>Same</i>
HEIGHT ABOVE GROUND LEVEL START <i>2-3'</i> STOP <i>Same</i>	HEIGHT RELATIVE TO OBSERVER START <i>2-3'</i> STOP <i>Same</i>
DISTANCE FROM OBSERVER START <i>35'</i> STOP <i>Same</i>	DIRECTION FROM OBSERVER START <i>285</i> STOP <i>Same</i>
EMISSION COLOR <i>None</i>	PLUME TYPE CONTIN. <input type="checkbox"/> INTERMITTENT <input type="checkbox"/> <i>NA</i>
WATER DROPLETS PRESENT? NO <input checked="" type="checkbox"/> YES <input type="checkbox"/>	IS WATER DROPLET PLUME ATTACHED <input type="checkbox"/> DETACHED <input type="checkbox"/> <i>NA</i>
POINT IN PLUME AT WHICH OPACITY WAS DETERMINED START <i>Bottom of Crusher</i> STOP <i>Same</i>	
DESCRIBE BACKGROUND START <i>Ground/Equipment</i> STOP <i>Same</i>	
BACKGROUND COLOR START <i>Various</i> STOP <i>Same</i>	SKY CONDITIONS START <i>Overcast</i> STOP <i>Same</i>
WIND SPEED (MPH) START <i>3-10</i> STOP <i>Same</i>	WIND DIRECTION START <i>NW</i> STOP <i>Same</i>
AVERAGE OPACITY FOR HIGHEST PERIOD <i>0%</i>	RANGE OF OPACITY READINGS MIN. <i>0%</i> MAX. <i>0%</i>

OBSERVATION DATE <i>10/16/09</i>		START TIME <i>0910</i>				STOP TIME <i>0940</i>			
SEC	0	15	30	45	SEC	0	15	30	45
MIN					MIN				
0	0	0	0	0	30				
1	0	0	0	0	31				
2	0	0	0	0	32				
3	0	0	0	0	33				
4	0	0	0	0	34				
5	0	0	0	0	35				
6	0	0	0	0	36				
7	0	0	0	0	37				
8	0	0	0	0	38				
9	0	0	0	0	39				
10	0	0	0	0	40				
11	0	0	0	0	41				
12	0	0	0	0	42				
13	0	0	0	0	43				
14	0	0	0	0	44				
15	0	0	0	0	45				
16	0	0	0	0	46				
17	0	0	0	0	47				
18	0	0	0	0	48				
19	0	0	0	0	49				
20	0	0	0	0	50				
21	0	0	0	0	51				
22	0	0	0	0	52				
23	0	0	0	0	53				
24	0	0	0	0	54				
25	0	0	0	0	55				
26	0	0	0	0	56				
27	0	0	0	0	57				
28	0	0	0	0	58				
29	0	0	0	0	59				



Comments

---



---



---

### EASTERN TECHNICAL ASSOCIATES

DALE WINGLER

WIN141252 STUDENT ID NUMBER

met the specifications of Federal Reference Method 9 and qualifies as a visible emissions evaluator. Maximum deviation on white and black smoke did not exceed 7.5% opacity and no single error exceeding 15% opacity was incurred during the certification test conducted by Eastern Technical Associates of Raleigh, NC. This certificate is valid for six months from date of issue and expires on the date below.

TAMPA, FL	8/12/2009	375447
SCHOOL LOCATION	DATE OF SCHOOL	CERT NUMBER
TMPF09	2/11/2010	<i>[Signature]</i>
LAST LECTURE	CERTIFICATION EXP DATE	BEARER


I certify that all data provided to the person conducting the test was true and correct to the best of my knowledge:

Signature: *[Signature]* Title *QC Manager*

## VISIBLE EMISSIONS EVALUATION

COMPANY <i>Overstreet Paving</i>	
UNIT <i>RAP Crushing System</i>	
ADDRESS <i>177280 US Highway 41 Spring Hill, FL 34610</i>	
PERMIT NO. <i>1010028-007-AC</i>	COMPLIANCE? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
AIRS NO. <i>1010028</i>	EU NO. <i>EU#005, EP#8</i>
PROCESS RATE <i>135 TPH</i>	PERMITTED RATE <i>200 TPH</i>
PROCESS EQUIPMENT <i>Conveyor "5" to Conveyor "6"</i>	
CONTROL EQUIPMENT <i>Wetted Material</i>	
OPERATING MODE <i>Normal</i>	AMBIENT TEMP. (°F) START <i>80</i> STOP <i>Sum</i>
HEIGHT ABOVE GROUND LEVEL START <i>2'-6"</i> STOP <i>Sum</i>	HEIGHT RELATIVE TO OBSERVER START <i>2'-6"</i> STOP <i>Sum</i>
DISTANCE FROM OBSERVER START <i>60'</i> STOP <i>Sum</i>	DIRECTION FROM OBSERVER START <i>330</i> STOP <i>Sum</i>
EMISSION COLOR <i>None</i>	PLUME TYPE CONTIN. <input type="checkbox"/> INTERMITTENT <input type="checkbox"/> <i>NA</i>
WATER DROPLETS PRESENT? NO <input type="checkbox"/> YES <input checked="" type="checkbox"/> <i>Rain</i>	IS WATER DROPLET PLUME ATTACHED <input type="checkbox"/> DETACHED <input type="checkbox"/> <i>N/A</i>
POINT IN PLUME AT WHICH OPACITY WAS DETERMINED START <i>Drop Pt.</i> STOP <i>Sum</i>	
DESCRIBE BACKGROUND START <i>P.k.</i> STOP <i>Sum</i>	
BACKGROUND COLOR START <i>Black</i> STOP <i>Sum</i>	SKY CONDITIONS START <i>Rain</i> STOP <i>Overcast</i>
WIND SPEED (MPH) START <i>3-10</i> STOP <i>Sum</i>	WIND DIRECTION START <i>SE</i> STOP <i>Sum</i>
AVERAGE OPACITY FOR HIGHEST PERIOD <i>0%</i>	RANGE OF OPACITY READINGS MIN. <i>0%</i> MAX. <i>0%</i>

OBSERVATION DATE <i>10/16/09</i>		START TIME <i>0950</i>				STOP TIME <i>1020</i>			
SEC	0	15	30	45	SEC	0	15	30	45
MIN					MIN				
0	0	0	0	0	30				
1	0	0	0	0	31				
2	0	0	0	0	32				
3	0	0	0	0	33				
4	0	0	0	0	34				
5	0	0	0	0	35				
6	0	0	0	0	36				
7	0	0	0	0	37				
8	0	0	0	0	38				
9	0	0	0	0	39				
10	0	0	0	0	40				
11	0	0	0	0	41				
12	0	0	0	0	42				
13	0	0	0	0	43				
14	0	0	0	0	44				
15	0	0	0	0	45				
16	0	0	0	0	46				
17	0	0	0	0	47				
18	0	0	0	0	48				
19	0	0	0	0	49				
20	0	0	0	0	50				
21	0	0	0	0	51				
22	0	0	0	0	52				
23	0	0	0	0	53				
24	0	0	0	0	54				
25	0	0	0	0	55				
26	0	0	0	0	56				
27	0	0	0	0	57				
28	0	0	0	0	58				
29	0	0	0	0	59				



Comments

---



---



---

### EASTERN TECHNICAL ASSOCIATES

DALE WINGLER

WIN141252 STUDENT ID NUMBER

met the specifications of Federal Reference Method 9 and qualifies as a visible emissions evaluator. Maximum deviation on white and black smoke did not exceed 7.5% opacity and no single error exceeding 15% opacity was incurred during the certification test conducted by Eastern Technical Associates of Raleigh, NC. This certificate is valid for six months from date of issue and expires on the date below.

TAMPA, FL	8/12/2009	375447
SCHOOL LOCATION	DATE OF SCHOOL	CERT NUMBER
TMPF09	2/11/2010	<i>[Signature]</i>
LAST LECTURE	CERTIFICATION EXP DATE	BEARER


I certify that all data provided to the person conducting the test was true and correct to the best of my knowledge:

Signature: *[Signature]* Title: *QC Manager*



CRANE

CRUSHER



STACKER  
ARM

CRUSHED RAP

SCREEN

WATER  
TANKER

TRAILER WITH  
GENERATOR

EP # 3 (BOTTOM)

EP # 2

EP # 6 (UNDERNEATH)

EP # 4 + 11

EP # 8

\* DRAWING NOT TO SCALE \*

OVERSTREET PAVING, INC

OCTOBER 16, 2009

EDEP PERMIT NO:

1010028-007-AC

VEs FOR PAW MATERIALS

STEDMAN RAP CRUSHER

EDEP PERMIT NO:

7770470-007-A6

**FACILITY NAME: PAW MATERIALS, INC.**  
**FACILITY ID NO.: 7770420**  
**EMISSION UNIT NO.: 005**

**P A W RAP Crusher Hours and Fuel Usage**  
**SEPTEMBER**

Week of:	Hours	Tons	Fuel
09-28-09 to 09-30-09	24	3133	108

**OCTOBER**

10-01-09 to 10-02-09	9	1149	40.5
10/5/2009 to 10-09-09	35.5	4588	159.75
10-12-09 to 10-16-09	34.5	4397	155.25
10-19-09 to 10-23-09	21	2751	94.5
10-26-09 to 10-30-09	40	5164	180

Total days of production 23

	Total	Daily Average
Total Tons from 09-28-09 to 10-30-09	21600	939.13
Total Fuel from same	738	32.09
Total hours from same	164	7.13

Average Rate Per Hour ( TPH )  
 ( This time period ) 131.7

12 Month Rolling Averages ; ( As of Final Permit Dated 9-18-09 )  
 Avgs.

Fuel	September	108 gals.	108
	October	630	369
	November	0	246
	December	0	184.5
	January	0	147.6
	February	0	123
	March	0	105.4
	April	0	92.3
	May	0	82
	June	0	73.8
	July	0	67.1
	August	0	61.5

November thru August are assumed totals. If more crushing is necessary then new totals will be calculated for those months.

Lenard F. Felts  
 QC Manager

# Southern Environmental Sciences, Inc.

1204 North Wheeler Street □ Plant City, Florida 33563 □ (813) 752-5014 □ Fax: (813) 752-2475

November 4, 2009

Ms. Danielle Henry  
Environmental Compliance Manager  
FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION  
Southwest District Air Section  
13051 N Telecom Parkway  
Temple Terrace, Florida 33637-0926

Dept. Of Environmental Protection

NOV 05 2009

Southwest District

Re: Overstreet Paving, Inc.  
Spring Hill Asphalt Plant  
Permit No.: 1010028-007-AC  
Portable Crusher EU ID No.: 005


Ms. Henry:

Enclosed is one (1) copy of each of the five (5) visible emissions evaluations performed on the PAW Materials, Inc. portable crusher, FDEP ID No: 7770420, while it was onsite at the above referenced facility. The PAW Materials crusher is a 1985 26 x 44 Stedman, Model 4260H GR SLAM, designated by PAW as Unit No. C - 13. The evaluations were performed on October 16, 2009. Results of the testing were well within the allowable limits established by the permit for this facility.

Please feel free to call if you have any questions concerning the results.

Regards,

SOUTHERN ENVIRONMENTAL  
SCIENCES, INC.



Dale A. Wingler  
Environmental Specialist

Enclosures

cc: Mr. Frank Felts, Overstreet Paving Company





43

VISIBLE EMISSIONS EVALUATION

COMPANY <b>Over Street</b>	
UNIT <b>Rap Crusher</b>	
ADDRESS <b>17728 U.S Hwy 41 S.H. FL 34616</b>	
PERMIT NO. <b>1010028-007-AC</b>	COMPLIANCE <b>YES -</b> NO -
AIRS. NO. <b>1010028</b>	EU NO. <b>005, EP #3</b>
PROCESS RATE <b>135 TPH</b>	PERMITTED RATE <b>200 TPH</b>
PROCESS EQUIPMENT <b>Crushers to Conveyer</b>	
CONTROL EQUIPMENT <b>WATER SPRAY BARS</b>	
OPERATING MODE <b>135 TPH</b>	AMBIENT TEMP (BF) START <b>80</b> STOP <b>-</b>
HEIGHT ABOVE GROUND LEVEL START <b>3'</b> STOP <b>Same</b>	HEIGHT RELATIVE TO OBSERVER START <b>3'</b> STOP <b>Same</b>
DISTANCE FROM OBSERVER START <b>35'</b> STOP <b>Same</b>	DIRECTION FROM OBSERVER START <b>285</b> STOP <b>Same</b>
EMISSION COLOR <b>None</b>	PLUME TYPE CONTIN. - INTERMITTENT <b>H/A</b>
WATER DROPLETS PRESENT? <b>NO -</b> YES -	IS WATER DROPLET PLUME ATTACHED - <b>NO</b>
POINT IN PLUME AT WHICH OPACITY WAS DETERMINED START <b>Bottom of Crush</b> STOP <b>Same</b>	
DESCRIBE BACKGROUND START <b>Gravel and Equipment</b> STOP <b>Same</b>	
BACKGROUND COLOR START <b>Varied</b> STOP <b>Same</b>	SKY CONDITIONS START <b>overcast</b> STOP <b>Same</b>
WIND SPEED (MPH) START <b>3-8</b> STOP <b>Same</b>	WIND DIRECTION START <b>NW</b> STOP <b>Same</b>
AVERAGE OPACITY FOR HIGHEST PERIOD <b>0%</b>	RANGE OF OPACITY READINGS MIN. <b>0%</b> MAX. <b>0%</b>
SOURCE LAYOUT SKETCH Draw North Arrow	
COMMENTS <b>Rainy After This V6 only</b>	

OBSERVATION DATE <b>10/16/09</b>		START TIME <b>9:24</b>				STOP TIME <b>9:31</b>					
SEC	MIN	0	15	30	45	SEC	MIN	1	15	30	45
0	0	0	0	8	0	30					
1	0	0	0	8	0	31					
2	0	0	0	0	0	32					
3	0	0	0	0	0	33					
4	0	0	0	0	0	34					
5	0	0	0	0	0	35					
6	0	0	0	0	0	36					
7	0	0	0	0	0	37					
8	0	0	0	0	0	38					
9	0	0	0	0	0	39					
10	0	0	0	0	0	40					
11	0	0	0	0	0	41					
12						42					
13						43					
14						44					
15						45					
16						46					
17						47					
18						48					
19						49					
20						50					
21						51					
22						52					
23						53					
24						54					
25						55					
26						56					
27						57					
28						58					
29						59					

Observers Signature: *[Signature]*  
 Date: **10/16/09**  
 Observers Organization: Florida Department of Environmental Protection  
 Observer Name and Certified By: \_\_\_\_\_

EASTERN TECHNICAL ASSOCIATES

JOSEPH PANETTA

PAN716659 STUDENT ID NUMBER

met the specifications of Federal Reference Method 9 and qualifies as a visible emissions evaluator. Maximum deviation on white and black smoke did not exceed 7.5% opacity and no single error exceeding 15% opacity was incurred during the certification test conducted by Eastern Technical Associates of Raleigh, NC. This certificate is valid for six months from date of issue and expires on the date below.

TAMPA, FL                      8/12/2009                      375621  
 SCHOOL LOCATION                      DATE OF SCHOOL                      CERT NUMBER  
 TMPS09                      2/11/2010  
 LAST LECTURE                      CERTIFICATION EXP DATE                      BEARER

#6

VISIBLE EMISSIONS EVALUATION

COMPANY **Over Street**

UNIT **E4 00**

ADDRESS **17728 U.S. Hwy 41 Spring Hill**

PERMIT NO. **1010028-007-A6** COMPLIANCE **(YES)** NO -

AIRS NO. **1010028** EU NO. **005 EP#6**

PROCESS RATE **135 TPA** PERMITTED RATE **200 TPH**

PROCESS EQUIPMENT **Crushers - Screen to Conveyor #4**

CONTROL EQUIPMENT **Water Spray Bar**

OPERATING MODE **135 TPH** AMBIENT TEMP (BF) START **80°** STOP **Same**

HEIGHT ABOVE GROUND LEVEL START **6'** STOP **Same** HEIGHT RELATIVE TO OBSERVER START **~4'** STOP **Same**

DISTANCE FROM OBSERVER START **65'** STOP **Same** DIRECTION FROM OBSERVER START **340°** STOP **Same**

EMISSION COLOR **None** PLUME TYPE CONTIN. - **N/A** INTERMITTENT -

WATER DROPLETS PRESENT NO - YES - **Rain** IS WATER DROPLET PLUME ATTACHED - **DETACHED**

POINT IN PLUME AT WHICH OPACITY WAS DETERMINED START **Screen to Conveyor** STOP **Same**

DESCRIBE BACKGROUND START **Eq. PMA** STOP **Same**

BACKGROUND COLOR START **Varied** STOP **Same** SKY CONDITIONS START **SE** STOP **Same**

WIND SPEED (MPH) START **3-8** STOP **Same** WIND DIRECTION START **SE** STOP **Same**

AVERAGE OPACITY FOR HIGHEST PERIOD **0%** RANGE OF OPACITY READINGS MIN. **0%** MAX. **0%**

SOURCE LAYOUT SKETCH

Observer's Position

Sun Location Line

140°

COMMENTS **Raining**

OBSERVATION DATE		START TIME				STOP TIME				
10/16/09		9:55				10:06				
SEC					SEC					
	MIN	0	15	30	45	MIN	1	15	30	45
0	0	0	0	0	30					
1	0	0	0	0	31					
2	0	0	0	0	32					
3	0	0	0	0	33					
4	0	0	0	0	34					
5	0	0	0	0	35					
6	0	0	0	0	36					
7	0	0	0	0	37					
8	0	0	0	0	38					
9	0	0	0	0	39					
10	0	0	0	0	40					
11	0	0	0	0	41					
12					42					
13					43					
14					44					
15					45					
16					46					
17					47					
18					48					
19					49					
20					50					
21					51					
22					52					
23					53					
24	54									
25	55									
26	56									
27	57									
28	58									
29	59									

Observers Signature: *Joseph Panetta*

Date: *10/16/09*

Observers Organization: Florida Department of Environmental Protection

Observer Name and Certified By: \_\_\_\_\_

**EASTERN TECHNICAL ASSOCIATES**

**JOSEPH PANETTA**

PAN716659 STUDENT ID NUMBER

met the specifications of Federal Reference Method 9 and qualifies as a visible emissions evaluator. Maximum deviation on white and black smoke did not exceed 7.5% opacity and no single error exceeding 15% opacity was incurred during the certification test conducted by Eastern Technical Associates of Raleigh, NC. This certificate is valid for six months from date of issue and expires on the date below.

TAMPA, FL 8/12/2009 375621  
 SCHOOL LOCATION DATE OF SCHOOL CERT NUMBER

TMPS09 2/11/2010  
 LAST LECTURE CERTIFICATION EXP DATE BEARER

#4 #11

VISIBLE EMISSIONS EVALUATION

COMPANY <b>Overs Street</b>	
UNIT <b>EM 005 Rap Crusher</b>	
ADDRESS <b>17728 U.S. Hwy 44 S.A. 34610</b>	
PERMIT NO. <b>1010024-007-AC</b>	COMPLIANCE (ES) <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO
AIR NO. <b>1010028</b>	EU NO. <b>005, EPA #11</b>
PROCESS RATE <b>135 TPH</b>	PERMITTED RATE <b>200 TPH</b>
PROCESS EQUIPMENT <b>Crusher Conveyer 1" To Screen</b>	
CONTROL EQUIPMENT <b>Water Spray Bar</b>	
OPERATING MODE <b>135 TPH</b>	AMBIENT TEMP (BF) START <b>80</b> STOP <b>Sen</b>
HEIGHT ABOVE GROUND LEVEL START <b>10'</b> STOP <b>-</b>	HEIGHT RELATIVE TO OBSERVER START <b>29' 9"</b> STOP <b>5'</b>
DISTANCE FROM OBSERVER START <b>50</b> STOP <b>-</b>	DIRECTION FROM OBSERVER START <b>SW</b> STOP <b>294</b>
EMISSION COLOR <b>None</b>	PLUME TYPE CONTIN. <input type="checkbox"/> INTERMITTENT <input type="checkbox"/>
WATER DROPLETS PRESENT? <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES	IS WATER DROPLET PLUME ATTACHED <input type="checkbox"/> DETACHED <input checked="" type="checkbox"/>
POINT IN PLUME AT WHICH OPACITY WAS DETERMINED START <b>Conveyer #1</b> STOP <b>-</b>	
DESCRIBE BACKGROUND START <b>Clouds</b> STOP <b>-</b>	
BACKGROUND COLOR START <b>Dark Clouds</b> STOP <b>Clear</b>	SKY CONDITIONS START <b>Clear</b> STOP <b>-</b>
WIND SPEED (MPH) START <b>5</b> STOP <b>-</b>	WIND DIRECTION START <b>SW</b> STOP <b>-</b>
AVERAGE OPACITY FOR HIGHEST PERIOD <b>0%</b>	RANGE OF OPACITY READINGS MIN. <b>0%</b> MAX. <b>0%</b>
SOURCE LAYOUT SKETCH Draw North Arrow	
COMMENTS <b>Rainy</b>	

OBSERVATION DATE		START TIME				STOP TIME					
10/16/09		9:55				10:06					
SEC	MIN	0	15	30	45	SEC	MIN	1	15	30	45
0	0	0	0	0	0	30					
1	0	0	0	0	0	31					
2	0	0	0	0	0	32					
3	0	0	0	0	0	33					
4	0	0	0	0	0	34					
5	0	0	0	0	0	35					
6	0	0	0	0	0	36					
7	0	0	0	0	0	37					
8	0	0	0	0	0	38					
9	0	0	0	0	0	39					
10	0	0	0	0	0	40					
11	0	0	0	0	0	41					
12						42					
13						43					
14						44					
15						45					
16						46					
17						47					
18						48					
19						49					
20						50					
21						51					
22						52					
23						53					
24						54					
25						55					
26						56					
27						57					
28						58					
29						59					

Observers Signature: *[Signature]*  
 Date: **10/16/09**  
 Observers Organization: Florida Department of Environmental Protection  
 Observer Name and Certified By:

EASTERN TECHNICAL ASSOCIATES

JOSEPH PANETTA

PAN716659 STUDENT ID NUMBER

met the specifications of Federal Reference Method 9 and qualifies as a visible emissions evaluator. Maximum deviation on white and black smoke did not exceed 7.5% opacity and no single error exceeding 15% opacity was incurred during the certification test conducted by Eastern Technical Associates of Raleigh, NC. This certificate is valid for six months from date of issue and expires on the date below.

TAMPA, FL

8/12/2009

375621

SCHOOL LOCATION

DATE OF SCHOOL

CERT NUMBER

TMPS09

2/11/2010

LAST LECTURE

CERTIFICATION EXP DATE

BEARER