

VOC

| Month | 12 Month Rolling Sum of Polymer and Resin Production | 12 Month Rolling Sum of Regulated Plant-Wide Fugitive Emissions | 12 Month Rolling Sum of Total |
|--------|--|---|-------------------------------|
| Jan-09 | 6.54 | 48.18 | 54.72 |
| Feb-09 | 6.45 | 48.13 | 54.58 |
| Mar-09 | 6.35 | 48.08 | 54.43 |
| Apr-09 | 6.27 | 48.08 | 54.35 |
| May-09 | 6.15 | 48.08 | 54.23 |
| Jun-09 | 6.10 | 48.08 | 54.18 |
| Jul-09 | 6.07 | 48.07 | 54.14 |
| Aug-09 | 5.97 | 48.06 | 54.03 |
| Sep-09 | 5.94 | 48.06 | 54.00 |
| Oct-09 | 5.87 | 48.06 | 53.93 |
| Nov-09 | 5.87 | 48.07 | 53.94 |
| Dec-09 | 5.80 | 48.06 | 53.86 |

Permit limit:
7.00 tpy

Permit limit:
53.82 tpy

Permit limit:
60.82 tpy

VOC

| Month | 12 Month Rolling Sum of Polymer and Resin Production | 12 Month Rolling Sum of Regulated Plant-Wide Fugitive Emissions | 12 Month Rolling Sum of Total |
|--------|--|---|-------------------------------|
| Jan-10 | 5.77 | 48.18 | 53.95 |
| Feb-10 | 5.75 | 48.17 | 53.92 |
| Mar-10 | 5.75 | 48.28 | 54.03 |
| Apr-10 | 5.75 | 48.36 | 54.11 |
| May-10 | 5.75 | 48.43 | 54.18 |
| Jun-10 | 5.75 | 48.51 | 54.26 |
| Jul-10 | | | |
| Aug-10 | | | |
| Sep-10 | | | |
| Oct-10 | | | |
| Nov-10 | | | |
| Dec-10 | | | |

June 2010 VOC Emissions

| SOCMI Factors | | | |
|------------------------|--------------|---------|---------|
| Equipment Type | Service | kg/hr | lb/hr |
| Valves | Gas | 0.00597 | 0.01316 |
| | Light Liquid | 0.00403 | 0.00888 |
| | Heavy Liquid | 0.00023 | 0.00051 |
| Pump Seals | Light Liquid | 0.01990 | 0.04387 |
| | Heavy Liquid | 0.00862 | 0.01900 |
| Compressor Seals | Gas | 0.22800 | 0.50265 |
| Pressure Relief Valves | Gas | 0.10400 | 0.22928 |
| Connectors | All | 0.00183 | 0.00403 |
| Open-ended Lines | All | 0.00170 | 0.00375 |
| Sampling Connections | All | 0.01500 | 0.03307 |

| Vessel | Chemical | Service | Valves (Gas) | Valves (Liquid) | Pump Seals | Pressure Relief Valves | Connectors | Open Ended Lines | Sampling Connections | Agitators | Hours of Service (Monthly) | Hours of Service (YTD) | Weight Fraction of TOC | Kg/mo. | Lbs/mo. | Tons for Month | Kg/YTD. | Lbs/YTD | Tons YTD | |
|-------------------------------|-----------------|---------------|--------------|-----------------|------------|------------------------|------------|------------------|----------------------|-----------|----------------------------|------------------------|------------------------|--------|---------|----------------|---------|---------|----------|-------|
| R-1 | Product Mix | Heavy Liquid | 0 | 54 | 2 | 2 | 265 | 16 | 1 | 1 | 720 | 4344 | 0.01 | 6 | 12 | 0.01 | 34 | 74 | 0.04 | |
| R-2 | Product Mix | Light Liquid | 0 | 73 | 1 | 2 | 295 | 24 | 2 | 1 | 0 | 0 | 0.25 | 0 | 0 | 0.00 | 0 | 0 | 0.00 | |
| R-3 | Product Mix | Light Liquid | 0 | 42 | 1 | 2 | 211 | 12 | 1 | 1 | 720 | 4344 | 0.25 | 151 | 333 | 0.17 | 911 | 2008 | 1.00 | |
| R-4 | Product Mix | Light Liquid | 0 | 13 | 1 | 2 | 123 | 3 | 7 | 1 | 360 | 2172 | 0.37 | 85 | 187 | 0.09 | 511 | 1126 | 0.56 | |
| R-9 | Product Mix | Light Liquid | 0 | 48 | 1 | 2 | 309 | 3 | 2 | 1 | 720 | 4344 | 0.25 | 188 | 413 | 0.21 | 1131 | 2494 | 1.25 | |
| Tank 65 | Product Mix | Light Liquid | 0 | 23 | 1 | 1 | 52 | 0 | 1 | 1 | 360 | 2172 | 0.37 | 46 | 102 | 0.05 | 279 | 614 | 0.31 | |
| Tank 73 | Product Mix | Light Liquid | 0 | 3 | 0 | 1 | 23 | 0 | 1 | 1 | 0 | 120 | 0.32 | 0 | 0 | 0.00 | 7 | 16 | 0.01 | |
| Tank 82 | Xylene | Light Liquid | 0 | 30 | 1 | 1 | 222 | 0 | 0 | 0 | 720 | 4344 | 1.00 | 469 | 1033 | 0.52 | 2828 | 6235 | 3.12 | |
| Tank 87 | Butanol | Light Liquid | 0 | 23 | 1 | 1 | 91 | 0 | 0 | 0 | 720 | 4344 | 1.00 | 276 | 608 | 0.30 | 1664 | 3669 | 1.83 | |
| Tank 15 | Hexoxy HD | Heavy Liquid | 0 | 13 | 1 | 1 | 60 | 4 | 1 | 0 | 720 | 4344 | 0.02 | 4 | 8 | 0.00 | 21 | 47 | 0.02 | |
| Tank 16 | Epon 826 | Heavy Liquid | 0 | 9 | 0 | 1 | 48 | 4 | 1 | 1 | 720 | 4344 | 0.00 | 0 | 0 | 0.00 | 0 | 0 | 0.00 | |
| Tank 25 | Jeffamine D-230 | Heavy Liquid | 0 | 29 | 0 | 1 | 86 | 7 | 0 | 0 | 720 | 4344 | 0.25 | 50 | 111 | 0.06 | 304 | 670 | 0.34 | |
| Tank 47 | Recovered TETA | Heavy Liquid | 0 | 4 | 1 | 1 | 38 | 2 | 0 | 0 | 720 | 4344 | 0.02 | 3 | 6 | 0.00 | 16 | 36 | 0.02 | |
| Tank 48 | Epon 154 | Heavy Liquid | 0 | 23 | 1 | 2 | 135 | 9 | 0 | 0 | 720 | 4344 | 0.01 | 3 | 8 | 0.00 | 21 | 46 | 0.02 | |
| Tank 55 | TEPA | Heavy Liquid | 0 | 22 | 0 | 2 | 101 | 0 | 2 | 0 | 720 | 4344 | 0.01 | 3 | 7 | 0.00 | 19 | 41 | 0.02 | |
| Tank 56 | DETA | Heavy Liquid | 0 | 7 | 1 | 2 | 58 | 4 | 0 | 0 | 720 | 4344 | 1.00 | 238 | 526 | 0.26 | 1439 | 3172 | 1.59 | |
| Tank 57 | TETA | Heavy Liquid | 0 | 10 | 1 | 2 | 98 | 3 | 0 | 0 | 720 | 4344 | 0.02 | 6 | 13 | 0.01 | 35 | 77 | 0.04 | |
| Tank 58 | TETA | Heavy Liquid | 0 | 10 | 1 | 2 | 98 | 3 | 0 | 0 | 720 | 4344 | 0.02 | 6 | 13 | 0.01 | 35 | 77 | 0.04 | |
| Tank 60 | TOFA | Heavy Liquid | 0 | 22 | 1 | 1 | 59 | 8 | 0 | 0 | 720 | 4344 | 0.01 | 2 | 4 | 0.00 | 10 | 23 | 0.01 | |
| Tank 75 | TOFA | Heavy Liquid | 0 | 47 | 2 | 1 | 182 | 14 | 0 | 0 | 720 | 4344 | 0.01 | 4 | 8 | 0.00 | 21 | 47 | 0.02 | |
| Tank 77 | TOLUENE | Light Liquid | 0 | 17 | 1 | 1 | 27 | 2 | 2 | 0 | 720 | 4344 | 1.00 | 198 | 437 | 0.22 | 1196 | 2636 | 1.32 | |
| Tank 80 | Benzyl Alcohol | Heavy Liquid | 0 | 12 | 1 | 1 | 66 | 0 | 0 | 0 | 720 | 4344 | 1.00 | 170 | 375 | 0.19 | 1026 | 2262 | 1.13 | |
| Tank 83 | Nonyl Phenol | Heavy Liquid | 0 | 19 | 1 | 1 | 63 | 4 | 0 | 0 | 720 | 4344 | 1.00 | 172 | 379 | 0.19 | 1039 | 2290 | 1.14 | |
| Tank 84 | EGMPE | Heavy Liquid | 0 | 34 | 2 | 1 | 388 | 12 | 0 | 0 | 720 | 4344 | 1.00 | 619 | 1364 | 0.68 | 3734 | 8231 | 4.12 | |
| Tank 902 | RIMR 135 | Heavy Liquid | 0 | 14 | 1 | 1 | 82 | 2 | 1 | 1 | 720 | 4344 | 0.00 | 1 | 2 | 0.00 | 5 | 11 | 0.01 | |
| Vent Header | Total VOC's | Mixed Liquids | 83 | 51 | 6 | 0 | 645 | 60 | 0 | 0 | 720 | 4344 | 1.00 | 1326 | 2923 | 1.46 | 7999 | 17634 | 8.82 | |
| Wastewater Treatment Facility | Total VOC's | Mixed Liquids | | | | | | | | | | | | 46 | 101 | 0.05 | 274 | 604 | 0.30 | |
| | | | | | | | | | | | | | | Total | 4024 | 8871 | 4.49 | 24558 | 54140 | 27.07 |

Revisions For 2010

Carbon Control System Operating S

Permit limit: 960 hrs./year

| | Operating hours | 12 month sum (hrs) | 12 month avg (hrs) |
|--------|-----------------|--------------------|--------------------|
| Jan-09 | 8.97 | 206.15 | 17.18 |
| Feb-09 | 4.47 | 203.50 | 16.96 |
| Mar-09 | 6.47 | 183.37 | 15.28 |
| Apr-09 | 4.48 | 161.95 | 13.50 |
| May-09 | 10.35 | 161.20 | 13.43 |
| Jun-09 | 19.50 | 170.60 | 14.22 |
| Jul-09 | 15.52 | 168.02 | 14.00 |
| Aug-09 | 7.05 | 115.37 | 9.61 |
| Sep-09 | 45.63 | 151.84 | 12.65 |
| Oct-09 | 22.76 | 159.50 | 13.29 |
| Nov-09 | 36.22 | 194.72 | 16.23 |
| Dec-09 | 3.98 | 185.40 | 15.45 |
| Jan-10 | 4.60 | 181.03 | 15.09 |
| Feb-10 | 6.38 | 182.95 | 15.25 |
| Mar-10 | 14.20 | 190.68 | 15.89 |
| Apr-10 | 25.62 | 211.82 | 17.65 |
| May-10 | 24.75 | 226.22 | 18.85 |
| Jun-10 | 57.28 | 264.00 | 22.00 |
| Jul-10 | 47.56 | 296.04 | 24.67 |

| Hexion Specialty Chemicals, Inc., Lakeland Plant | | | | |
|---|------------------------------|-------------------|-----------------------------|----------------------------|
| Date and Time Down | Date and Time On-line | Hours Down | Cumulative Down Time | Cause of Disruption |
| 7/2/2010 11:58 | 7/2/2010 12:44 | 0.76667 | 126.68333 | High Temp |
| 7/2/2010 13:33 | 7/2/2010 13:36 | 0.05000 | 126.73333 | High Temp |
| 7/2/2010 21:32 | 7/2/2010 22:36 | 1.06667 | 127.80000 | High Temp |
| 7/3/2010 12:28 | 7/3/2010 12:37 | 0.15000 | 127.95000 | High Temp |
| 7/3/2010 14:40 | 7/3/2010 14:57 | 0.28333 | 128.23333 | High Temp |
| 7/3/2010 20:11 | 7/3/2010 20:57 | 0.76667 | 129.00000 | High Temp;High LEL |
| 7/4/2010 3:50 | 7/4/2010 4:15 | 0.41667 | 129.41667 | High Temp;High LEL |
| 7/4/2010 15:33 | 7/4/2010 15:45 | 0.20000 | 129.61667 | High Temp |
| 7/6/2010 0:02 | 7/6/2010 0:29 | 0.45000 | 130.06667 | High Temp;High LEL |
| 7/6/2010 0:30 | 7/6/2010 0:37 | 0.11667 | 130.18333 | High Temp;High LEL |
| 7/6/2010 0:38 | 7/6/2010 3:17 | 2.65000 | 132.83333 | High Temp |
| 7/6/2010 12:55 | 7/6/2010 13:13 | 0.30000 | 133.13333 | High Temp |
| 7/6/2010 14:49 | 7/6/2010 14:58 | 0.15000 | 133.28333 | High Temp |
| 7/6/2010 19:40 | 7/6/2010 19:48 | 0.13333 | 133.41667 | High Temp |
| 7/7/2010 0:34 | 7/7/2010 0:59 | 0.41667 | 133.83333 | High Temp |
| 7/7/2010 7:43 | 7/7/2010 7:52 | 0.15000 | 133.98333 | High Temp |
| 7/7/2010 17:18 | 7/7/2010 17:31 | 0.21667 | 134.20000 | High Temp |
| 7/7/2010 23:58 | 7/8/2010 0:08 | 0.16667 | 134.36667 | High Temp |
| 7/8/2010 0:21 | 7/8/2010 1:00 | 0.65000 | 135.01667 | High Temp |
| 7/8/2010 3:09 | 7/8/2010 5:03 | 1.90000 | 136.91667 | High Temp |
| 7/9/2010 22:21 | 7/9/2010 22:50 | 0.48333 | 137.40000 | High Temp;R7 vent |
| 7/9/2010 22:50 | 7/9/2010 23:30 | 0.66667 | 138.06667 | High Temp;R7 vent |
| 7/9/2010 23:30 | 7/9/2010 23:49 | 0.31667 | 138.38333 | High Temp |
| 7/10/2010 0:57 | 7/10/2010 2:03 | 1.10000 | 139.48333 | High Temp |
| 7/10/2010 2:04 | 7/10/2010 2:05 | 0.01667 | 139.50000 | High Temp |
| 7/10/2010 18:40 | 7/10/2010 18:51 | 0.18333 | 139.68333 | High Temp |
| 7/10/2010 23:20 | 7/10/2010 23:29 | 0.15000 | 139.83333 | High Temp |
| 7/12/2010 10:45 | 7/12/2010 10:48 | 0.05000 | 139.88333 | High Temp |
| 7/12/2010 10:49 | 7/12/2010 14:46 | 3.95000 | 143.83333 | High Temp |
| 7/12/2010 15:35 | 7/12/2010 15:54 | 0.31667 | 144.15000 | High Temp |
| 7/12/2010 16:18 | 7/12/2010 17:15 | 0.95000 | 145.10000 | High Temp |
| 7/12/2010 22:48 | 7/12/2010 23:00 | 0.20000 | 145.30000 | High Temp |
| 7/12/2010 23:02 | 7/12/2010 23:20 | 0.30000 | 145.60000 | High Temp |
| 7/12/2010 23:21 | 7/13/2010 0:54 | 1.55000 | 40517.63750 | High Temp |
| 7/13/2010 11:30 | 7/13/2010 11:36 | 0.10000 | 40517.73750 | High Temp |
| 7/17/2010 2:31 | 7/17/2010 2:38 | 0.11667 | 40517.85417 | High Temp |
| 7/17/2010 3:35 | 7/17/2010 3:54 | 0.31667 | 40518.17083 | High Temp |
| 7/17/2010 7:14 | 7/17/2010 7:28 | 0.23333 | 40518.40417 | High Temp |
| 7/17/2010 9:54 | 7/17/2010 10:12 | 0.30000 | 40518.70417 | High Temp |
| 7/17/2010 10:36 | 7/17/2010 13:17 | 2.68333 | 40521.38750 | R7 Cooling & Venting |
| 7/17/2010 23:26 | 7/17/2010 23:27 | 0.01667 | 40521.40417 | High Temp |
| 7/17/2010 23:27 | 7/17/2010 23:30 | 0.05000 | 40521.45417 | High Temp |
| 7/18/2010 5:26 | 7/18/2010 5:40 | 0.23333 | 40521.68750 | High Temp |
| 7/18/2010 12:10 | 7/18/2010 12:48 | 0.63333 | 40522.32083 | R09 |
| 7/18/2010 14:38 | 7/18/2010 15:49 | 1.18333 | 40523.50417 | R09 |
| 7/18/2010 15:54 | 7/18/2010 17:22 | 1.46667 | 40524.97083 | R09 |
| 7/18/2010 21:12 | 7/18/2010 22:13 | 1.01667 | 40525.98750 | High Temp |
| 7/18/2010 22:23 | 7/18/2010 23:05 | 0.70000 | 40526.68750 | High Temp |
| 7/19/2010 0:27 | 7/19/2010 0:51 | 0.40000 | 40527.08750 | High Temp |
| 7/19/2010 3:22 | 7/19/2010 3:41 | 0.31667 | 40527.40417 | High Temp |
| 7/19/2010 17:23 | 7/19/2010 17:44 | 0.35000 | 40527.75417 | High Temp;High LEL |

| Hexion Specialty Chemicals, Inc., Lakeland Plant | | | | |
|--|-----------------------|------------|----------------------|---|
| Date and Time Down | Date and Time On-line | Hours Down | Cumulative Down Time | Cause of Disruption |
| 7/19/2010 17:44 | 7/19/2010 18:27 | 0.71667 | 40528.12083 | High Temp |
| 7/19/2010 19:35 | 7/19/2010 19:40 | 0.08333 | 40528.20417 | High Temp |
| 7/20/2010 23:47 | 7/20/2010 23:54 | 0.11667 | 40528.32083 | High Temp |
| 7/21/2010 2:30 | 7/21/2010 2:37 | 0.11667 | 40528.43750 | High Temp |
| 7/21/2010 2:38 | 7/21/2010 2:50 | 0.20000 | 40528.63750 | High Temp |
| 7/21/2010 4:26 | 7/21/2010 5:05 | 0.65000 | 40529.28750 | High Temp |
| 7/22/2010 2:23 | 7/22/2010 2:30 | 0.11667 | 40529.40417 | R09/Toluene |
| 7/22/2010 7:15 | 7/22/2010 7:26 | 0.18333 | 40529.58750 | R09/Toluene |
| 7/22/2010 17:34 | 7/22/2010 17:40 | 0.10000 | 40529.68750 | High LEL's |
| 7/24/2010 0:06 | 7/24/2010 0:31 | 0.41667 | 40530.10417 | High Temp;High LEL |
| 7/24/2010 8:08 | 7/24/2010 8:48 | 0.66667 | 40530.77083 | High Temp |
| 7/24/2010 8:48 | 7/24/2010 9:57 | 1.15000 | 40531.92083 | High Temp |
| 7/24/2010 9:57 | 7/24/2010 9:58 | 0.01667 | 40531.93750 | High Temp |
| 7/24/2010 10:44 | 7/24/2010 11:04 | 0.33333 | 40532.27083 | High Temp |
| 7/24/2010 12:36 | 7/24/2010 13:56 | 1.33333 | 40533.60417 | High Temp |
| 7/27/2010 2:27 | 7/27/2010 2:37 | 0.16667 | 40533.77083 | High Temp |
| 7/27/2010 2:38 | 7/27/2010 2:51 | 0.21667 | 40533.98750 | High Temp |
| 7/27/2010 2:52 | 7/27/2010 5:31 | 2.65000 | 40536.63750 | High Temp |
| 7/27/2010 22:47 | 7/27/2010 23:21 | 0.56667 | 40537.20417 | High Temp |
| 7/28/2010 9:46 | 7/28/2010 10:00 | 0.23333 | 40537.43750 | High Temp |
| 7/28/2010 11:43 | 7/28/2010 11:57 | 0.23333 | 40537.67083 | High Temp |
| 7/28/2010 15:49 | 7/28/2010 15:57 | 0.13333 | 40537.80417 | R04/Xylene strip |
| 7/28/2010 16:07 | 7/28/2010 16:17 | 0.16667 | 40537.97083 | High Temp |
| 7/28/2010 16:19 | 7/28/2010 16:29 | 0.16667 | 40538.13750 | High Temp |
| 7/28/2010 16:31 | 7/28/2010 17:05 | 0.56667 | 40538.70417 | High Temp |
| 7/28/2010 17:05 | 7/28/2010 17:26 | 0.35000 | 40539.05417 | High Temp |
| 7/29/2010 12:06 | 7/29/2010 14:35 | 2.48333 | 40541.53750 | High Temp |
| 7/29/2010 15:51 | 7/29/2010 16:13 | 0.36667 | 40541.90417 | High Temp |
| 7/30/2010 1:14 | 7/30/2010 1:40 | 0.43333 | 40542.33750 | High Temp |
| 7/31/2010 15:39 | 7/31/2010 15:51 | 0.20000 | 40542.53750 | High Temp |
| 7/31/2010 16:13 | 7/31/2010 16:48 | 0.58333 | 40543.12083 | High Temp |
| 7/31/2010 17:05 | 7/31/2010 17:06 | 0.01667 | 40543.13750 | High Temp |
| 7/31/2010 17:07 | 7/31/2010 17:36 | 0.48333 | 40543.62083 | High Temp |
| 8/1/2010 0:53 | 8/1/2010 1:09 | 0.26667 | 40543.88750 | High Temp |
| 8/1/2010 4:03 | 8/1/2010 4:15 | 0.20000 | 40544.08750 | High Temp |
| 8/1/2010 13:34 | 8/1/2010 14:01 | 0.45000 | 40544.53750 | High Temp |
| 8/2/2010 6:38 | 8/2/2010 6:50 | 0.20000 | 40544.73750 | High Temp |
| 8/2/2010 11:52 | 8/2/2010 11:57 | 0.08333 | 40544.82083 | High Temp |
| 8/2/2010 14:41 | 8/2/2010 14:53 | 0.20000 | 40545.02083 | High Temp |
| 8/3/2010 4:27 | 8/3/2010 15:06 | 10.65000 | 40555.67083 | Incinerator Maintenance Shutdown-Defonation & Flame Arrestors |
| 8/4/2010 0:26 | 8/4/2010 0:32 | 0.10000 | 40555.77083 | High Temp |
| 8/4/2010 13:08 | 8/4/2010 13:24 | 0.26667 | 40556.03750 | High Temp |
| 8/4/2010 13:31 | 8/4/2010 13:55 | 0.40000 | 40556.43750 | High Temp |
| 8/4/2010 13:55 | 8/4/2010 14:02 | 0.11667 | 40556.55417 | High Temp |
| 8/4/2010 17:26 | 8/4/2010 18:06 | 0.66667 | 40557.22083 | High Temp |
| 8/4/2010 21:06 | 8/4/2010 21:23 | 0.28333 | 40557.50417 | High Temp |
| 8/5/2010 10:44 | 8/5/2010 11:13 | 0.48333 | 40557.98750 | High Temp |
| 8/5/2010 20:16 | 8/5/2010 20:23 | 0.11667 | 40558.10417 | High Temp |
| 8/6/2010 12:18 | 8/6/2010 13:23 | 1.08333 | 40559.18750 | High Temp |
| 8/6/2010 13:23 | 8/6/2010 13:38 | 0.25000 | 40559.43750 | High Temp |
| 8/6/2010 18:42 | 8/6/2010 18:48 | 0.10000 | 40559.53750 | High Temp |

| Hexion Specialty Chemicals, Inc., Lakeland Plant | | | | |
|---|------------------------------|-------------------|-----------------------------|----------------------------|
| Date and Time Down | Date and Time On-line | Hours Down | Cumulative Down Time | Cause of Disruption |
| 8/6/2010 18:50 | 8/6/2010 18:56 | 0.10000 | 40559.63750 | High Temp |
| 8/6/2010 22:00 | 8/6/2010 23:02 | 1.03333 | 40560.67083 | High Temp |
| 8/7/2010 0:18 | 8/7/2010 0:27 | 0.15000 | 40560.82083 | High Temp |
| 8/7/2010 0:44 | 8/7/2010 0:52 | 0.13333 | 40560.95417 | High Temp |
| 8/8/2010 8:38 | 8/8/2010 8:50 | 0.20000 | 40561.15417 | High Temp |
| 8/10/2010 1:01 | 8/10/2010 1:24 | 0.38333 | 40561.53750 | R04 strip |
| 8/10/2010 1:24 | 8/10/2010 1:28 | 0.06667 | 40561.60417 | R04 strip |