

FULL COMPLIANCE EVALUATION (FCE) CHECKLIST

ARMS ID 1110004	OWNER/COMPANY Tropicana Manufacturing Company	SITE NAME Fort Pierce Citrus Processing
<input checked="" type="checkbox"/> TITLE V	<input type="checkbox"/> SYNTHETIC MINOR (Emissions limited to \geq 80% and < 100% of major source thresholds)	DATE OF THIS FCE: 09 /07 / 2012 <input checked="" type="checkbox"/> ON-SITE ASSESSMENT <input type="checkbox"/> OFF-SITE ASSESSMENT (Explain reason for Off-Site in 'Comments')
<input type="checkbox"/> TITLE V MEGA-SITE*	<input type="checkbox"/> OTHER:	DATE OF PREVIOUS FCE: 8 / 06 / 2010

*Facility with a large number of complex emissions units. It is more reasonable to evaluate a Title V Mega-Site once every 3 years instead of once every 2 years.

REVIEW OF ALL REQUIRED REPORTS

PERIODIC REPORTS	COMMENTS
<input checked="" type="checkbox"/> DONE <input type="checkbox"/> N/A Annual Operating	3/21/12, 3/14/11
<input checked="" type="checkbox"/> DONE <input type="checkbox"/> N/A Annual Statement of Compliance – Title V	2/28/12, 3/9/11
<input type="checkbox"/> DONE <input type="checkbox"/> N/A Title V Semi-Annual Monitoring	
<input type="checkbox"/> DONE <input type="checkbox"/> N/A Semi-Annual Compliance	
<input type="checkbox"/> DONE <input type="checkbox"/> N/A Quarterly Compliance	
<input type="checkbox"/> DONE <input checked="" type="checkbox"/> N/A Stack Test	Required at permit renewal, last conducted 4/9/10
<input checked="" type="checkbox"/> DONE <input type="checkbox"/> N/A Visible Emissions Test	4/10/12, 9/26/11, 4/19/11,
<input type="checkbox"/> DONE <input type="checkbox"/> N/A Other:	

CONTINUOUS EMISSION MONITOR REPORTS	COMMENTS
<input type="checkbox"/> DONE <input checked="" type="checkbox"/> N/A Quarterly excess emissions	No CEMS
<input type="checkbox"/> DONE <input checked="" type="checkbox"/> N/A Semi-annual	No CEMS
<input type="checkbox"/> DONE <input checked="" type="checkbox"/> N/A RATA	No CEMS
<input type="checkbox"/> DONE <input checked="" type="checkbox"/> N/A CGA	No CEMS
<input type="checkbox"/> DONE <input checked="" type="checkbox"/> N/A Other :	No CEMS
<input type="checkbox"/> DONE <input checked="" type="checkbox"/> N/A Other :	No CEMS

OBSERVATIONS AND RECORDS REVIEW

OBSERVATIONS AND RECORDS	COMMENTS
<input checked="" type="checkbox"/> DONE <input type="checkbox"/> N/A Visible emission observation(s)	4/10/12, 9/26/11
<input checked="" type="checkbox"/> DONE <input type="checkbox"/> N/A Review of facility records and logs	9/7/2012
<input checked="" type="checkbox"/> DONE <input type="checkbox"/> N/A Assessment of process parameters (feed rates, process rates, raw material compositions, etc.)	9/7/2012
<input type="checkbox"/> DONE <input checked="" type="checkbox"/> N/A Assessment of control equipment performance parameters (water flow rates, pressure drops, temperatures, ESP power levels, etc.)	
<input type="checkbox"/> DONE <input checked="" type="checkbox"/> N/A Stack test observation(s)	Stack testing required only at permit renewal
<input type="checkbox"/> DONE <input type="checkbox"/> N/A Other :	
<input type="checkbox"/> DONE <input type="checkbox"/> N/A Other :	

FULL COMPLIANCE EVALUATION (FCE) CHECKLIST

INSPECTION REPORTS (COMPLIANCE MONITORING REPORTS)

DATE OF INSPECTION	DATE OF INSPECTION REPORT	FULL/PARTIAL (F OR P)	INVESTIGATIVE (YES OR NO)	LOCATION OF INSPECTION REPORT REQUIRED ELEMENTS:					FINDINGS & RECOMMENDATIONS
				FACILITY INFO	APPLICABLE REQUIREMENTS	LIST OF EUS	ENFORCEMENT HISTORY	COMPLIANCE ACTIVITIES	
9/07/2012 FCE	9/7/2012	F	No	<input checked="" type="checkbox"/> EASIIR/ARMS/APDS <input checked="" type="checkbox"/> Paper Files	<input checked="" type="checkbox"/> EASIIR/ARMS/APDS <input checked="" type="checkbox"/> Paper Files	<input checked="" type="checkbox"/> EASIIR/ARMS/APDS <input checked="" type="checkbox"/> Paper Files	<input checked="" type="checkbox"/> EASIIR/ARMS/ACES <input checked="" type="checkbox"/> Paper Files	<input checked="" type="checkbox"/> EASIIR/ARMS/ACES <input checked="" type="checkbox"/> Paper Files	<input checked="" type="checkbox"/> EASIIR/ARMS/ACES <input checked="" type="checkbox"/> Paper Files
4/10/2012 INS3	4/12/2012	P	No	<input checked="" type="checkbox"/> EASIIR/ARMS/APDS <input checked="" type="checkbox"/> Paper Files	<input checked="" type="checkbox"/> EASIIR/ARMS/APDS <input checked="" type="checkbox"/> Paper Files	<input checked="" type="checkbox"/> EASIIR/ARMS/APDS <input checked="" type="checkbox"/> Paper Files	<input checked="" type="checkbox"/> EASIIR/ARMS/ACES <input checked="" type="checkbox"/> Paper Files	<input checked="" type="checkbox"/> EASIIR/ARMS/ACES <input checked="" type="checkbox"/> Paper Files	<input checked="" type="checkbox"/> EASIIR/ARMS/ACES <input checked="" type="checkbox"/> Paper Files
4/11/2012 INS3	5/19/2010	P	No	<input checked="" type="checkbox"/> EASIIR/ARMS/APDS <input checked="" type="checkbox"/> Paper Files	<input checked="" type="checkbox"/> EASIIR/ARMS/APDS <input checked="" type="checkbox"/> Paper Files	<input checked="" type="checkbox"/> EASIIR/ARMS/ACES <input checked="" type="checkbox"/> Paper Files	<input checked="" type="checkbox"/> EASIIR/ARMS/ACES <input checked="" type="checkbox"/> Paper Files	<input checked="" type="checkbox"/> EASIIR/ARMS/ACES <input checked="" type="checkbox"/> Paper Files	<input checked="" type="checkbox"/> EASIIR/ARMS/ACES <input checked="" type="checkbox"/> Paper Files

In-house tools with electronic report generation features: ARMS (Air Resource Management System) database; and EASIIR (Electronic Access System for Inspection Information Retrieval)
 Internet-accessible information: ACES (Air Compliance and Enforcement Search); and APDS (Air Permit Documents Search)

COMMENTS

SED staff reviewed the records on site and walked through the facility. Review of records found no violations. The facility runs on mostly natural. Several of the boilers are being modified to burn landfill gas as well. EU 3 is currently inactive due to damage, with no immediate plans for repair. EU2 is being converted to accept both natural and land fill gas. The facility is mostly shut down with the exception of the packaging center due to the summer months.

Prepared by: Patricia Tampas Date: 9/7/2012

Reviewed by: _____ Date: _____

May 2012 - Oil Recovery

Entry	Date	Type of Fruit Processed	Total Boxes of Fruit	Lbs of Fruit per Box	Boxes in Bins	Trailers Unloaded	Cull Rate	Boxes of Culls	Total tons of Fruit	Lb of oil/box of fruit	Total Lbs of oil available in fruit	Finished Lbs of peel per box of fruit	Moisture Content in Finished Peel	Dry Tons of Peel	Lbs of oil per dry ton of Pressed Cake	Lbs of oil per dry ton of Dry Peel	Total Lbs of oil in Pressed Cake	Total Lbs of oil in Dry Peel	Total Lbs of oil in stock	Capture	
Tuesday	5/7/2012	Val	98,305	90	5828	148	8.2	1198	4,308	18.12	83,865	8.6	19.0	419	63.56	9.14	23,185.73	1,865	21,200	75%	
Wednesday	5/2/2012	Val	72,422	90	8080	128	8.5	1048	3,308	18.38	60,430	8.6	12.1	318	57.27	5.84	15,904.48	1,587	14,337	76%	
Thursday	5/3/2012	Val	71,368	90	12759	127	8.2	1042	3,258	18.52	55,524	8.6	12.5	311	58.18	5.24	15,851.25	1,428	14,423	74%	
Friday	5/4/2012	Val	70,561	90	6654	108	8.2	887	3,215	17.30	55,835	8.6	13.2	307	58.47	5.84	15,899.44	1,505	14,354	74%	
Saturday	5/5/2012	Val	94,377	90	9278	113	8.6	973	2,841	17.57	51,877	8.6	13.3	281	62.60	5.85	15,225.91	1,424	13,802	73%	
Sunday	5/6/2012	Val	87,289	90	7371	110	8.1	882	3,058	18.28	52,281	8.6	13.6	283	58.14	5.80	14,727.56	1,420	13,308	75%	
Monday	5/7/2012	Val	55,777	90	6108	91	8	729	2,543	18.93	43,060	8.6	13.6	243	58.48	5.64	12,273.39	1,183	11,088	74%	
Tuesday	5/8/2012	Val	58,343	90	5024	86	8.1	779	2,690	18.42	41,031	8.6	11.3	284	59.20	5.84	11,319.51	1,273	10,047	76%	
Wednesday	5/9/2012	Val	65,469	90	2387	108	7.7	817	3,028	14.78	41,764	8.6	12.7	289	47.77	5.85	11,928.22	1,478	10,451	77%	
Thursday	5/10/2012	Val	49,148	90	2337	81	8.1	857	2,241	17.10	38,330	8.6	13.6	214	61.77	6.08	9,548.30	1,116	8,431	78%	
Friday	5/11/2012	Val	74,248	90	5443	130	7.7	1022	3,368	18.46	62,579	8.6	12.4	324	58.47	5.64	16,887.65	1,600	15,288	76%	
Saturday	5/12/2012	Val	61,281	90	0	128	7.7	987	3,751	16.32	63,067	8.6	12.0	354	60.08	5.41	16,697.40	1,694	17,003	73%	
Sunday	5/13/2012	Val	51,201	90	6369	86	9.3	912	2,347	17.57	39,950	8.6	13.5	224	60.24	5.77	11,676.27	1,118	10,558	74%	
Monday	5/14/2012	Val	65,837	90	10059	118	9.2	1056	3,003	17.71	53,187	8.6	13.4	287	57.64	5.82	14,328.89	1,399	12,929	76%	
Tuesday	5/15/2012	Val	68,048	90	8787	111	8.1	1044	3,109	17.00	52,861	8.6	12.4	287	58.67	5.62	15,268.34	1,464	13,804	74%	
Wednesday	5/16/2012	Val	79,735	90	3424	126	9.2	1180	3,840	15.56	56,631	8.6	13.8	338	58.06	5.69	17,389.10	1,703	15,686	72%	
Thursday	5/17/2012	Val	62,774	90	0	103	8.1	938	2,867	18.20	46,433	8.6	13.8	274	73.42	5.81	17,338.22	1,386	15,954	85%	
Friday	5/18/2012	Down for Season																			
Saturday	5/19/2012																				
Sunday	5/20/2012																				
Monday	5/21/2012																				
Tuesday	5/22/2012																				
Wednesday	5/23/2012																				
Thursday	5/24/2012																				
Friday	5/25/2012																				
Saturday	5/26/2012																				
Sunday	5/27/2012																				
Monday	5/28/2012																				
Tuesday	5/29/2012																				
Wednesday	5/30/2012																				
Thursday	5/31/2012																				

Minimum 63%
Average 74%
Maximum 78%

2011 ANNUAL SUMMARY:

PM Emission from each dryer shall not exceed 32.4 lbs/hr and 141.9 tons/12months.

DRYER #1 PM

	MAX LBS/HR	AVG. LBS/HR	MAX TONS	TOTAL TONS
Jan-11	15	6.17	65.7	2.24
Feb-11	15	6.17	65.7	0.73
Mar-11	15	6.17	65.7	1.30
Apr-11	15	6.17	65.7	1.69
May-11	15	6.17	65.7	1.27
Jun-11	15	6.17	65.7	1.16
Jul-11	15	6.17	65.7	0.00
Aug-11	15	6.17	65.7	0.00
Sep-11	15	6.17	65.7	0.00
Oct-11	15	6.17	65.7	0.00
Nov-11	15	6.17	65.7	0.12
Dec-11	15	6.17	65.7	1.44

DRYER #2 PM

	MAX LBS/HR	AVG. LBS/HR	MAX TONS	TOTAL TONS
Jan-11	15	4.17	65.7	1.04
Feb-11	15	4.17	65.7	0.40
Mar-11	15	4.17	65.7	0.50
Apr-11	15	4.17	65.7	0.66
May-11	15	4.17	65.7	0.51
Jun-11	15	4.17	65.7	0.34
Jul-11	15	4.17	65.7	0.00
Aug-11	15	4.17	65.7	0.00
Sep-11	15	4.17	65.7	0.00
Oct-11	15	4.17	65.7	0.00
Nov-11	15	4.17	65.7	0.21
Dec-11	15	4.17	65.7	0.73

DUST SYSTEM PM

	MAX LBS/HR	AVG. LBS/HR	MAX TONS	TOTAL TONS
Jan-11	15	0.0171	65.7	0.0064
Feb-11	15	0.0171	65.7	0.0026
Mar-11	15	0.0171	65.7	0.0038
Apr-11	15	0.0171	65.7	0.0055
May-11	15	0.0171	65.7	0.0050
Jun-11	15	0.0171	65.7	0.0032
Jul-11	15	0.0171	65.7	0.0000
Aug-11	15	0.0171	65.7	0.0000
Sep-11	15	0.0171	65.7	0.0000
Oct-11	15	0.0171	65.7	0.0000
Nov-11	15	0.0171	65.7	0.0009
Dec-11	15	0.0171	65.7	0.0044

Tropicana, Ft. Pierce : Natural Gas Usage Report : DECEMBER 2011

#1 DRYER			#2 DRYER		DUST SYSTEM	DRYERS
DATE	HOURS	CF GAS X 1000	HOURS	CF GAS X 1000	HOURS	Total Daily Usage
12/1	24	1382	13	626	0	2,008
12/2	24	1244	7	361	0	1,605
12/3	0	0	0	0	0	0
12/4	0	0	0	0	0	0
12/5	17	876	9	438	0	1,314
12/6	24	1221	13	606	0	1,827
12/7	24	1210	7	326	0	1,536
12/8	24	1282	24	1116	0	2,398
12/9	18	925	6	265	0	1,190
12/10	0	0	0	0	0	0
12/11	3	199	0	0	0	199
12/12	24	1040	16	739	0	1,779
12/13	24	1397	12	574	0	1,971
12/14	4	196	24	1194	0	1,390
12/15	0	0	24	1186	0	1,186
12/16	17	845	20	894	0	1,739
12/17	21	1052	13	594	0	1,646
12/18	24	1181	6	283	0	1,464
12/19	24	1208	13	675	0	1,883
12/20	24	1233	8	385	0	1,618
12/21	24	1050	18	811	0	1,861
12/22	24	1190	16	743	0	1,933
12/23	7	318	7	280	0	598
12/24	0	0	0	0	0	0
12/25	0	0	0	0	0	0
12/26	0	0	0	0	0	0
12/27	13	673	17	802	0	1,475
12/28	24	1172	24	1147	0	2,319
12/29	24	1281	23	1110	0	2,391
12/30	24	1216	24	1154	0	2,370
12/31	7	304	7	329	0	633
Totals:	467	23,695	351	16,638	0	40,333

DATE	Natural Gas Operating Usage (cubic ft)		Natural Gas Operating Usage (cubic ft)		Land Fill Gas Usage (kSCF)	Natural Gas Operating Usage (cubic ft)		Natural Gas Operating Usage (cubic ft)		BOILERS Total Daily Usage
	Operating Hrs Boiler #1	Boiler #1	Operating Hrs Boiler #2	Boiler #2	Boiler #2	Operating Hrs Boiler #3	Boiler #3	Operating Hrs Boiler #4	Boiler #4	
12/1	0.0	0	24.0	450,000	32	1.0	4,000	24.0	716,000	1,170,000
12/2	0.0	0	24.0	268,000	345	1.0	1,000	24.0	698,000	967,000
12/3	0.0	0	24.0	204,000	433	1.0	3,000	24.0	425,000	632,000
12/4	0.0	0	24.0	182,000	255	3.0	3,000	1.0	15,000	200,000
12/5	0.0	0	24.0	195,000	357	0.0	0	8.0	126,000	321,000
12/6	0.0	0	24.0	248,000	521	1.0	6,000	24.0	703,000	957,000
12/7	0.0	0	24.0	203,000	452	3.0	5,000	24.0	831,000	1,039,000
12/8	0.0	0	24.0	197,000	422	3.0	3,000	24.0	801,000	1,001,000
12/9	0.0	0	24.0	205,000	401	0.0	0	24.0	826,000	1,031,000
12/10	0.0	0	24.0	284,000	264	1.0	7,000	24.0	562,000	853,000
12/11	0.0	0	24.0	218,000	373	0.0	0	22.0	309,000	527,000
12/12	0.0	0	24.0	213,000	441	1.0	8,000	19.0	464,000	685,000
12/13	0.0	0	24.0	210,000	476	0.0	0	24.0	835,000	1,045,000
12/14	0.0	0	24.0	244,000	505	1.0	7,000	24.0	1,141,000	1,392,000
12/15	0.0	0	24.0	206,000	429	0.0	0	23.0	832,000	1,038,000
12/16	0.0	0	24.0	226,000	517	2.0	11,000	23.0	1,029,000	1,266,000
12/17	0.0	0	24.0	237,000	481	0.0	0	24.0	1,013,000	1,250,000
12/18	0.0	0	23.0	249,000	375	1.0	8,000	23.0	860,000	1,117,000
12/19	0.0	0	24.0	250,000	385	0.0	0	24.0	778,000	1,028,000
12/20	0.0	0	24.0	211,000	453	1.0	8,000	24.0	921,000	1,140,000
12/21	0.0	0	24.0	295,000	385	1.0	5,000	24.0	1,056,000	1,356,000
12/22	0.0	0	24.0	246,000	417	0.0	0	24.0	1,005,000	1,251,000
12/23	0.0	0	24.0	215,000	393	1.0	8,000	24.0	735,000	958,000
12/24	0.0	0	24.0	341,000	348	0.0	0	24.0	477,000	818,000
12/25	0.0	0	24.0	246,000	332	1.0	7,000	0.0	0	253,000
12/26	0.0	0	24.0	239,000	391	0.0	0	0.0	0	239,000
12/27	0.0	0	24.0	420,000	391	1.0	8,000	0.0	0	428,000
12/28	0.0	0	24.0	229,000	510	0.0	0	0.0	0	229,000
12/29	0.0	0	24.0	246,000	483	2.0	21,000	0.0	0	267,000
12/30	0.0	0	23.0	179,000	423	4.0	18,000	0.0	0	197,000
12/31	0.0	0	24.0	181,000	443	1.0	5,000	0.0	0	186,000
Totals:	0	0	742	7,537,000	12,433	31	146,000	527	17,158,000	24,841,000
Averages:	0	0	24	243,129	401	1	4,710	17	553,484	801,323
Heat Input (MMBTU):	0	0	0	7,763	0	0	150	0	17,873	25,566

TOTAL DRYER IN MMCF (millions per cubic foot):						40
12-mo Totals:	3342	178191	2090	101494	3196	279,685
Rolling 12-Month Total DRYER in mmcf (millions per cubic foot):						280

TOTAL BOILER IN MMCF (millions per cubic foot):						25				
12-mo Totals:	59	811,000	8,019	88,444,000	89,080	2,959	15,739,000	5,149	128,307,000	235,804,000
Rolling 12-Month Total BOILER in mmcf (millions per cubic foot):						236				

Rolling 12-Month Total Plant BOXES PROCESSED: 11,904,897
 TOTAL PLANT GAS USAGE FOR DECEMBER: 65.17 MMCF

Tropicana, Ft. Pierce : Natural Gas Usage Report : AUGUST 2012

DATE	#1 DRYER		#2 DRYER		DUST SYSTEM	DRYERS
	HOURS	CF GAS X 1000	HOURS	CF GAS X 1000	HOURS	Total Daily Usage
8/1	0	0	0	0	0	0
8/2	0	0	0	0	0	0
8/3	0	0	0	0	0	0
8/4	0	0	0	0	0	0
8/5	0	0	0	0	0	0
8/6	0	0	0	0	0	0
8/7	0	0	0	0	0	0
8/8	0	0	0	0	0	0
8/9	0	0	0	0	0	0
8/10	0	0	0	0	0	0
8/11	0	0	0	0	0	0
8/12	0	0	0	0	0	0
8/13	0	0	0	0	0	0
8/14	0	0	0	0	0	0
8/15	0	0	0	0	0	0
8/16	0	0	0	0	0	0
8/17	0	0	0	0	0	0
8/18	0	0	0	0	0	0
8/19	0	0	0	0	0	0
8/20	0	0	0	0	0	0
8/21	0	0	0	0	0	0
8/22	0	0	0	0	0	0
8/23	0	0	0	0	0	0
8/24	0	0	0	0	0	0
8/25	0	0	0	0	0	0
8/26	0	0	0	0	0	0
8/27	0	0	0	0	0	0
8/28	0	0	0	0	0	0
8/29	0	0	0	0	0	0
8/30	0	0	0	0	0	0
8/31	0	0	0	0	0	0
Totals:	0	0	0	0	0	0

TOTAL DRYER IN MMCF (millions per cubic foot):						0
12-mo Totals:	3342	178191	2090	101494	3196	279,685
Rolling 12-Month Total DRYER in mmcf (millions per cubic foot):						280

Rolling 12-Month Total Plant BOXES PROCESSED: 11,904,897
 TOTAL PLANT GAS USAGE FOR AUGUST: 9.25 MMCF

DATE	Natural Gas Usage (cubic ft)		Natural Gas Usage (cubic ft)		Land Fill Gas Usage (kSCF)	Natural Gas Usage (cubic ft)		Natural Gas Usage (cubic ft)		BOILERS Total Daily Usage
	Operating Hrs Boiler #1	Boiler #1	Operating Hrs Boiler #2	Boiler #2	Boiler #2	Operating Hrs Boiler #3	Boiler #3	Operating Hrs Boiler #4	Boiler #4	
8/1	0.0	0	0.0	0	0	24.0	1,000	24.0	395,000	396,000
8/2	0.0	0	0.0	0	0	0.0	0	13.0	373,000	373,000
8/3	0.0	0	0.0	0	0	24.0	88,000	24.0	234,000	322,000
8/4	0.0	0	0.0	0	0	24.0	116,000	24.0	200,000	316,000
8/5	0.0	0	0.0	0	0	24.0	20,000	17.0	1,000	21,000
8/6	2.1	303,000	0.0	0	0	24.0	1,000	0.0	0	304,000
8/7	2.4	335,000	0.0	0	0	24.0	24,000	0.0	0	359,000
8/8	2.4	354,000	0.0	0	0	24.0	2,000	20.0	296,000	652,000
8/9	0.5	79,000	0.0	0	0	0.0	0	0.0	0	79,000
8/10	0.0	0	0.0	0	0	0.0	0	24.0	321,000	321,000
8/11	0.0	0	0.0	0	0	0.0	0	24.0	247,000	247,000
8/12	0.0	0	0.0	0	0	24.0	43,000	4.0	34,000	77,000
8/13	1.1	151,000	0.0	0	0	0.0	0	0.0	0	151,000
8/14	0.5	68,000	0.0	0	0	24.0	12,000	20.0	266,000	346,000
8/15	0.0	0	0.0	0	0	0.0	0	24.0	338,000	338,000
8/16	0.0	0	0.0	0	0	0.0	0	24.0	339,000	339,000
8/17	0.0	0	0.0	0	0	24.0	3,000	24.0	304,000	307,000
8/18	0.0	0	0.0	0	0	20.0	29,000	24.0	353,000	382,000
8/19	0.0	0	0.0	0	0	24.0	35,000	23.0	273,000	308,000
8/20	0.0	0	0.0	0	0	24.0	13,000	23.0	248,000	261,000
8/21	0.0	0	0.0	0	0	24.0	32,000	24.0	312,000	344,000
8/22	0.0	0	0.0	0	0	24.0	36,000	24.0	350,000	386,000
8/23	0.0	0	0.0	0	0	0.0	0	24.0	325,000	325,000
8/24	0.0	0	0.0	0	0	0.0	0	24.0	314,000	314,000
8/25	0.0	0	0.0	0	0	24.0	1,000	0.0	0	1,000
8/26	0.0	0	0.0	0	0	24.0	90,000	24.0	565,000	655,000
8/27	0.0	0	0.0	0	0	24.0	159,000	24.0	234,000	393,000
8/28	0.0	0	0.0	0	0	24.0	1,000	24.0	300,000	301,000
8/29	0.0	0	0.0	0	0	0.0	0	24.0	347,000	347,000
8/30	0.0	0	0.0	0	0	24.0	18,000	24.0	270,000	288,000
8/31	0.0	0	0.0	0	0	0.0	0	0.0	0	0
Totals:	9	1,290,000	0	0	0	476	724,000	552	7,239,000	9,253,000
Averages:	0	41,613	0	0	0	15	23,355	18	233,516	298,484
Heat Input (MMBTU):		1,329		0			746		7,456	9,531

TOTAL BOILER IN MMCF (millions per cubic foot):										9
12-mo Totals:	168	42,863,000	1,812	21,794,000	21,271	2,925	4,625,000	3,823	83,912,000	154,233,000
Rolling 12-Month Total BOILER in mmcf (millions per cubic foot):										154