

**MIX:** FC-9.5

**SILO:** 2

<b>PRODUCT</b>	<b>MIX %</b>	<b>(TPH) TARGET</b>	<b>(TPH) ACTUAL</b>	<b>TONS</b>	<b>NON RESET TOTALS</b>	<b>% MOISTURE</b>
AGG #1	15.0	37.2	37.2	93.66		3.5
AGG #2	25.0	62.0	62.0	113.31		6.9
AGG #3	15.0	37.2	37.2	142.93		5.4
AGG #4	45.0	111.6	111.6	247.49		1.5
AGG #5	0.0	0.0	0.0	23.66		0.9
RAP #1	0.0	0.0	0.0	30.02		6.2
ASPHALT CEMENT	4.8	12.10	12.14	29.081	49577.040	
LIME	0.0	0.00	0.00	0.00	310.39	
ADD #1	0.00	0.000	0.000	0.000	0.000	
FIBERS	0.00	0.000	0.000			
WATER	0.0	0.00	0.00			
		AGGREGATE SCALE	242.1	606.88	968891.60	3.7
		RAP SCALE	0.0	28.37	164306.20	6.2
		TOTAL MIX	252.2	465		

REALTIME A/C CONTENT	4.81 %	TOTAL REALTIME A/C CONTENT	4.81 %
AVERAGE A/C CONTENT	4.80 %	RAP A/C CONTENT SETPOINT	0.0 %

**TEMPERATURES**

<b>MIX</b>	<b>LIQUID A/C</b>
321 F	326 F

**BAGHOUSE**

<b>INLET</b>	<b>PRESSURE</b>	<b>OUTLET</b>
189 F	3.3 " H2O	179 F

C. W. Roberts Contracting, Inc.  
Plant Production Report

MONTH March '10

Date	Tons Produced	Plant Hours	Fuel	Sulfur	Pressure Drop
3-1-10	101	0.63			3.4
3-2-10	RAINED OUT				MADE No MIX
3-3-10	221	1.38			3.3
3-4-10	1283	5.70			3.0
3-5-10	873	3.88			3.4
3-8-10	529	3.31	5983	.20	3.2
3-9-10	1064	4.73			3.4
3-10-10	846	3.76			3.4
3-11-10	173	1.08			3.3
3-12-10	RAINED OUT		5300	.20	MADE No MIX
3-15-10	1233	5.48			3.3
3-16-10	825	3.67			3.4
3-17-10	1110	4.93			3.4
3-18-10	394	2.46			3.4
3-19-10	651	4.07	6010	.20	3.0
3-22-10	126	0.76			3.4
3-23-10	788	4.76			3.4
3-24-10	481	2.92			3.5
3-25-10	1340	5.96	5776	.20	3.5
3-26-10	163	0.99			MADE NO MIX
3-29-10	RAINED OUT				RAIN
3-30-10	173	1.05			3.7
3-31-10	1301	5.78			3.5
(20)					
Totals	13,675	67.30	29,069	.80	
Average	684	3.37	1,453	0.04	

TONS ASPHALT 98,509  
FUEL 189,428  
CRUSHED RAP 25,550.98



LABORATORY ADDRESS  
 5915 Star Lane, Houston, TX 77057  
 Ph. 713-680-9425 Fax: 713-680-9564  
 Website: precisionlabs.org

Client Name: World Petroleum Corp  
 Street Address: 3650 SW 47 Ave  
 City, State, Zip: Davie FL 33314

INVOICE No.	43921	DATE RECEIVED	01-27-2010
LAB REFERENCE No.	2010-01-614	DATE/TIME COLLECTED	01-26-2010@12:00
AUTHORIZED BY	Eric Miranda	MATRIX TYPE	Oil
PRODUCT ID	71886		

<u>PARAMETER</u>	<u>TEST METHOD</u>	<u>REPORTING LIMIT</u>	<u>TEST RESULT</u>
Total halogen, PPM	S.W.9075	200	257
Organic halogen, PPM	S.W.9075	100	239
Inorganic halogens, PPM	Calculation	100	BRL
Gravity API @ 60°F	D-287	----	29.7
Heat of combustion, BTU/Gal	D-240	2,150	138,556
Viscosity SUS @ 100°F	D-445	1	165
Flash point, °F	S.W. 1010	-10°F	110
Ash, Wt%	D-482	0.001	0.518
PCB's, PPM	S.W. 8082	0.50	BRL
Sulfur, Wt%	D-4294	0.020	0.2007
Water by Distillation, Vol%	D-95	0.05	0.8

<u>TOTAL HEAVY METALS, PPM</u>		<u>PREPARATION METHOD</u>		
Arsenic	EPA-6010	EPA-3040/3050	1.00	BRL
Cadmium	EPA-6010	EPA-3040/3050	1.00	1.44
Chromium	EPA-6010	EPA-3040/3050	1.00	BRL
Lead	EPA-6010	EPA-3040/3050	2.00	22.26

  
 Daniel Zabihi  
 QA Manager

Date: 01-28-2010



PRIMARY ACCREDITATION TCEQ, #T104704203-TX  
 ARIZONA LICENSE # AZ0630

QUALIFIERS & ABBREVIATIONS: BRL - Below Reporting Limit; SCL - Test performed by an approved subcontract laboratory; B - Analyte was detected in the associated method blank; Matrix spike/matrix spike duplicate (M), Laboratory control sample (L), Calibration criteria (C), and Surrogate (S) recoveries were outside acceptance limits. Test deviation applied to Method 8260 (VOCS).

COMMENTS: There were no quality assurance anomalies associated with these tests.

PRECISION PETROLEUM LABS, INC.'S RESPONSIBILITY FOR THE ABOVE ANALYSIS, OPINIONS OR INTERPRETATIONS IS LIMITED TO THE INVOICE AMOUNT. RESULTS ARE REPORTED ON AN "AS IS" BASIS, UNLESS OTHERWISE NOTED. THE TEST RESULTS RELATE ONLY TO THE SUBMITTED SAMPLE IDENTIFIED ON THIS REPORT. TEST RESULTS MEET ALL REQUIREMENTS OF NELAC FOR TESTS LISTED ON THE LABORATORY'S CURRENT FIELDS OF ACCREDITATION (EPA 1010, 6010, 8082, 8260, and 9075).