



18) VOC Report

For the Period from 8/1/2010 to 7/31/2011

Amount of Hazardous Waste generated: 12210
 Unit of Measure: gallons
 Device(s): All

Corporate Oshkosh Truck/Pierce Manufacturing FI
Info: 1512 38th Avenue

Facility Oshkosh Truck Corp. - Florida Divisi
Info: 1512 38th Ave. E.
 Bradenton, FL 34208

Bradenton, FL 34208

FID#: 0810031

Operation Permit #: 810031-012

Emission Unit Number: **2**

Booths 1,2,3 in bldg D

Product #	Product wt. / gal.	Product Usage (gal.)			Product Usage (lbs.)			lbs. VOC per gal.	VOCs		
		Total	- Waste	= Net	Total	- Waste	= Net		lbs.	tons	
079-041203	Acetone	6.000	30	4	26	180	27	153	6.000	153	0.077
1664437	Plastic Prep Solvent	6.690	31	5	26	207	31	177	6.690	177	0.088
1664538	Polypropylene Clear	7.300	60	9	51	438	65	373	6.935	354	0.177
1664539	OFF-WHT EPOXY PRIMER	10.339	259	39	220	2,678	398	2,280	0.313	69	0.035
1741774	Formula A Ziebart	8.000	214	32	182	1,712	255	1,457	4.080	743	0.372
1755643	Autocoat LV Epoxy Chassis Black	12.500	405	60	345	5,063	753	4,310	2.750	948	0.474
1784932	DURABAK	7.350	49	7	42	360	54	307	2.352	98	0.049
1886956	Zenthane Retarder	8.799	1	0	1	7	1	6	3.499	2	0.001
1909673	# 383 Black CARC	10.337	1	0	1	10	2	9	3.242	3	0.001
4291	ACLV CIP Hardener	7.700	171	25	146	1,317	196	1,121	5.200	757	0.378
8757	Methyl Ethyl Ketone Part New Part Number	6.750	110	88	22	743	594	149	6.750	149	0.074
95-0597	Kem - Aqua 600T Red	8.760	5	1	4	44	7	37	5.694	24	0.012
95-0628	Deoxylyte	8.500	220	33	187	1,870	278	1,592	0.655	123	0.061
95-1972	# 383 Zenthane Grn	10.330	330	49	281	3,409	507	2,902	3.419	961	0.480
F73A4794-4370	600TR Gray	9.510	75	11	64	713	106	607	1.140	73	0.036
F73B4795-4370	Kem-aqua 600t WR, Black	8.890	105	16	89	933	139	795	2.045	183	0.091
Green Paint Rack	Green paint for racks	9.530	50	7	43	477	71	406	2.932	125	0.062
Spray Glue 2	Taylor 600	6.595	55	8	47	363	54	309	5.573	261	0.130
2	Total		2,171	395	1,777	20,523	3,536	16,987	2.652	5,202	2.601

Emission Unit Number: **5st**

Paint Booths in Building B (Includes glue booth)

Product #	Product wt. / gal.	Product Usage (gal.)			Product Usage (lbs.)			lbs. VOC per gal.	VOCs		
		Total	- Waste	= Net	Total	- Waste	= Net		lbs.	tons	
079-041203	Acetone	6.000	106	16	90	636	95	541	6.000	541	0.271
1135115	Lonseal Adhesive 3.5 gal	10.720	21	3	18	225	33	192	3.752	67	0.034
1505156	Anti-static Surface Cleaner	6.500	19	3	16	124	18	105	6.422	104	0.052
1551222	Gray Cond Gray Adhesion Promoter	8.910	5	1	4	45	7	38	5.124	22	0.011
1660653	AUTOCOAT LV SEALER	12.876	300	45	255	3,863	574	3,288	2.525	645	0.322
1660656	CHARCOAL SURFACER 2PK	12.684	2,014	300	1,714	25,546	3,799	21,747	3.916	6,713	3.357
1664437	Plastic Prep Solvent	6.690	2	0	2	13	2	11	6.690	11	0.006
1664538	Polypropylene Clear	7.300	8	1	7	58	9	50	6.935	47	0.024
1664539	OFF-WHT EPOXY PRIMER	10.339	50	7	43	517	77	440	0.313	13	0.007
1669287	364 White	12.780	15	2	13	192	29	163	2.905	37	0.019
1670209	ACLV # 101 BLACK	8.420	25	4	21	211	31	179	2.938	63	0.031
1676229	213 Red	8.600	5	1	4	43	6	37	3.002	13	0.006



18) VOC Report

For the Period from 8/1/2010 to 7/31/2011

Amount of Hazardous Waste generated: 12210
 Unit of Measure: gallons
 Device(s): All

Corporate Oshkosh Truck/Pierce Manufacturing FI
Info: 1512 38th Avenue
 Bradenton, FL 34208
 FID#: 0810031

Facility Oshkosh Truck Corp. - Florida Divisi
Info: 1512 38th Ave. E.
 Bradenton, FL 34208
 Operation Permit #: 810031-012

Emission Unit Number: **5st** **Paint Booths in Building B (Includes glue booth)**

Product #	Product wt. / gal.	Product Usage (gal.)			Product Usage (lbs.)			lbs. VOC per gal.	VOCs		
		Total	- Waste	= Net	Total	- Waste	= Net		lbs.	tons	
1677092	LV Reducer Medium	6.830	5	1	4	34	5	29	6.830	29	0.015
1684360	AUTOCOAT LV HARDENER STANDARD	8.690	990	147	843	8,603	1,279	7,324	2.694	2,270	1.135
1705589	304 Green	11.950	5	1	4	60	9	51	2.843	12	0.006
1741774	Formula A Ziebart	8.000	55	8	47	440	65	375	4.080	191	0.096
1755643	Autocoat LV Epoxy Chassis Black	12.500	35	5	30	438	65	372	2.750	82	0.041
1758741	Retarder	8.000	35	5	30	280	42	238	8.000	238	0.119
1814635	Autocoat LV Reducer CV	7.710	238	35	203	1,835	273	1,562	7.710	1,562	0.781
1894840	High performance reducer slow	7.350	4	1	3	29	4	25	7.350	25	0.013
1894842	Reducer, X-slow High perf	7.360	3	0	3	22	3	19	7.360	19	0.009
1894846	BT 2-PACK, CLEAR 5 GALLON	8.194	260	39	221	2,130	317	1,814	4.773	1,056	0.528
1904911	# 154 WHITE	13.185	5	1	4	66	10	56	2.960	13	0.006
1982005	#408 Yellow ACLV Redimix	9.130	5	1	4	46	7	39	2.945	13	0.006
1982279	#272 Orange FLNA 245 5 gal	9.040	4	1	3	32	5	27	2.814	8	0.004
2004719	#10 White 650 Base Coat	12.680	105	16	89	1,331	198	1,133	2.565	229	0.115
2004720	#20 White 650 Basecoat	12.640	40	6	34	506	75	430	2.570	88	0.044
2004721	# 40 Lime Green 650 base	11.670	125	19	106	1,459	217	1,242	2.751	293	0.146
2004722	#90 Red 650 base	9.140	957	142	814	8,742	1,300	7,442	2.972	2,420	1.210
2004723	Hardener, basecoat 650	9.100	885	132	753	8,054	1,198	6,856	1.365	1,028	0.514
2004724	Reducer, med, basecoat 650	6.800	90	13	77	612	91	521	6.800	521	0.260
2004725	Reducer, slow, base coat 650	6.930	63	9	54	437	65	372	6.930	372	0.186
2004726	Supertop Plus	8.200	3	0	3	25	4	21	0.590	2	0.001
2039862	#219 Red	9.020	20	3	17	180	27	154	2.950	50	0.025
2051488	225 slate	8.100	15	2	13	122	18	103	6.094	78	0.039
2051489	#30 Yellow 650 Basecoat	11.420	25	4	21	286	42	243	2.798	60	0.030
2051490	#106 Red, 650 Basecoat	8.940	30	4	26	268	40	228	2.956	76	0.038
2051491	#213 Red, 650 Basecoat	8.890	70	10	60	622	93	530	2.968	177	0.088
2064534	#443 White	12.690	10	1	9	127	19	108	2.561	22	0.011
2071379	#101 Black Basecoat, 5 gal	8.630	75	11	64	647	96	551	2.948	188	0.094
2080679	#457 Red	8.820	20	3	17	176	26	150	2.995	51	0.025
2081393	#50 Red Basecoat	9.050	35	5	30	317	47	270	2.948	88	0.044
2091803	#80 Red Basecoat	8.937	50	7	43	447	66	380	2.949	126	0.063
2098983	#70 Red Basecoat	8.850	50	7	43	443	66	377	2.959	126	0.063
2112104	#523	11.830	91	14	77	1,077	160	916	2.721	211	0.105
2112106	#36 White Basecoat	12.650	18	3	15	221	33	188	2.565	38	0.019
2113693	#436 Lime Yellow	11.470	52	8	44	591	88	503	2.748	120	0.060



18) VOC Report

For the Period from 8/1/2010 to 7/31/2011

Amount of Hazardous Waste generated: 12210
 Unit of Measure: gallons
 Device(s): All

Corporate Oshkosh Truck/Pierce Manufacturing FI
Info: 1512 38th Avenue

Facility Oshkosh Truck Corp. - Florida Divisi
Info: 1512 38th Ave. E.
 Bradenton, FL 34208

Bradenton, FL 34208

FID#: 0810031

Operation Permit #: 810031-012

Emission Unit Number: **5st**

Paint Booths in Building B (Includes glue booth)

Product #	Product wt. / gal.	Product Usage (gal.)			Product Usage (lbs.)			lbs. VOC per gal.	VOCs		
		Total	- Waste	= Net	Total	- Waste	= Net		lbs.	tons	
2113892	#111 Red Basecoat	8.650	20	3	17	173	26	147	3.028	52	0.026
2113896	#280 White	12.480	35	5	29	431	64	367	2.578	76	0.038
2125622	#114 Red	9.090	7	1	6	64	9	54	2.977	18	0.009
2128050	#390 Red 650 base	9.000	7	1	6	63	9	54	2.964	18	0.009
2137598	#475 Green	9.520	7	1	6	67	10	57	2.975	18	0.009
2138735	Clear coat 650 BT	9.030	1,120	167	953	10,114	1,504	8,610	4.762	4,541	2.270
2143829	#224 Silver Metallic	9.930	7	1	6	70	10	59	3.972	24	0.012
2145796	Reducer sra	7.110	153	23	130	1,088	162	926	7.053	919	0.459
2145797	reducer slow, LV 650	6.890	526	78	448	3,624	539	3,085	6.890	3,085	1.543
2146456	Tan Flat Paint	9.100	30	4	26	273	41	232	2.882	74	0.037
2205577	#505 Gray	8.770	4	1	3	31	5	26	3.003	9	0.004
2212902	Grip Deck Coating	14.300	13	2	11	186	28	158	5.577	62	0.031
2220926	Epoxy buff LV260	4.470	161	24	137	721	107	614	0.943	129	0.065
2220930	Hardener, LV260	7.880	81	12	69	638	95	543	5.906	407	0.204
2220932	Reducer Epoxy	7.260	11	2	9	80	12	68	7.260	68	0.034
2223971	Red Paint LV650	8.740	27	4	23	236	35	201	2.907	67	0.033
2235149	#317 Basecoat	9.050	1	0	1	9	1	8	2.912	2	0.001
2250357	AB Toner, White Q110	9.560	4	1	3	38	6	33	5.516	19	0.009
2250362	Grey, light transparent, Q191	8.410	1	0	1	9	1	8	5.687	5	0.003
2250365	Red, Brilliant, Q231	8.770	16	2	14	139	21	118	5.604	76	0.038
2250367	Red-Orange, Brilliant Transparent	8.540	1	0	0	5	1	4	5.534	2	0.001
2250368	Red Oxide, Q239	9.380	1	0	0	5	1	4	5.459	2	0.001
2250369	Red Oxide, Q239	8.350	1	0	0	4	1	4	5.210	2	0.001
2250378	Yellow Oxide, Bright Q437	9.180	2	0	2	22	3	19	5.435	11	0.005
2250391	Red-Violet Transparent, Q726	8.200	12	2	10	95	14	81	5.879	58	0.029
2250392	Violet Blue, Transparent, Q766	8.020	1	0	1	9	1	7	5.790	5	0.003
2250395	Metallic, Med Sparkling, Q811	8.210	1	0	1	8	1	7	5.772	5	0.002
2250398	Metallic, Very Coarse, Q811R	8.210	1	0	1	8	1	7	5.772	5	0.002
2250455	Pearl Blue, Q964F	8.310	1	0	1	9	1	7	5.836	5	0.003
2250459	Pearl-blue, Course, Q964	8.280	2	0	2	17	3	15	5.796	10	0.005
2250478	#4086 Blue ACLV	10.010	50	7	43	501	74	426	2.951	126	0.063
2250591	High Performance Reducer Fast	7.290	4	1	3	29	4	25	7.290	25	0.012
2251446	#175 blue 650 Basecoat	10.000	4	1	3	35	5	30	2.948	9	0.004
2255030	Matte white	11.680	14	2	12	164	24	139	3.394	40	0.020
2255031	Matte green	10.140	58	9	49	588	87	501	3.814	188	0.094



18) VOC Report

For the Period from 8/1/2010 to 7/31/2011

Amount of Hazardous Waste generated: 12210
 Unit of Measure: gallons
 Device(s): All

Corporate Oshkosh Truck/Pierce Manufacturing FI
Info: 1512 38th Avenue

Facility Oshkosh Truck Corp. - Florida Divisi
Info: 1512 38th Ave. E.
 Bradenton, FL 34208

Bradenton, FL 34208

FID#: 0810031

Operation Permit #: 810031-012

Emission Unit Number: **5st**

Paint Booths in Building B (Includes glue booth)

Product #	Product wt. / gal.	Product Usage (gal.)			Product Usage (lbs.)			lbs. VOC per gal.	VOCs		
		Total	- Waste	= Net	Total	- Waste	= Net		lbs.	tons	
2258275	Connector, Q10RV	8.200	2	0	2	16	2	14	6.724	11	0.006
2267659	SCV Matte Converter	9.930	14	2	12	139	21	118	3.972	47	0.024
2269179	IPA Spray glue	6.950	52	8	44	361	54	308	5.838	258	0.129
2278917	#534 Red BTLV Basecoat	8.740	4	1	3	31	5	26	2.884	9	0.004
2313124	#292 White 650 Basecoat	12.690	7	1	6	89	13	76	2.538	15	0.008
2315616	White, basecoat	12.030	28	4	24	337	50	287	2.815	67	0.034
2320538	White, 650 Basecoat, 3.5 gal	12.280	11	2	9	129	19	110	2.799	25	0.013
391064	Reducer, Slow High Perf.	7.340	8	1	7	59	9	50	7.340	50	0.025
398220	CR LV Hardener Medium	6.971	147	22	125	1,025	152	872	2.600	325	0.163
3M01014	Ultra-Grip II 1014	8.016	1,100	164	936	8,818	1,311	7,506	1.706	1,597	0.799
4291	ACLV CIP Hardener	7.700	20	3	17	154	23	131	5.200	89	0.044
481561	Rack Green	9.530	30	4	26	286	43	243	2.932	75	0.037
5042	5042 Blending Agent 790	7.000	4	1	3	28	4	24	7.000	24	0.012
6042	M600 Degreaser	6.230	1,060	158	902	6,604	982	5,622	6.230	5,622	2.811
8757	Methyl Ethyl Ketone Part New Part Number	6.750	55	44	11	371	297	74	6.750	74	0.037
95-0074	Grey Env strippable coating	7.830	10	1	9	78	12	67	3.054	26	0.013
95-0688	Multicolor	9.030	1,920	286	1,634	17,338	2,578	14,759	1.880	3,073	1.536
95-0705-0002	40 Lime Green (5 gal pail)	12.530	10	1	9	125	19	107	2.882	25	0.012
95-1272	Washhardener Hardener	7.030	1	0	1	7	1	6	6.819	6	0.003
95-1413	Glaze Coat	10.800	59	9	50	635	94	540	3.240	162	0.081
95-1475	Polysurfacer	8.200	394	59	335	3,229	480	2,749	4.428	1,484	0.742
95-1713	Xylene Solvent	7.170	42	6	36	301	45	256	7.170	256	0.128
95-1972	# 383 Zenthane Grn	10.330	60	9	51	620	92	528	3.419	175	0.087
95-2450	SIKENS FLOW ENHANCER	6.630	61	9	52	404	60	344	6.564	341	0.170
95-2463	Super Top Plus	8.200	2	0	2	18	3	16	7.216	14	0.007
95-3608	ACLV 2PK FACMIX #90 CANDY RED	12.000	225	33	192	2,700	402	2,298	5.993	1,148	0.574
95-3736	REDUCER, SRA STRONG	7.220	11	2	9	79	12	68	7.168	67	0.034
95-3837	Sealer, Gray	10.850	541	80	461	5,870	873	4,997	4.213	1,940	0.970
95-4068	SCV BT Toner, B615	8.680	3	0	3	26	4	22	3.091	8	0.004
95-4069	SCV BT Toner, B616	8.590	3	0	3	26	4	22	3.119	8	0.004
95-4070	SCV BT Toner, B625	8.990	4	1	3	36	5	31	3.127	11	0.005
95-4074	SCV BT, Toner, B661	8.750	2	0	2	18	3	15	3.121	5	0.003
95-4112	SCV BT Toner, B610	14.650	58	9	49	850	126	723	2.568	127	0.063
95-4113	SCV BT Toner, B617	8.440	7	1	6	59	9	50	3.112	19	0.009
95-4115	SCV BT Toner, B622	8.730	7	1	6	61	9	52	3.131	19	0.009



18) VOC Report
For the Period from 8/1/2010 to 7/31/2011

Amount of Hazardous Waste generated: 12210
 Unit of Measure: gallons
 Device(s): All

Corporate Oshkosh Truck/Pierce Manufacturing FI
Info: 1512 38th Avenue
 Bradenton, FL 34208
 FID#: 0810031

Facility Oshkosh Truck Corp. - Florida Divisi
Info: 1512 38th Ave. E.
 Bradenton, FL 34208
 Operation Permit #: 810031-012

Emission Unit Number: **5st** **Paint Booths in Building B (Includes glue booth)**

Product #	Product wt. / gal.	Product Usage (gal.)			Product Usage (lbs.)			lbs. VOC per gal.	VOCs		
		Total	- Waste	= Net	Total	- Waste	= Net		lbs.	tons	
95-4116	SCV BT Toner, B623	10.760	2	0	2	22	3	18	3.181	5	0.003
95-4118	SCV BT Toner, B626	8.480	18	3	15	153	23	130	2.455	38	0.019
95-4119	SCV Bt Toner, b672	8.760	1	0	1	9	1	7	3.119	3	0.001
95-4121	SCV BT Toner, B642	8.760	2	0	2	18	3	15	2.669	5	0.002
95-4122	SCV BT Toner, B640	8.720	2	0	2	17	3	15	3.139	5	0.003
95-4197	SCV BT Toner, B648	9.350	1	0	1	9	1	8	3.179	3	0.001
95-4321	TOP Solid CONV, LV 650, B603	8.220	8	1	7	66	10	56	3.912	27	0.013
95-4323	White converter	10.000	56	8	48	560	83	477	2.900	138	0.069
AP403	Grey Cond. Adhes. Primer	8.900	25	4	21	223	33	189	6.444	137	0.069
F73A4794-4370	600TR Gray	9.510	5	1	4	48	7	40	1.140	5	0.002
F73B4795-4370	Kem-aqua 600t WR, Black	8.890	5	1	4	44	7	38	2.045	9	0.004
NPO536	MEK	6.750	9,625	9,433	193	64,969	63,669	1,299	6.750	1,299	0.650
Spray Glue 2	Taylor 600	6.595	165	25	140	1,088	162	926	5.573	783	0.391
5st	Total		25,299	11,800	13,500	209,875	85,461	124,414	2.227	49,976	24.988

Facility Total	Product Usage (gal.)			Product Usage (lbs.)			VOCs	
	Total	- Waste	= Net	Total	- Waste	= Net	lbs.	tons
	27,469	12,194	15,276	230,397	88,997	141,401	55,178	27.589

Total Source VOCs

Emission Unit No.	Total VOCs	Percent of Total
2	5,202	9.4%
5st	49,976	90.6%
	55,178 lbs	100.0%
	27.589 tons	