

# Class I, October 2012

## Well Data Log Sheet, Monthly Testing Report



Well #	Date Time	PH	PW	D.P.	T <sup>o</sup> f	OP	CFM	Landfill Gas Analysis:				Bal.	Status: Well	Valve	Req. Days:			Corrective Action
								CH4	CO2	O2					Action	5	15	
001R	10/04/12 7:19	-23.8	-4.5	0.21	74	0.250	0.35	31.3	12.5	4.5	51.7	ACTIVE	OPEN					
002R	10/04/12 7:23	-23.8	-7.5	0.38	69	0.250	0.48	42.7	15.9	2.9	38.5	ACTIVE	OPEN					
003R	10/04/12 7:27	-23.7	-11.6	1.01	87	0.500	3.04	25.0	18.4	0.5	56.1	ACTIVE	OPEN					
004R	10/04/12 7:31	-23.7	-5.5	4.02	83	0.500	6.11	55.6	16.0	0.1	28.3	ACTIVE	OPEN					
005R	10/04/12 7:35	-23.8	-8.8	3.52	68	0.500	5.88	44.2	18.4	0.3	37.1	ACTIVE	OPEN					
006R	10/04/12 7:38	-23.8	-3.9	1.17	86	0.500	3.27	43.7	22.0	0.1	34.2	ACTIVE	OPEN					
007R	10/04/12 7:42	-23.6	-3.7	4.54	111	0.500	6.18	42.1	15.7	3.8	38.4	ACTIVE	OPEN					
008R	10/04/12 7:45	-23.7	-23.5	0.32	83	0.500	1.72	71.0	28.9	0.1	0.0	ACTIVE	OPEN					
009R	10/03/12 13:37	-23.7	-4.3	1.78	109	0.500	3.88	60.6	28.7	0.7	10.0	ACTIVE	OPEN					Increased Vacuum
009R	10/03/12 13:40	-23.7	-4.5	2.75	109	0.500	4.82	60.7	29.0	0.8	9.5	ACTIVE	OPEN					
019R	10/03/12 13:29	-23.9	-3.0	0.07	89	1.000	3.29	4.9	4.0	16.7	74.4	IN-ACTIVE	OPEN	N/R				Opened Valve (Purge Test)
019R	10/03/12 13:32	-23.9	-23.5	0.09	89	1.000	3.74	7.9	4.1	14.3	73.7	IN-ACTIVE	CLOSED	N/R				Closed Valve
020R	10/03/12 10:28	-24.5	-4.9	3.39	112	0.250	1.32	52.4	46.7	0.0	0.9	ACTIVE	OPEN					
021R	10/03/12 10:21	-24.5	-4.8	0.50	91	0.250	0.52	1.0	0.9	18.1	80.0	IN-ACTIVE	OPEN	N/R				Opened Valve (Purge Test)
021R	10/03/12 10:24	-24.5	-5.3	4.62	91	0.250	1.61	7.8	57.9	0.2	34.1	IN-ACTIVE	CLOSED	N/R				Closed Valve (Low CH4)
023R	10/03/12 10:16	-24.8	-6.4	0.24	112	1.000	5.85	45.9	25.4	0.4	28.3	ACTIVE	OPEN					
024R	10/04/12 7:11	-24.6	-8.5	14.10	75	0.125	0.72	55.5	22.9	0.0	21.6	ACTIVE	OPEN					
027	10/03/12 13:50	-22.0	-15.5	1.63	158	1.500	38.39	64.1	28.0	0.0	7.9	ACTIVE	OPEN					
029R	10/03/12 10:09	-24.5	-4.8	0.18	93	0.500	1.26	18.1	22.4	1.2	58.3	IN-ACTIVE	OPEN	N/R				Opened Valve (Purge Test)
029R	10/03/12 10:12	-24.5	-5.0	3.01	123	0.500	4.92	18.8	21.5	1.4	58.3	IN-ACTIVE	OPEN	N/R				Left Valve Open, Meets NSPS Standards
031R	10/04/12 7:07	-24.1	-4.9	1.03	67	0.250	0.79	25.3	21.4	2.7	50.6	ACTIVE	OPEN					
046	10/03/12 12:50	-0.6	-0.6	0.28	92	0.250	0.40	36.7	26.2	4.5	32.6	ACTIVE	OPEN					
101	10/03/12 13:35	-23.6	-5.8	0.37	107	0.500	1.77	55.9	30.4	0.0	13.7	ACTIVE	OPEN					
102	10/03/12 13:28	-23.5	-11.4	4.97	152	1.000	24.99	61.9	19.9	0.4	17.8	ACTIVE	OPEN					Increased Vacuum
102	10/03/12 13:31	-23.5	-11.6	5.74	153	1.000	26.82	62.9	20.1	0.3	16.7	ACTIVE	OPEN					
103	10/03/12 13:21	-23.4	-6.8	8.38	97	0.750	19.59	63.7	20.1	0.0	16.2	ACTIVE	OPEN					Increased Vacuum
103	10/03/12 13:24	-23.4	-6.9	10.04	98	0.750	21.42	63.8	20.3	0.0	15.9	ACTIVE	OPEN					
104	10/03/12 13:14	-23.5	-5.1	6.86	127	0.500	7.40	65.9	23.9	0.2	10.0	ACTIVE	OPEN					Increased Vacuum
104	10/03/12 13:17	-23.5	-5.2	9.17	127	0.500	8.56	67.8	23.9	0.2	8.1	ACTIVE	OPEN					
105	10/03/12 13:25	-23.6	-4.0	0.16	83	0.500	1.21	29.6	29.6	4.5	36.3	ACTIVE	OPEN					
106	10/03/12 10:33	-24.3	-5.5	1.27	139	0.500	3.11	44.3	19.3	1.4	35.0	ACTIVE	OPEN					
107	10/03/12 10:37	-24.3	-6.3	3.16	131	1.000	20.60	67.6	14.7	0.0	17.7	ACTIVE	OPEN					Increased Vacuum
107	10/03/12 10:40	-24.3	-6.6	4.68	133	1.000	25.00	64.5	14.6	0.0	20.9	ACTIVE	OPEN					
108	10/03/12 13:39	-23.6	-9.0	3.22	101	0.500	5.29	58.3	19.4	0.0	22.3	ACTIVE	OPEN					Increased Vacuum
108	10/03/12 13:42	-23.6	-9.2	4.07	103	0.500	5.93	58.4	19.2	0.0	22.4	ACTIVE	OPEN					
110	10/03/12 10:02	-24.8	-10.1	1.96	133	1.000	16.15	58.9	39.6	0.0	1.5	ACTIVE	OPEN					Increased Vacuum
110	10/03/12 10:05	-24.8	-10.3	2.48	134	1.000	18.14	58.5	40.2	0.0	1.3	ACTIVE	OPEN					

Well #	Date Time	PH	PW	D.P.	T°f	OP	Landfill Gas Analysis:					Bal.	Status: Well	Valve	Req. Days:			Corrective Action
							CH4	CO2	O2	Action	5				15	120		
111	10/03/12 9:55	-24.8	-5.7	2.97	125	0.500	4.87	59.5	38.0	0.0	2.5	ACTIVE	OPEN				Increased Vacuum	
111	10/03/12 9:58	-24.8	-5.8	3.44	125	0.500	5.24	58.7	37.5	0.0	3.8	ACTIVE	OPEN					
112	10/17/12 7:00	-24.0	-6.6	0.91	100	0.500	2.81	53.9	44.6	0.0	1.5	ACTIVE	OPEN					
113R	10/04/12 7:53	-24.2	-6.9	0.31	93	0.500	1.66	16.1	22.0	0.0	61.9	ACTIVE	OPEN					
114	10/04/12 7:15	-24.0	-13.6	7.12	89	0.500	8.06	50.9	24.7	0.0	24.4	ACTIVE	OPEN					
115R	10/03/12 9:51	-23.7	-5.5	0.69	117	0.500	2.38	57.3	39.6	0.0	3.1	ACTIVE	OPEN					
116R	10/03/12 9:47	-24.9	-3.3	0.16	51	0.500	1.29	25.8	45.4	3.2	25.6	ACTIVE	OPEN					
117R	10/03/12 9:43	-24.9	-3.0	1.73	109	0.500	3.82	26.4	23.7	0.1	49.8	ACTIVE	OPEN					
118R	10/03/12 14:00	-23.2	-3.2	0.18	88	0.500	1.28	30.8	19.8	2.5	46.9	ACTIVE	OPEN					
119	10/04/12 7:00	-24.5	-4.9	4.53	101	0.500	6.28	58.9	19.5	0.3	21.3	ACTIVE	OPEN				Increased Vacuum	
119	10/04/12 7:03	-24.5	-5.0	5.52	101	0.500	6.93	58.9	19.4	0.2	21.5	ACTIVE	OPEN					
120	10/03/12 15:00	-25.6	-8.9	10.95	117	1.000	39.34	68.8	31.2	0.0	0.0	ACTIVE	OPEN				Increased Vacuum	
120	10/03/12 15:04	-25.6	-9.0	11.63	117	1.000	40.56	68.6	31.4	0.0	0.0	ACTIVE	OPEN					
121	10/03/12 13:21	-23.8	-5.9	0.81	123	0.500	2.55	55.9	44.1	0.0	0.0	ACTIVE	OPEN					
122	10/03/12 9:39	-25.0	-2.0	0.99	135	0.500	2.76	27.7	25.1	4.1	43.1	ACTIVE	OPEN					
123	10/03/12 9:35	-25.0	-3.5	3.66	113	0.500	5.52	52.5	41.1	0.0	6.4	ACTIVE	OPEN					
124	10/03/12 9:28	-24.9	-9.8	2.92	132	1.250	32.71	59.0	40.0	0.0	1.0	ACTIVE	OPEN				Increased Vacuum	
124	10/03/12 9:31	-24.9	-9.9	3.08	133	1.250	33.54	59.7	40.3	0.0	0.0	ACTIVE	OPEN					
125	10/03/12 13:02	-24.2	-5.0	0.29	119	1.000	6.36	58.2	40.4	0.0	1.4	ACTIVE	OPEN				Increased Vacuum	
125	10/03/12 13:05	-24.2	-5.1	0.43	119	1.000	7.75	58.9	40.2	0.0	0.9	ACTIVE	OPEN					
126	10/03/12 7:57	-24.0	-11.2	12.50	105	1.250	71.23	57.6	36.2	0.2	6.0	ACTIVE	OPEN				Increased Vacuum	
126	10/04/12 8:00	-24.0	-11.3	13.37	105	1.250	73.69	57.0	36.4	0.1	6.5	ACTIVE	OPEN					
127	10/03/12 13:09	-12.1	-6.4	0.24	101	0.750	3.32	42.2	36.3	0.0	21.5	ACTIVE	OPEN					
128R	10/03/12 9:15	-25.3	-24.6	0.26	95	0.500	1.51	59.6	40.4	0.0	0.0	ACTIVE	OPEN					
129	10/03/12 9:11	-24.8	-24.8	0.37	124	0.750	3.90	54.2	38.2	0.0	7.6	ACTIVE	OPEN					
130R	10/03/12 9:04	-22.9	11.0	12.61	113	0.500	10.31	55.2	44.8	0.0	0.0	ACTIVE	OPEN	Yes			Increased Vacuum	
130R	10/03/12 9:07	-22.9	-0.1	6.67	113	0.500	7.48	55.6	44.4	0.0	0.0	ACTIVE	OPEN	No	*		Meets NSPS Standards	
131	10/03/12 8:26	-24.4	-12.9	2.25	130	0.750	9.54	59.2	40.8	0.0	0.0	ACTIVE	OPEN				Increased Vacuum	
131	10/03/12 8:29	-24.4	-14.1	2.42	131	0.750	9.88	58.9	41.1	0.0	0.0	ACTIVE	OPEN					
132	10/03/12 8:33	-25.0	-13.1	4.38	129	1.000	24.33	59.7	40.2	0.1	0.0	ACTIVE	OPEN				Increased Vacuum	
132	10/03/12 8:36	-25.0	-13.5	4.51	130	1.000	24.64	59.6	40.4	0.0	0.0	ACTIVE	OPEN					
133	10/03/12 12:58	-24.4	-17.9	4.46	89	0.250	1.58	60.5	39.5	0.0	0.0	ACTIVE	OPEN					
134	10/03/12 12:54	-24.1	-16.2	3.88	129	0.750	12.57	61.3	38.5	0.0	0.2	ACTIVE	OPEN					
135	10/03/12 9:19	-25.4	-24.5	0.84	90	1.400	25.21	60.1	39.9	0.0	0.0	ACTIVE	OPEN					
136	10/03/12 9:24	-25.4	-24.2	0.20	89	1.000	5.56	63.8	35.6	0.6	0.0	ACTIVE	OPEN					
137	10/03/12 8:08	-25.0	0.3	0.28	79	0.750	3.68	17.3	33.4	0.0	49.3	IN-ACTIVE	OPEN	N/R			Opened Valve (Purge Test)	
137	10/03/12 8:11	-25.0	-25.0	0.18	79	0.750	2.95	17.2	33.8	0.0	49.0	IN-ACTIVE	OPEN	N/R			Left Valve Open, Meets NSPS Standards	
138	10/03/12 8:04	-25.2	-20.1	0.31	85	0.250	0.42	54.2	30.1	4.2	11.5	IN-ACTIVE	OPEN					
139	10/03/12 9:00	-10.8	-10.8	0.19	90	0.250	0.33	59.5	39.8	0.5	0.2	IN-ACTIVE	OPEN					
140R	10/03/12 7:39	-22.0	-21.8	0.22	85	0.500	1.42	57.3	42.7	0.0	0.0	ACTIVE	OPEN					
141R	10/04/12 10:59	-23.5	-23.5	0.19	99	0.750	2.92	55.6	39.3	0.2	4.9	ACTIVE	OPEN					
142	10/03/12 8:40	-24.6	-0.2	0.14	93	0.500	1.11	0.9	2.5	17.2	79.4	IN-ACTIVE	OPEN	N/R			Opened Valve (Purge Test)	

Well #	Date Time	PH	PW	D.P.	T°f	OP	Landfill Gas Analysis:				Bal.	Status: Well	Valve	Req. Action	Days:			Corrective Action
							CH4	CO2	O2	CFM					5	15	120	
142	10/03/12 8:43	-24.6	-24.6	0.26	93	0.500	1.52	5.5	22.4	1.5	70.6	IN-ACTIVE	CLOSED	N/R				Closed Valve (Low CH4)
143R	10/03/12 8:50	-21.6	-1.0	0.63	123	0.500	2.25	53.0	47.0	0.0	0.0	ACTIVE	OPEN					
144R	10/03/12 12:45	-0.5	-0.5	0.23	96	0.750	3.33	47.5	27.8	4.0	20.7	ACTIVE	OPEN					
145	10/03/12 8:55	-24.2	-24.1	0.26	100	0.500	1.50	59.4	40.6	0.0	0.0	ACTIVE	OPEN					
147R	10/03/12 7:15	-25.1	0.2	0.16	76	0.250	0.30	59.3	40.7	0.0	0.0	IN-ACTIVE	OPEN	N/R				Opened Valve (Purge Test)
147R	10/03/12 7:18	-25.1	-24.3	0.22	76	0.250	0.36	60.1	38.8	1.0	0.1	IN-ACTIVE	OPEN	N/R				Left Valve Open, Meets NSPS Standards
148	10/03/12 14:38	-24.6	-3.6	0.15	98	0.750	2.60	59.5	40.5	0.0	0.0	ACTIVE	OPEN					Increased Vacuum
148	10/03/12 14:42	-24.6	-5.0	0.23	98	0.750	3.22	59.5	40.5	0.0	0.0	ACTIVE	OPEN					
149	10/04/12 10:42	-24.8	-24.5	0.46	100	0.500	2.00	59.8	40.2	0.0	0.0	ACTIVE	OPEN					
150	10/02/12 7:10	-25.1	-23.2	1.59	83	0.500	3.83	59.7	40.3	0.0	0.0	ACTIVE	OPEN					
151	10/02/12 7:35	-24.9	-19.1	0.56	119	0.500	2.13	57.1	42.9	0.0	0.0	ACTIVE	OPEN					
152	10/03/12 12:38	-21.8	-1.1	0.24	117	0.750	3.19	58.7	40.5	0.4	0.4	ACTIVE	OPEN					Increased Vacuum
152	10/03/12 12:41	-21.8	-2.1	0.37	117	0.750	3.96	59.6	39.5	0.7	0.2	ACTIVE	OPEN					
153	10/03/12 12:31	-22.0	-0.1	0.88	121	0.500	2.67	58.6	41.4	0.0	0.0	ACTIVE	OPEN					Increased Vacuum
153	10/03/12 12:34	-22.0	-1.0	1.09	124	0.500	2.96	58.9	41.1	0.0	0.0	ACTIVE	OPEN					
154	10/03/12 8:47	-21.9	-11.8	7.26	123	0.500	7.68	58.0	40.3	1.2	0.5	ACTIVE	OPEN					
155	10/03/12 8:15	-25.6	-0.1	0.64	154	1.500	24.09	60.4	39.6	0.0	0.0	ACTIVE	OPEN					Increased Vacuum
155	10/03/12 8:18	-25.6	-0.2	1.04	154	1.500	30.71	60.3	39.7	0.0	0.0	ACTIVE	OPEN					
156	10/03/12 8:22	-24.5	-13.2	3.32	131	0.500	5.10	58.9	39.6	1.3	0.2	ACTIVE	OPEN					
157	10/03/12 7:21	-22.0	-0.1	2.84	131	0.750	10.74	57.2	42.8	0.0	0.0	ACTIVE	OPEN					Increased Vacuum
157	10/03/12 7:24	-22.0	-0.3	3.33	133	0.750	11.59	57.2	42.8	0.0	0.0	ACTIVE	OPEN					
158	10/03/12 7:35	-21.6	-4.0	5.48	140	1.000	26.84	55.2	44.8	0.0	0.0	ACTIVE	OPEN					
159	10/03/12 7:43	-22.0	-20.6	0.22	93	1.000	5.82	60.2	39.8	0.0	0.0	ACTIVE	OPEN					
160	10/02/12 7:15	-22.2	-13.0	0.82	109	0.500	2.63	56.0	43.9	0.0	0.1	ACTIVE	OPEN					
161	10/02/12 7:23	-22.1	-22.1	0.22	81	0.500	1.43	5.5	4.6	17.7	72.2	IN-ACTIVE	CLOSED	N/R				Closed Valve
161	10/05/12 7:43	-22.1	-22.1	0.20	80	0.500	1.37	6.0	6.4	17.1	70.5	IN-ACTIVE	CLOSED	N/R				Tested Open, Left Valve Closed
162	10/03/12 7:57	-22.0	-0.1	1.46	141	0.500	3.33	56.4	43.6	0.0	0.0	ACTIVE	OPEN					Increased Vacuum
162	10/03/12 8:00	-22.0	-0.2	2.05	142	0.500	3.94	57.5	42.5	0.0	0.0	ACTIVE	OPEN					
163	10/04/12 11:11	-22.0	-22.0	0.25	95	0.500	1.49	61.2	38.8	0.0	0.0	ACTIVE	OPEN					
164	10/04/12 11:07	-22.2	-13.4	0.90	92	0.500	2.84	56.3	43.7	0.0	0.0	ACTIVE	OPEN					
165	10/03/12 7:50	-22.0	-20.4	0.27	79	0.500	1.59	32.2	28.9	4.5	34.4	IN-ACTIVE	OPEN					
166	10/03/12 12:19	-22.1	-21.8	0.24	92	0.500	1.47	52.9	33.9	3.2	10.0	ACTIVE	OPEN					
18R1	10/04/12 7:46	-24.0	0.0	0.06	69	0.500	0.76	18.4	0.0	6.3	75.3	IN-ACTIVE	OPEN	N/R				Opened Valve (Purge Test)
18R1	10/04/12 7:49	-24.0	-2.7	0.22	69	0.500	1.46	18.6	0.0	5.6	75.8	IN-ACTIVE	CLOSED	N/R				Closed Valve
DL1	10/04/12 10:03	-24.5	-0.1	0.31	99	1.000	6.81	30.9	27.6	2.0	39.5	IN-ACTIVE	OPEN					
DL10	10/04/12 10:05	-23.4	0.0	0.00	96	0.500	0.00	5.9	12.3	10.9	70.9	IN-ACTIVE	OPEN	N/R				Opened Valve (Purge Test)
DL10	10/04/12 10:07	-23.5	-0.5	0.38	92	0.500	1.84	0.9	12.3	11.0	75.8	IN-ACTIVE	CLOSED	N/R				Closed Valve
DL3	10/04/12 9:49	-23.5	0.0	0.00	88	1.500	0.00	8.1	5.9	15.5	70.5	IN-ACTIVE	OPEN	N/R				Opened Valve (Purge Test)
DL3	10/04/12 9:52	-23.5	-0.1	0.05	88	1.500	7.56	0.7	2.2	18.0	79.1	IN-ACTIVE	CLOSED	N/R				Closed Valve
DL5	10/04/12 10:53	-23.4	-23.1	0.29	99	0.250	0.39	25.6	24.2	1.8	48.4	ACTIVE	OPEN					
DS1	10/03/12 7:28	-22.0	-4.5	6.53	134	0.750	16.23	57.2	47.8	0.0	0.0	ACTIVE	OPEN					Increased Vacuum
DS1	10/03/12 7:31	-22.0	-5.0	8.13	134	0.750	18.12	56.7	43.3	0.0	0.0	ACTIVE	OPEN					

Well #	Date Time	PH	PW	D.P.	T°f	OP	CFM	Landfill Gas Analysis:			Bal.	Status: Well	Valve	Req. Action	Days:			Corrective Action
								CH4	CO2	O2					5	15	120	
HC1	10/03/12 14:12	-24.6	-24.6	0.01	102	0.750	0.66	1.9	1.8	17.9	78.4	IN-ACTIVE	OPEN	N/R			Opened Valve (Purge Test)	
HC1	10/03/12 14:15	-24.6	-24.6	0.09	101	0.750	2.00	1.0	0.8	18.3	79.9	IN-ACTIVE	CLOSED	N/R			Closed Valve	
HC10	10/03/12 12:15	-22.1	-0.9	0.72	92	0.750	5.78	22.2	24.0	2.2	51.6	ACTIVE	OPEN					
HC2	10/03/12 14:27	-24.6	-14.3	0.22	95	1.500	15.64	14.1	7.8	14.4	63.7	IN-ACTIVE	OPEN	N/R			Opened Valve (Purge Test)	
HC2	10/03/12 14:30	-24.6	-24.6	0.19	95	1.500	14.54	15.4	8.4	14.0	62.2	IN-ACTIVE	CLOSED	N/R			Closed Valve	
HC3	10/03/12 14:46	-24.6	-24.6	0.17	99	0.750	2.76	21.3	50.2	3.3	25.2	ACTIVE	OPEN					
HC4	10/04/12 10:26	-24.6	-24.6	0.18	101	0.750	2.83	58.7	34.3	1.3	5.7	ACTIVE	OPEN					
HC5	10/04/12 10:30	-24.6	-11.2	8.54	97	1.000	36.01	61.6	38.4	0.0	0.0	ACTIVE	OPEN				Increased Vacuum	
HC5	10/04/12 10:33	-24.6	-11.3	9.44	97	1.000	37.87	61.9	38.1	0.0	0.0	ACTIVE	OPEN					
HC6	10/02/12 7:40	-24.9	-22.4	0.76	76	0.750	6.10	71.1	19.4	1.6	7.9	ACTIVE	OPEN					
HC7	10/02/12 7:27	-24.7	-20.3	0.21	77	0.500	1.40	22.6	18.1	4.1	55.2	ACTIVE	OPEN					
HC8	10/02/12 7:31	-24.7	-7.0	0.44	93	1.000	8.20	35.6	29.1	0.5	34.8	ACTIVE	OPEN					
HC9	10/04/12 10:46	-24.5	-24.5	0.20	102	1.000	5.44	54.8	30.3	2.0	12.9	ACTIVE	OPEN					
LC105	10/03/12 14:19	-24.6	-9.0	0.04	105	0.500	0.58	4.8	3.7	16.0	75.5	IN-ACTIVE	OPEN	N/R			Opened Valve (Purge Test)	
LC105	10/03/12 14:23	-24.6	-11.7	0.29	105	0.500	1.57	11.7	10.9	9.8	67.6	IN-ACTIVE	CLOSED	N/R			Closed Valve	
RW001	10/04/12 9:56	-24.5	0.0	0.00	87	0.500	0.00	0.0	1.0	18.3	80.7	IN-ACTIVE	OPEN	N/R			Opened Valve (Purge Test)	
RW001	10/04/12 9:59	-24.5	-5.3	0.72	87	0.500	2.56	3.8	2.9	17.9	75.4	IN-ACTIVE	CLOSED	N/R			Closed Valve	
RW003	10/04/12 9:43	-23.5	0.0	0.02	89	1.000	1.76	0.2	0.1	19.5	80.2	IN-ACTIVE	OPEN	N/R			Opened Valve (Purge Test)	
RW003	10/04/12 9:46	-23.5	-0.1	0.55	89	1.000	9.25	0.3	1.9	18.2	79.6	IN-ACTIVE	CLOSED	N/R			Closed Valve	
RW004	10/04/12 9:58	-23.4	0.0	0.00	88	0.250	0.00	1.9	5.7	15.9	76.5	IN-ACTIVE	OPEN	N/R			Opened Valve (Purge Test)	
RW004	10/04/12 10:02	-23.5	-6.3	0.98	88	0.250	0.74	0.1	15.6	0.3	84.0	IN-ACTIVE	CLOSED	N/R			Closed Valve (Low CH4)	
RW005	10/04/12 9:55	-23.5	-14.1	1.98	85	0.125	0.26	20.8	20.4	0.3	58.5	ACTIVE	OPEN					
RW006	10/04/12 9:36	-23.9	-1.9	0.13	87	0.250	0.27	0.2	0.3	19.1	80.4	IN-ACTIVE	OPEN	N/R			Opened Valve (Purge Test)	
RW006	10/04/12 9:39	-23.9	-2.4	0.14	87	0.250	0.28	0.3	4.6	14.8	80.3	IN-ACTIVE	CLOSED	N/R			Closed Valve	
RW007	10/04/12 9:29	-23.9	0.0	0.00	89	0.250	0.00	1.9	1.0	16.8	80.3	IN-ACTIVE	OPEN	N/R			Opened Valve (Purge Test)	
RW007	10/04/12 9:33	-23.9	-15.6	0.10	89	0.250	0.23	2.5	1.9	16.9	78.7	IN-ACTIVE	CLOSED	N/R			Closed Valve	
RW008	10/04/12 8:43	-23.6	-10.9	0.81	89	0.250	0.67	34.2	31.9	0.0	33.9	ACTIVE	OPEN					
RW009	10/04/12 8:35	-23.7	0.0	0.14	80	0.250	0.28	10.8	23.1	0.0	66.1	IN-ACTIVE	OPEN	N/R			Opened Valve (Purge Test)	
RW009	10/04/12 8:39	-23.7	-2.3	0.39	80	0.250	0.47	10.8	23.1	0.0	66.1	IN-ACTIVE	CLOSED	N/R			Closed Valve (Low CH4)	
RW010	10/04/12 10:07	-24.5	0.0	0.01	92	0.500	0.29	3.8	7.7	16.1	72.4	IN-ACTIVE	OPEN	N/R			Opened Valve (Purge Test)	
RW010	10/04/12 10:11	-24.5	-0.1	0.39	92	0.500	1.86	10.1	15.7	0.1	74.1	IN-ACTIVE	CLOSED	N/R			Closed Valve (Low CH4)	
RW011	10/04/12 10:14	-24.5	0.0	0.00	91	0.250	0.00	0.0	0.9	18.7	80.4	IN-ACTIVE	OPEN	N/R			Opened Valve (Purge Test)	
RW011	10/04/12 10:17	-24.5	-0.4	0.53	91	0.250	0.54	1.9	2.0	17.9	78.2	IN-ACTIVE	CLOSED	N/R			Closed Valve	
RW012	10/04/12 10:22	-24.8	-0.1	0.18	93	0.125	0.07	62.2	37.6	0.0	0.2	ACTIVE	OPEN					
RW013	10/03/12 14:08	-23.2	-11.8	0.53	117	1.400	19.14	63.5	35.6	0.9	0.0	ACTIVE	OPEN					
RW014	10/03/12 14:34	-5.0	-3.6	3.49	127	1.500	60.45	59.1	40.9	0.0	4.4	ACTIVE	OPEN					
RW015	10/04/12 10:36	-24.6	-5.4	3.17	89	1.400	49.15	61.4	38.6	0.0	0.0	ACTIVE	OPEN				Increased Vacuum	
RW015	10/04/12 10:39	-24.6	-5.8	3.60	89	1.400	52.38	60.4	39.6	0.0	0.0	ACTIVE	OPEN					
RW016	10/04/12 8:31	-23.7	-0.1	3.89	88	0.500	5.96	44.3	28.1	4.0	23.6	ACTIVE	OPEN					
RW017	10/04/12 8:04	-20.3	-0.1	17.40	87	0.750	28.98	60.3	39.7	0.0	0.0	ACTIVE	OPEN				Increased Vacuum	
RW017	10/04/12 8:07	-20.3	-0.2	20.76	87	0.750	31.71	60.5	39.5	0.0	0.0	ACTIVE	OPEN					
RW018	10/04/12 8:17	-17.5	-2.1	7.93	89	1.000	35.52	60.9	38.8	0.1	0.2	ACTIVE	OPEN				Increased Vacuum	
RW018	10/04/12 8:20	-17.5	-2.4	8.61	89	1.000	37.02	60.7	39.3	0.0	0.0	ACTIVE	OPEN					

Well #	Date Time	PH	PW	D.P.	T°f	OP	Landfill Gas Analysis:				Bal.	Status: Well	Valve	Req. Days:			Corrective Action	
							CH4	CO2	O2					Action	5	15		120
RW019	10/04/12 8:24	-17.1	-0.2	0.49	90	0.500	2.12	31.7	22.9	1.0	44.4	ACTIVE	OPEN					
RW020	10/04/12 8:27	-15.8	-0.1	0.50	89	1.250	14.75	60.0	40.0	0.0	0.0	ACTIVE	OPEN					
RW021	10/08/12 8:15	-10.3	-1.8	0.69	85	1.500	28.74	58.8	41.0	0.0	0.2	ACTIVE	OPEN					
SC1	10/04/12 8:11	-20.3	-8.5	1.72	97	1.000	16.20	58.1	38.6	0.5	2.8	ACTIVE	OPEN					Increased Vacuum
SC1	10/04/12 8:14	-20.3	-8.7	2.14	97	1.000	18.07	58.8	38.9	0.4	1.9	ACTIVE	OPEN					
TV1	10/03/12 13:46	-22.0	-5.9	1.17	101	0.500	3.19	30.9	38.9	0.5	29.7	ACTIVE	OPEN					
TV3	10/03/12 13:17	-22.3	-11.7	0.69	99	0.125	0.15	42.3	40.9	0.0	16.8	ACTIVE	OPEN					
TV4	10/03/12 13:54	-22.2	-4.8	1.01	109	0.500	2.92	40.5	52.7	0.3	6.5	ACTIVE	OPEN					
TV7	10/03/12 14:04	-22.1	-12.9	0.41	100	0.500	1.89	23.6	22.0	2.7	51.7	ACTIVE	OPEN					
TV9	10/03/12 13:13	-22.2	-19.8	0.24	101	0.500	1.44	35.9	37.0	1.9	25.2	ACTIVE	OPEN					
TW1	10/02/12 7:06	-22.5	-21.1	0.84	89	0.500	2.76	52.8	37.5	2.5	7.2	ACTIVE	OPEN					
TW2	10/02/12 7:19	-22.3	-22.3	0.21	75	0.500	1.41	23.6	20.2	4.0	52.2	ACTIVE	OPEN					
TW3	10/04/12 11:04	-22.2	-19.5	0.27	92	1.500	17.48	24.1	17.3	4.7	53.9	ACTIVE	OPEN					
TW4	10/03/12 7:53	-22.0	-16.5	1.92	89	0.500	4.18	62.0	38.0	0.0	0.0	ACTIVE	OPEN					
TW5	10/03/12 7:47	-22.0	-18.4	0.33	82	0.500	1.75	27.2	19.9	4.3	48.6	ACTIVE	OPEN					
TW6	10/03/12 12:23	-22.0	-22.0	0.20	93	0.500	1.34	18.7	11.7	12.5	57.1	ACTIVE	CLOSED	Yes				Closed Valve
TW6	10/05/12 7:51	-22.0	-22.0	0.27	73	0.500	1.61	25.5	20.3	8.4	45.8	ACTIVE	CLOSED	Yes	*			Tested Open, Left Valve Closed
TW6	10/17/12 7:10	-22.0	-22.0	0.18	90	0.500	1.27	26.7	20.9	4.7	47.7	ACTIVE	OPEN	No		*		Tested Open, Left Valve Open; Meets NSPS Standards
TW7	10/03/12 12:27	-22.0	-3.5	0.22	94	1.500	15.73	19.1	22.2	2.2	56.5	ACTIVE	OPEN					