NUMERTUL PROTECTION	
Same Cane	
FLORIDA	

HUMAN CREMATORY



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: ANNUAL (INS1, INS2) COMPLAINT/DISCOVERY (CI) RE-INSPECTION (FUI) ARMS COMPLAINT NO:					
AIRS ID#: 0230032 DA	TE: <u>4-26-13</u>	ARRIVE: <u>10:45</u>		DEPART: <u>11:30</u>	
FACILITY NAME: FO	REST LAWN CREMATORY				
FACILITY LOCATION	N: 3596 South Highway 441				
	LAKE CITY 32056-				
OWNER/AUTHORIZE Email: amybguerry@ CONTACT NAME: A Email: amybguerry@ ENTITLEMENT PERI@	MY GUERRY @comcast.com	GUERRY	Mobile:	(386)752-6633 (386)752-6633	
	Fa	cility Section			
PART I: <u>INSPECTION</u>	CE MINOR Non-COMPI	·		Non-COMPLIANCE	
DADT IL ONGITE INT					
	RODUCTORY MEETING presentative(s): <u>Amy Guerry</u>				a 🗹 only one each question)
Brief Notes:	presentative(s). <u>Any Guerry</u>				
2. Is the Authorized Rep If no, who is?:	resentative still AMY GUERRY?			Xe	s 🗌No
If different, did the fac 3. Is the facility contact s If no, who is?:	cility provide an administrative up still AMY GUERRY?	date within 30 days?		Q Ye	
4. Will facility be condu- If yes, was the compli	cting VE test(s) during today's ins ance authority notified at least 15	spection? days in advance?		Q Ye	

Emissions Unit Section <u>1 – Human Crematory-unit# 1,prim/2ndary chmbr,NG fired,175 #/hr</u>

PA	ART I: FILE REVIEW PRIOR TO INSPECTION	(check ☑ box for each	only one question)
1.	a. Complete AC application or, if no AC permit, initial GP registration received on or after August 30, 1989?b. If yes, were design calculations provided then to confirm a sufficient volume in the	🛛 Yes	DNo
3.	 b. If yes, were design calculations provided then to confirm a sufficient volume in the secondary chamber combustion zone to provide for at least a 1.0 second gas residence time at 1800 degrees Fahrenheit?	Yes Yes	□No ⊠No
4.	 Past Visible Emissions (VE) tests: a. Was a VE test performed within each of the past 4 calendar years? b. Has a VE test been performed yet within the current calendar year? c. If first year of operation, was a VE test performed within 30 days of commencing 		□No □No
	 d. Date of last VE test: 4-24-2013 N/A 	Yes	No
	 e. Was the VE test report filed with the compliance authority no later than 45 days after the test? f. Did the facility demonstrate compliance during the last VE test? If no, what was the problem (if known)? 		□No □No
-			
PA	ART II: <u>VISIBLE EMISSIONS TESTING</u>	(check ☑ box for each	only one question)
1.	Was a visible emissions test conducted by the facility for this unit during this site visit?	- 🗌 Yes	⊠No □No □No
	 c. The visible emission test resulted in an opacity of % for the highest six minute average. d. Did the visible emission test demonstrate compliance with the limit?)No
2.	 Was a visible emissions test conducted by the inspector during this site visit?	🗌 Yes 🗌 Yes	⊠No □No □No
3.	Is there any reason to ask for a special test to determine compliance with the PM and CO standa		⊠No
	If yes, what reason?		
PA	ART III: MONITORING/RECORDKEEPING REQUIREMENTS	(check 🗹 box for each	only one question)
1.	Were there any objectionable odors detected?	🗌 Yes	🖾No
	An upwind/downwind survey of the facility was conducted. The observed parameters were: Downwind odor level detected- Wind direction - Upwind odor level detected-	(1-10)	
	Continuous Monitoring Systems – Is a continuous temperature monitoring system installed on each unit to record temperatures in the secondary chamber in accordance with the manufacturer's instructions?	🛛 Yes	No

secondary chamber in accordance with the manufacturer's instructions? ------ ∑ Yes
 b Is the temperature probe properly placed, at least at the distance where the 1.0 second gas residence time at ∑ 1,800¹ □ 1,600² degrees was determined? ------ ∑ Yes
 ∴No (Application or initial notification: ¹ received on or after 8/30/89; ² received before 8/30/89)

PART III: MONITORING/RECORDKEEPING REQUIREMENTS (continued)

0	Are the following records kept on file, available for inspection, for at least the past two years?		
C.	1) All temperature measurements	Yes	No
	 2) all continuous monitoring systems, monitoring devices, and performance testing measurements; monitoring system all continuous performance evaluations	Yes	DNo
	3) All CEMS or monitoring device calibration checks (last performed on (Aug 2012)	🛛	Yes
L	 4) Adjustments 5) Preventive maintenance performed on systems/devices 6) Corrective maintenance performed on systems/devices 	⊠ Yes ⊠ Yes ⊠ Yes	□No □No □No
d.	Are the temperature charts properly documented with operator name, operator indication of when cremation in the primary chamber was begun, date, time, and temperature markings	🛛 Yes	No
e.	Was the crematory unit installed after $2/1/07$? If no, skip e.(1) – (3)	Yes	🖾No
	(1) Is the crematory unit equipped and operated with a pollutant monitoring system to automatical control combustion based on continuous in-stack opacity measurement?	ly Ves	No
	(2) Is the system calibrated to restrict combustion in the primary chamber whenever any opacity exceeds 15% opacity ?	Yes	No
	(3) Has the opacity measurement system been cleaned and checked for proper operation in accordance with the manufacturer's recommended maintenance schedule?	Yes	No

Р	ART IV: <u>SECONDARY COMBUSTION ZONE TEMPERATURES</u>
1	If the application to construct was BEFORE August 30, 1989 is the

a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F	
throughout the combustion process in the primary chamber?	es 🗌No
b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremation	
process begins in the primary chamber? Ye	es 🗌No
If the application to construct <u>ON</u> or <u>AFTER</u> August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F	
throughout the combustion process in the primary chamber? X Ye	es 🗌No
b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the cremation	
process begins in the primary chamber? Ye	es 🗌No

PA	ART V: <u>ALLOWED MATERIALS</u>	(check $\mathbf{\nabla}$ box for each	
1.	<i>Other than</i> human or fetal remains with appropriate containers or clothing, are any materials, including biomedical wastes, incinerated in the unit?	Yes	🖾No
2.	Do cremation containers contain no more than 0.5 % (percent) by weight chlorinated plastics as certified by the manufacturer?	⊠ Yes ⊠ Yes	□No □No

(check \blacksquare only one box for each question)

 Is the crematory unit maintained in accordance with the manufacturer's specifications? ∑ Yes □No Is there a written plan onsite which addresses the operating procedures during startup, shutdown and malfunction? ∑ Yes □No Does the crematory allow for a visible check on the flame characteristics? ∑ Yes □No If no, skip a b. a. Was the flame characteristic visually checked at least once during each operating shift? ∑ Yes □No b. Was the flame adjusted when necessary? ∑ Yes □No 	PART VI: EQUIPMENT MAINTENANCE	(check ☑ box for each	•
shutdown and malfunction? Yes 3. Does the crematory allow for a visible check on the flame characteristics? Yes If no, skip a. – b. Yes a. Was the flame characteristic visually checked at least once during each operating shift? Yes	1. Is the crematory unit maintained in accordance with the manufacturer's specifications?	Yes	No
If no, skip a. – b. a. Was the flame characteristic visually checked at least once during each operating shift? X YesNo	shutdown and malfunction?		
	If no, skip a. – b. a. Was the flame characteristic visually checked at least once during each operating shift?	Yes	No

PART VII: <u>EU INSPECTIO</u>	N COMPLIANCE STATUS (check	\checkmark only one box)
IN COMPLIANCE	MINOR Non-COMPLIANCE	SIGNIFICANT Non-COMPLIANCE

Īī

Emissions Unit Section 2 - Human Crematory-unit#2, prim/2ndary chmbrs,NG fired,150 #/hr

PART I: <u>FILE REVIEW PRIOR TO INSPECTION</u>		only one box question)
 a. Complete AC application or, if no AC permit, initial GP registration received on or after August 30, 1989? 	Xes	DNo
 b. If yes, were design calculations provided then to confirm a sufficient volume in the secondary chamber combustion zone to provide for at least a 1.0 second gas residence time at 1800 degrees Fahrenheit? 2. Crematory unit installed after February 1, 2007? 3. Date of last inspection: 3/15/13 	Xes	□No □No
 4. Past Visible Emissions (VE) tests: a. Was a VE test performed within each of the past 4 calendar years? b. Has a VE test been performed yet within the current calendar year? 		□No □No
 c. If first year of operation, was a VE test performed within 30 days of commencing operation? d. Date of last VE test: 4/24/13 	A Ses	□No
 e. Was the VE test report filed with the compliance authority no later than 45 days after the test? f. Did the facility demonstrate compliance during the last VE test?		□No □No
PART II: <u>VISIBLE EMISSIONS TESTING</u>		only one box question)
 Was a visible emissions test conducted by the facility for this unit during this site visit? a. Was the test conducted with the unit operating at a capacity of one adult-sized cadaver? b. Was the visible emissions test conducted according to EPA Method 9? 	Yes	⊠No □No □No
 c. The visible emission test resulted in an opacity of % for the highest six minute average. d. Did the visible emission test demonstrate compliance with the limit?	Yes	DNo
 2. Was a visible emissions test conducted by the inspector during this site visit?	Yes	⊠No □No □No
 d. Did the visible emission test demonstrate compliance with the limit? 3. Is there any reason to ask for a special test to determine compliance with the PM and CO s 	Yes	No

3.	Is there any	reason	to ask	for a	special	test to	determin

If yes, what reason?

PA	ART III: MONITORING/RECORDKEEPING REQUIREMENTS		only one box question)
1.		🗌 Yes	⊠No
	An upwind/downwind survey of the facility was conducted. The observed parameters were:	(1, 10)	
	Downwind odor level detected- Wind direction - Upwind odor level detected-	(1-10)	
	Continuous Monitoring Systems –		
а	Is a continuous temperature monitoring system installed on each unit to record temperatures in the secondary chamber in accordance with the manufacturer's instructions?	- 🛛 Yes	No
b	Is the temperature probe properly placed, at least at the distance where the 1.0 second gas residence time at 🖾 1,800 ¹ 🔲 1,600 ² degrees was determined?	- 🛛 Yes	No

Yes

🖾..No

PART III: MONITORING/RECORDKEEPING REQUIREMENTS (continued)

c.	Are the following records kept on file, available for inspection, for at least the past two years?		
	1) All temperature measurements	Xes	No
	2) all continuous monitoring systems, monitoring devices, and performance testing measurements;		_
	monitoring system all continuous performance evaluations	🛛 Yes	No
	3) All CEMS or monitoring device calibration checks (last performed on (Aug 2012)	🛛	Yes
	No		
	4) Adjustments	🛛 Yes	No
	5) Preventive maintenance performed on systems/devices	Yes Yes	No
	6) Corrective maintenance performed on systems/devices	🛛 Yes	No
d.	Are the temperature charts properly documented with operator name, operator indication of		
	when cremation in the primary chamber was begun, date, time, and temperature markings	Yes	No
e.	Was the crematory unit installed after $2/1/07$? If no, skip e.(1) – (3)	🛛 Yes	No
	(1) Is the crematory unit equipped and operated with a pollutant monitoring system to automatica	lly	
	control combustion based on continuous in-stack opacity measurement?	🛛 Yes	No
	(2) Is the system calibrated to restrict combustion in the primary chamber whenever any opacity		
	exceeds 15% opacity ?	🛛 Yes	No
	(3) Has the opacity measurement system been cleaned and checked for proper operation in		
	accordance with the manufacturer's recommended maintenance schedule?	X Yes	No

PART IV: SECONDARY COMBUSTION ZONE TEMPERATURES		(check 🗹 for each	only one box question)
1.	 If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	ation	No
2.	 If the application to construct <u>ON</u> or <u>AFTER</u> August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber?	ation	□No

PART V: <u>ALLOWED MATERIALS</u>			check ☑ only one box for each question)	
1.	<i>Other than</i> human or fetal remains with appropriate containers or clothing, are any materials, including biomedical wastes, incinerated in the unit?	🗌 Yes	XNo	
2.	Do cremation containers contain no more than 0.5 % (percent) by weight chlorinated plastics as certified by the manufacturer?		□No □No	

PART VI: <u>EQUIPMENT MAINTENANCE</u>		only one box 1 question)
1. Is the crematory unit maintained in accordance with the manufacturer's specifications?	🛛 Yes	No
2. Is there a written plan onsite which addresses the operating procedures during startup, shutdown and malfunction?	🛛 Yes	No
3. Does the crematory allow for a visible check on the flame characteristics?	🛛 Yes	No
 a. Was the flame characteristic visually checked at least once during each operating shift? b. Was the flame adjusted when necessary? 		□No □No

PART VII: <u>EU INSPECTION COMPLIANCE STATUS</u> (check <i>I</i> only one box)					
IN COMPLIANCE	MINOR Non-COMPLIANCE	SIGNIFICANT Non-COMPLIANCE			

Facility Section (continued)

SPECIAL CONDITIONS AND PROCEDURES	(check 🗹 box for each	only one question)
 <u>Administrative Changes</u>: 1. Were there any changes in the name, address, or phone number of the facility or authorized representati associated with a change in ownership or with a physical relocation of the facility or any emissions unit operations comprising the facility; or any other similar minor administrative change at the facility? 2. If yes, did the facility provide written notification within 30 days of the change? 	s or Yes	⊠No □No
 If yes, did the facility provide written notification within 30 days of the change?	☐ Yes ☐ Yes ☐ Yes	□No □No □No □No □No □No □No

Marc Lovallo

Inspector's Name (Please Print)

Man Somelo

Inspector's Signature

4/26/13

Date of Inspection

Approximate Date of Next Inspection

COMMENTS: Met with Ms. Amy Guerry, Responsible Official, on-site. I observed both crematory units and neither one was operating at the time of inspection. Ms. Guerry said that she hires a company once a year to perform maintenance and calibrations on the units. We went back to the office to look at temperature charts. I observed all the records for 2013 and they appeared to be in compliance with the Air general permit regulations. The facility does not burn containers that contain chlorinated plastics.