

CONCRETE BATCHING PLANT



## COMPLIANCE INSPECTION CHECKLIST

	ANNUAL (INS1, INS2)	COMPLAINT/DISCO ARMS COMPLAINT		
<b>AIRS ID#:</b> 1030037 001 <b>FACILITY NAME:</b> Cen	DATE:		DEPART:	—
FACILITY LOCATION	: 501 Douglas Road Oldsmar, FL			
RESPONSIBLE OFFICI	IAL: <u>Jason Jones</u> ?	РНС	<b>DNE:</b> 813-269-1240	
CONTACT NAME: Jas	son Jones?	РНС	<b>DNE:</b> 813-269-1240	
REMITTANCE YEAR:	ENTITI	LEMENT PERIOD: (effecti	/ 7/4/10 ive date) (end date)	
<ul> <li>(check ☑ appropriate</li> <li>Stack Emissions <ol> <li>Were visible emissions</li> <li>G2-297, F.A.C.)?</li> <li>Are emissions from controlled to the exist of the emission of the</li></ol></li></ul>	sions tests conducted during thi n silos, weigh hoppers (batcher xtent necessary to limit visible issions tests of the silo dust coll resentative of the normal silo lo unachievable in practice? n the weigh hopper (batcher) o "Yes", then continue on to quest and continue on to question 5.)- ng operation in operation during ble emissions test, was the batc	s site visit according to EPA rs), and other enclosed storag emissions to 5 percent opacin lector exhaust points was the oading rate, or at least at the peration controlled by the sil stions 4.a) and 4.b) below. If g the visible emissions test?- ching rate representative of the eration are controlled by a dua ons tests of the weigh hopper	Method 9 (Ref.: Chapter Yes ge and conveying equipment ity? Xyes e loading of the silo conducted minimum 25 tons per hour rate, Xyes lo dust collector? (If answer f answer is "No" then Yes he normal batching rate and Yes stst collector, which is separate	<ul> <li>No</li> <li>No</li> <li>No</li> <li>No</li> <li>No</li> </ul>

PART II: <u>TESTING/RECORDKEEPING REQUIREMENTS</u> – Rule 62-296.414, F.A.C. – (continued)
(check 🗹 appropriate box(es)
<u>Compliance Demonstration</u> - (Rule 62-296.401(5)(i), F.A.C.) <ol> <li>Is each dust collector exhaust point tested according to the visible emissions limiting standard as part of the annual compliance demonstration? (Rule 62-297.310(7)(a), F.A.C.) Xerometric Standard Standar</li></ol>
New Facilities – (permitted pursuant to Rule 62-210.300(4), F.A.C., Air General Permits)
2. Did this facility demonstrate:
a) initial compliance no later than 30 days after beginning operation?
b) annual compliance within 60 days prior to each anniversary of the air general permit notification form submittal date?  Yes No
Existing Facilities – (permitted pursuant to Rule 62-210.300(4), F.A.C., Air General Permits)
3. In order to demonstrate annual compliance, was an annual visible emissions test conducted 60days prior to the AGP Notification form submission, and within 60 days prior to each anniversary date? Xest No
<b>Test Reports</b> – (Rules 62-213.440, F.A.C. and 62-297.310(8)(b), F.A.C.)
<ul> <li>4. Was the required test report filed with the department as soon as practical, but no later than 45 days after the test was completed? ∑Yes □ No</li> </ul>

PART III: <u>OPERATING/RECORDKEEPING REQUIREMENTS</u> – Rule 62-210.300(4)(c)2., F.A.C. (check ☑ appropriate box(es))
1. Is this facility: 1) a stationary : 2) a relocatable ; or does it have: 3) both, stationary and relocatable concrete batching and/or nonmetallic mineral processing plants? ( <i>Please check Z only one box.</i> )
<ul> <li>2. If this is a stationary concrete batching plant, is there one or more relocatable nonmetallic mineral processing plants using individual air general permits at the same location? (<i>If your answer to this question is YES</i>, <i>then proceed to questions 2.a), thru 2.d</i>),) <i>below.</i>)</li></ul>
<ul> <li>3. Does the owner/operator of the concrete batching plant maintain a log book or books to account for:</li> <li>a) fuel consumption on a monthly basis?</li> <li>b) material processed on a monthly basis?</li> <li>c) the sulfur content of the fuel being burned (Fuel supplier certifications)?</li> <li>c) The sulfur content of the fuel being burned (Fuel supplier certifications)?</li> </ul>

## PART III: <u>OPERATING/RECORDKEEPING REQUIREMENTS</u> – Rule 62-296.414(2)(a) and (b), F.A.C. (*continued*) (check ☑ appropriate box(es))

Unconfined Emissions – (Rule 62-296.320(4)(c), F.A.C.)

1.	Does the owner /operator of the concrete batching plant take reasonable precautions to control unconf	fined
	emissions by:	

a)	management of roads,	parking areas, sto	ock piles, and	yards, w	which shall include one or	more of the following:

	1) paving and maintenance of roads, parking areas, stock piles, and yards?	Yes [	No
	2) application of water or environmentally safe dust-suppressant chemicals when necessary to control		
	emissions?	Yes [	No
3)	removal of particulate matter from roads and other paved areas under control of the owner/operator to		
	re-entrainment, and from building or work areas to reduce airborne particulate matter?	Yes	] No

reduction of stock pile height, or installation of wind breaks to mitigate wind entrainment of		
particulate matter from stock piles?	Yes	🗌 No

b) use of spray bar, chute, or partial enclosure to mitigate emissions at the drop point to the truck?----- [Yes ] No

PART IV: <u>SPECIAL CONDITIONS AND PROCEDURES</u> – Rule 62-210.300(4)(d)4., F.A.C.	
A. <u>New or Modified Process Equipment</u>	
1. Since the last inspection has there been	
a) installation of any new process equipment?Ye	
b) alterations to existing process equipment without replacement?	s 🖾 No
c) replacement of existing equipment substantially different than that noted on the most	
recent notification form? Ye	s 🖾 No
d) If you answered <b>YES</b> to any of the above, did the owner submit a new and complete	
notification form and appropriate fee (Rule 62-4.050, FAC) to the appropriate DEP or	
local program office?	s 🗌 No

Mike Thomas

Inspector's Name (Please Print)

Date of Inspection

Inspector's Signature

Approximate Date of Next Inspection

**COMMENTS:** See the attached Pinellas County inspection report form for additional information

	CONCRETE BATCHING PLA				
FACILITY: Cemex Construction Mate	erials, L.P Per_ID: 55	DISTRICT:			
Oldsmar Batch Plant		Southwest			
ADDRESS: 501 Douglas Road		CONTACT:			
Oldsmar, FL		Phone No: 813-269-1240			
ARMS No.:	PERMIT NO.:	EXPIRATION DATE:			
1030037 001	1030037-005-AG	7/4/10			
<b>EMISSION UNIT DESCRIPTION:</b> Cer	nent Silo with emissions controlled by a	a Besser Appco, Model DCS-260 baghouse			
INSPECTION DATE:	ARMS INSPECTION TYPE:	COMPLIANCE STATUS:			
	INS2 or INS	IN MNC SNC			
Type of Inspection:	Re-inspection Complai	int Drive-by Quarterly			
	A. General Review:				
1. Permit File Review		Yes No			
2. Introduction and Entry		Yes No			
Comments:					
3. <i>Is the Authorized Representative s</i> <i>Comments:</i>	still: <u>Jason Jones</u> ?	Yes No			
4. <i>Is the facility contact still:</i> Jason Jo	ones?	Yes No			
Comments:					
MS					
I N N					
N C C	B. Specific Conditions	to the second			
		or onsite soil augmentation or stabilization shall tion at least one (1) business day prior to			
changing location and transmit (by e-mail, fax, post, or courier) a Facility Relocation Notification Form (DEP Form No.					
		62-210.900(6)) to the Department no later than five (5) business days following relocation. The owner or operator of			
	ent no later than five (5) business days for				
any other relocatable concrete b	ent no later than five (5) business days for batching plant proposing to change locat	tion shall transmit a Facility Relocation			
any other relocatable concrete b	ent no later than five (5) business days for	tion shall transmit a Facility Relocation			
any other relocatable concrete b Notification Form to the Depar	ent no later than five (5) business days for batching plant proposing to change locat	tion shall transmit a Facility Relocation			

## CONCRETE DATCHING DI ANT

I	M N	S N	
Ν	С	С	B. Specific Conditions
			A facility using this air general permit may collocate with other facilities that separately registered for, and are also using, the concrete batching plant air general permit, and with facilities using the nonmetallic mineral processing plant air general permit at paragraph 62-210.310(5)(e), F.A.C., even if under the control of different persons, provided the following conditions are met. a. The collocation site does not contain any emissions units and pollutant-emitting activities other than concrete batching plants using air general permits, nonmetallic mineral processing plants using air general permits, and nonmetallic mineral processing plants or other emissions units and pollutant-emitting activities exempted from permitting pursuant to subsection 62 - 210.300(3), F.A.C., or Rule 62-4.040, F.A.C. b. The total fuel consumption by all emissions units at the collocation site shall not exceed 275,000 gallons of diesel fuel, 23,000 gallons per year of gasoline, 44 million standard cubic feet per year of natural gas, or 1.3 million gallons per year of propane, or an equivalent prorated amount of each fuel burned shall not exceed the total amount of such fuel allowed to be burned, as given in sub-subparagraph b. multiplied by a fuel percentage. The fuel percentage is the percentage ratio of the amount of the fuel burned at the facility to the total amount of such fuel allowed to be burned as given in sub-subparagraph b. multiplied by a fuel percessing plants shall not exceed one hundred percent (100%). d. The owners or operators of all collocated concrete batching plants and nonmetallic mineral processing plants shall maintain records to account for site-wide fuel consumption for each calendar month and each consecutive twelve (12) months. The owners or operators shall retain these records, available for Department inspection, for a period of at least five (5) years. [62-210.310(5)(b)4., F.A.C.] Comments: The facility does does not operate operated a nonmetallic mineral processing plant on-site under general pe
			<i>processed.</i> Pressure relief pop-up valve(s) – is there a accumulation of cement around the pop-off valves? ☐ Yes ☐ No Silo housings & duct work – are there any apparent leaks? ☐ Yes ☐ No
			<ul> <li>Unconfined Emissions. The owner or operator shall take reasonable precautions to control unconfined emissions from hoppers, storage and conveying equipment, conveyor drop points, truck loading and unloading, roads, parking areas, stock piles, and yards as required by Rule 62-296.320(4)(c), F.A.C. For concrete batching plants the following shall constitute reasonable precautions: <ul> <li>(a) Management of roads, parking areas, stock piles, and yards, which shall include one or more of the following:</li> <li>1. Paving and maintenance of roads, parking areas, and yards.</li> </ul> </li> <li>2. Application of water or environmentally safe dust- suppressant chemicals when necessary to control emissions.</li> <li>3. Removal of particulate matter from roads and other paved areas under control of the owner or operator to mitigate re-entrainment, and from building or work areas to reduce airborne particulate matter.</li> <li>4. Reduction of stock pile height or installation of wind breaks to mitigate wind entrainment of particulate matter from stock piles.</li> <li>(b) Use of spray bar, chute, or partial enclosure to mitigate emissions at the drop point to the truck.</li> <li>[62-296.414(2)]</li> </ul> <li><i>Comments:</i></li>
			Visible emissions tests of silo dust collector exhaust points shall be conducted while loading the silo at a rate that is representative of the normal silo loading rate. The minimum loading rate shall be 25 tons per hour unless such rate is unachievable in practice. If emissions from the weigh hopper (batcher) operation are also controlled by the silo dust collector, the batching operation shall be in operation during the visible emissions test. The batching rate during the emissions test shall be representative of the normal batching rate and duration. Each test report shall state the actual silo loading rate during emissions testing and, if applicable, whether or not batching occurred during emissions testing. [62-296.414(3)(c), F.A.C.]

I	M N	Ν	D. Specific Conditions
	C	C	B. Specific Conditions If emissions from the weigh hopper (batcher) operation are controlled by a dust collector which is separate from the silo
			dust collector, visible emissions tests of the weigh hopper (batcher) dust collector exhaust point shall be conducted while batching at a rate that is representative of the normal batching rate and duration. Each test report shall state the actual batching rate during emissions testing. [62-296.414(3)(d), F.A.C.]
			Comments:
			Each dust collector exhaust point shall be tested annually. New facilities permitted pursuant to Rule 62-210.300(4), F.A.C., Air General Permits, shall demonstrate initial compliance no later than 30 days after beginning operation, and annual compliance within 60 days prior to each anniversary of the air general permit notification form submittal date. Existing facilities permitted pursuant to Rule 62-210.300(4), F.A.C., Air General Permits, shall demonstrate compliance within 60 days prior to submitting an air general permit notification form and within 60 days prior to each anniversary of the air general permit to days prior to each anniversary of the air general permit notification form submittal date. Existing facilities permit notification form submittal date. [62-296.414(4), F.A.C.]  Comments: The test should be completed by The last test was conducted on, and the test results were submitted on
			Test Reports The required test report shall be filed with the PCDEM as soon as practical but no later than 45 days
			after the test is completed. [Rules 62-213.440 and 62-297.310(8)(b), F.A.C.]
			<i>Comments:</i> The last test was conducted on, and the test results were submitted on
			<ul> <li>The pollution control equipment shall be operated and maintained in accordance to the operation and maintenance (O&amp;M) plan. The O&amp;M plan shall include, but is not limited to: <ol> <li>Operating parameters of the pollution control device;</li> <li>Time table for the routine maintenance of the pollution control device as specified by the manufacturer;</li> <li>Time table for routine periodic observations of the pollution control device sufficient to ensure proper operation;</li> <li>A list of the type and quantity of the required spare parts for the pollution control device which are stored on the premises of the permit applicant;</li> <li>A record log which will indicate, at a minimum: <ul> <li>When maintenance and observations were performed;</li> <li>What maintenance and observations were performed; and</li> <li>Acceptable parameter ranges for each operational check.</li> </ul> </li> <li>[Pinellas County Code, Subsection 58-128]</li> </ol></li></ul>
			C. General Procedure Requirements and Conditions
			Administrative Corrections. Within thirty (30) days of any minor changes requiring corrections to information contained in the registration form, the owner or operator shall notify the Department in writing. Such changes shall include: 1. Any change in the name, address, or phone number of the facility or authorized representative not associated with a change in ownership or with a physical relocation of the facility or any emissions units or operations comprising the facility; or 2. Any other similar minor administrative change at the facility. 62-210.310(2)(d), F.A.C.]
			Commentary.

			Equipment Changes. The owner or operator shall maintain records of all equipment changes. In the case of installation of new process or air pollution control equipment, alteration of existing process or control equipment without replacement, or replacement of existing process or control equipment with equipment substantially different in terms of capacity, method of operation, material processed, or intended use than that noted on the most recent registration form, the owner or operator shall submit a new and complete air general permit registration form for the facility with the appropriate fee pursuant to Rule 62-4.050, F.A.C. to the Department, provided, however, that any change that would constitute a new major stationary source, major modification, or modification that would be a major modification but for the provisions of paragraph 62-212.400(2)(a), F.A.C., shall require authorization by air construction permit. 62-210.310(2)(e), F.A.C.]
			The owner or operator's use of an air general permit is limited to five (5) years. Prior to the end of the five (5) year term, the owner or operator who intends to continue using the air general permit for the facility shall re-register with the Department pursuant to subparagraph 62-210.310(2)(b)2., F.A.C. To avoid lapse of authority to operate, the owner or operator must submit the proper registration form and processing fee at least thirty (30) days prior to expiration of the facility's existing air general permit. The air general permit re-registration form shall contain all current information regarding the facility. [General Conditions - 62-210.310(3)(a), F.A.C.]
			<i>Comments</i> : The permit expires on 7/4/10. A new notification form is required to be submitted no later than 6/4/10.
			D. Other:
	P2	На	Pollution Prevention Activities Pollution Prevention Activities         ndouts Provided:       P2 Brochure;       P2 Manual;       P2 Checklist
			any emissions reductions occurred Yes / No
			hemical Substitution; Equipment Changes; Process Changes
			hemical/Material Reuse; On-site Recycling; Other:
Со	omm	ent	s:
	osing ' <i>omn</i>		nference Yes No
			s: ments:
Ju			
Ins	spect	tor(s	s): Mike Thomas, Pinellas County, Air Quality Division
Sig	gnatı	u <u>re</u> (	Date:
00	NTT	A CT	LOG? ACCESS? ARMs?

H:\users\wpdocs\airqual\Air\_Compliance\AQI\1030037 001 63265.doc