

## ANIMAL CREMATORY



## COMPLIANCE INSPECTION CHECKLIST

<b>INSPECTION TYPE:</b> ANNUAL (INS	1, INS2) 🛛 COMPLAINT/DISCOVE	ERY(CI)	
RE-INSPECTIO	ON (FUI) ARMS COMPLAINT NO	0:	
FACILITY: Pet Angel World Services	(Florida), LLC	DISTRICT:	
DBA/Site Name: Pet Angel World Me	emorial Center	Southwest	
ADDRESS: 6225 72nd Avenue N	lorth	CONTACT PHON	E:
Pinellas Park, FL		727-548-1456	
ARMS NO:	PERMIT NO:	Expiration Date:	7/23/2014
1030136 002	1030136-009-AG	Renewal Date:	6/23/2009
		Test Date:	10/19/2000
	dustrial Equipment & Engineering Compa chamber dwell temp >1200 degrees F, Dy h load of 350 pounds		
INSPECTION DATE:	INSPECTION COMPLIANCE STATU	S (check one box)	
7/5/2011	In Compliance; Minor Non-Con	npliance; 🔀 Significant 🛛	Non-Compliance
	PART I: General Review:		
1. Permit File Review			Yes No
2. Introduction and Entry			$\boxtimes$ Yes $\square$ No
4. Is the facility contact still <u>Sharon M</u> Comments: Ms. Sharon Martinache is			Yes No
5. If the answer to 3 or 4 is "No", did the [62-210.310(2)(d), F.A.C.]	he facility provide an administrative updat	e within 30 days?	Yes No
	ESTING REQUIREMENTS – Rule 62-296. ox(es), if a shaded box is checked, this would		ce)
Compliance Demonstration [62-296.401(6) 1. New Facility / New Process Equ Did this facility demonstrate initial com		operation?	🗌 Yes 🗌 No
<ol> <li><i>Existing Facilities</i></li> <li>Was an annual visible emissions compli</li> </ol>	iance test conducted on each crematory unit f	for each calendar year? -	🛛 Yes 🗌 No
minute average, except that visible emis six minutes in any one-hour period? [6.	t(s) demonstrate compliance with the 5 percent ssions not exceeding 15% opacity shall be allo 2-296.401(6)(b)1., F.A.C.] an opacity of% for the highest six	owed for up to	🛛 Yes 🗌 No
and is not greater than the manufacturer	<i>erating at</i> a capacity that is representative of r 's recommended capacity? [62-296.401(6)(g		🖂 Yes 🗌 No

	PART II: <u>TESTING REQUIREMENTS</u> – Rule 62-296.401(6), F.A.C. (check  up appropriate box(es), if a shaded box is checked, this would indicate noncompliance	e)
4.	Was the required test report filed with the department as soon as practical, but no later than 45 days after the test was completed? [62-297.310(8)(b)	
5.	Was the facility visible emissions test(s) conducted according to EPA Method 9? [62-297.401(9)(c), F.A.C]	Xes No
6.	<ul> <li>Was a visible emissions test(s) conducted by the inspector during this site visit according to Method 9?</li> <li>a) The visible emission test resulted in an opacity of0_% for the highest six minute average.</li> <li>b) Did the test indicate the facility is operating in compliance with the opacity standard?</li> </ul>	
7.	Is there any reason to ask for a special test to determine compliance with the PM and CO standards?	🗌 Yes 🔀 No
	PART III: <u>OPERATING/RECORDKEEPING REQUIREMENTS</u> (check	e)
1.	Were there any objectionable odor(s) detected? An upwind/downwind survey of the facility was conducted. The observed parameters were: Downwind odor level detected- 0; Wind direction - N Upwind odor level detected-0 (1-10)	🗌 Yes 🔀 No
2.	<ul> <li>Continuous Monitoring System - [62-296.401(6)(i), F.A.C.]</li> <li>a) Is a continuous temperature monitoring system installed on each unit to record temperatures in the secondary chamber in accordance with the manufacturer's instructions?</li></ul>	$Yes$ $No$ $Yes$ <td< td=""></td<>
	accordance with the manufacturer's recommended maintenance schedule?	🛛 Yes 📋 No
3.	<ul> <li>Was this crematory unit application to construct: [62-296.401(6)(c), F.A.C.] (check only one □ box)</li> <li>a) □ <u>BEFORE</u> August 30, 1989? (If this box checked, continue on to #4 and skip #5)</li> <li>b) ○ <u>ON</u> or <u>AFTER</u> August 30, 1989? (If this box checked, skip #4 and continue on to #5)</li> </ul>	
4.	<ul> <li>If the application to construct was <u>BEFORE</u> August 30, 1989 is the:</li> <li>a) secondary chamber combustion zone providing at least a 1.0 second gas residence time @ 1600°F?</li> <li>b) actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?</li> <li>c) cremation in the primary chamber begun after the secondary chamber combustion zone temperature is equal to or greater than 1400°F?</li> </ul>	🗌 Yes 🗌 No
5.	If the application to construct <u>ON</u> or <u>AFTER</u> August 30, 1989 is the: a) volume in the secondary combustion zone sufficient to provide at least a 1.0 second gas residence time @ 1800° F?	🛛 Yes 🗌 No

PART III: <u>OPERATING/RECORDKEEPING REQUIREMENTS</u> (check [] appropriate box(es), if a shaded box is checked, this would indicate noncompliance	
	e)
<ul> <li>b) the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber?</li> <li>c) secondary chamber combustion zone temperature equal to or greater than 1600°F before the cremation</li> </ul>	Yes 🛛 No
process begins in the primary chamber?	🛛 Yes 🔲 No
6. Are appropriate cremation containers containing no more than 0.5 % (percent) by weight chlorinated	
plastics used during the cremation of dead human bodies, as demonstrated by MSD sheet? [62-296.401(6)(d), F.A.C.]	X Yes I INO
a) If the answer to question 6 above is YES, is certifying documentation from the manufacturer that they are composed of 0.5% or less by weight chlorinated plastics kept on file at the site for the duration of	
their use and for at least two years after their use?	🛛 Yes 🗌 No
b) Are there any other materials, other than bedding, including biomedical wastes (Rule 62-210.200, FAC)	
incinerated at this location?	🗌 Yes 🛛 No
PART IV: <u>Equipment Maintenance</u> (check [] appropriate box(es), if a shaded box is checked, this would indicate noncompliance	e)
Equipment Maintenance: – [62-296.401(6)(e), F.A.C.]	
1. Is the crematory unit maintained in accordance with the manufacturer's specifications?	🛛 Yes 🗌 No
2. Are there maintenance/repair/adjustment records kept onsite for at least 2 years?	Yes  No

3.	Is there a written plan onsite which addresses the operating procedures during startup, shutdown and malfunction? 🛛 Yes 🗌 No
4.	<i>Does the crematory allow for a visible check on the flame characteristics?</i> $\boxtimes$ <i>Yes</i> $\square$ <i>No If yes go to a</i> ) – <i>b</i> )
	<ul> <li>a) Was the flame characteristic visually checked at least once during each operating shift? Xes No</li> <li>b) Was the flame adjusted when necessary? Xes No</li> </ul>

## **PART V:** Special Conditions And Procedures (check $\Box$ appropriate box(es), if a shaded box is checked, this would indicate noncompliance)

Administrative Changes:         1. Were there any changes in the name, address, or phone number of the facility or authorized representative not associated with a change in ownership or with a physical relocation of the facility or any emissions units or operations comprising the facility; or any other similar minor administrative change at the facility □ Yes □ No         2. If yes, did the facility provide written notification within 30 days of the change? [62-210.310(2)(d), F.A.C.] □ Yes □ No
Permit Effective Period       - [62-210.310(3)(a), F.A.C.]         1. Is the general permit for this facility still within the 5 year effective period?
2. Did the facility submit the new re-registration form at least 30 prior to permit expiration? Yes 🗌 No
New or Modified Process Equipment or Change in Ownershipt
C Since the last registration form submittal has there been [62-210.310 (2)(b)2, F.A.C a) Installation of any new process equipment? □ Yes □ No b) Alterations to existing process equipment without replacement? □ Yes □ No c) Replacement of existing equipment with equipment that is substantially different? □ Yes □ No d) A change in ownership? □ Yes □ No If the any of the answers to 1a) – 1)d is <u>Yes</u> to any, a new registration form and appropriate fee should have been submitted 30 days prior to the change □ Yes □ No
Noncompliance Notice:       - [62-210.310(3)(i), F.A.C.]         1. Did the facility have any instances where they were unable comply with or will be unable to comply with any condition or limitation of the air general permit?

<ul> <li>a) Did the owner or operator provide immediate notification to the Department? □ Yes □ No</li> <li>b) Did the notification include:         <ul> <li>1. A description of and cause of noncompliance?-</li> <li>2. The period of noncompliance, including dates and times; or if not corrected, the anticipated time the noncompliance is expected to continue, and steps being taken to reduce, eliminate, and prevent recurrence of the noncompliance?</li></ul></li></ul>
<ul> <li>2. The period of noncompliance, including dates and times; or if not corrected, the anticipated time the noncompliance is expected to continue, and steps being taken to reduce, eliminate, and prevent recurrence of the noncompliance? Yes No</li> <li>PART VI: Comments</li> <li>Part III [62-296.401(6)(i). F.A.C] -</li> <li>OPERATING REQUIREMENTS: Continuous Monitoring System.</li> <li>1. The actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the</li> </ul>
continue, and steps being taken to reduce, eliminate, and prevent recurrence of the noncompliance? Yes No PART VI: <u>Comments</u> Part III [62-296.401(6)(i). F.A.C] - OPERATING REQUIREMENTS: Continuous Monitoring System. 1. The actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the
PART VI: <u>Comments</u> Part III [62-296.401(6)(i). F.A.C] -         OPERATING REQUIREMENTS: Continuous Monitoring System.         1. The actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the
Part III [62-296.401(6)(i). F.A.C] - OPERATING REQUIREMENTS: Continuous Monitoring System. 1. The actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the
Part III [62-296.401(6)(i). F.A.C] - OPERATING REQUIREMENTS: Continuous Monitoring System. 1. The actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the
OPERATING REQUIREMENTS: Continuous Monitoring System. 1. The actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the
1. The actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the
combustion process in the primary chamber. Based on record reviews, the lowest operating temperatures observed were as follows:
Temperatures observed was 1525 ° <b>F.</b> on 12/21/10 for ~ 40 minutes. Temperatures observed was 1550 ° <b>F.</b> on 2/24/11 for ~ 75 minutes.
Mr. Jason Gilbert the Operator Supervisor stated on 12/21/10 operator loading in more animal remains left the emission unit untended. He stated on 2/24/11 the operator failed to turn on cremation burner in timely manner.
Part V [62-210.310(3)(i), F.A.C] -
Noncompliance Notice.
2. If, for any reason, the owner or operator of any facility operating under an air general permit does not comply with or will be unable to comply with condition or limitation of the general permit, the owner or operator shall immediately provide the Department with the following information:
A description of and cause of noncompliance? IVes 🖂 No
The period of noncompliance, including dates and times; or if not corrected, the anticipated time the noncompliance is expected to continue, and steps being taken to reduce, eliminate, and prevent recurrence of the noncompliance?
Facility failed to provide the AQ Division office with the above non-compliance information.
<i>Exit Interview: During the closing conference, I informed Mr. Gilbert</i> the emission unit is deemed to be in non-compliance
Dan mer veri. During me closing conjerence, i informed int. Gubert die emission dint is deened to be in non-compliance

Mike Ojo Thomas

Inspector's Name

7/5/11

Date of Inspection

 Inspector's Signature
 Approximate Date of Next Inspection

 H:\users\wpdocs\airqual\Air\_Compliance\AQI\1030136 002 75832.doc