

## **HUMAN CREMATORY**



## COMPLIANCE INSPECTION CHECKLIST

<u>IN</u>	SPECTION TYPE: ANNUAL (INS1, INS2)   COMPLAINT/DISCOVERY (CI)   RE-INSPECTION (FUI)   ARMS COMPLAINT NO:						
ΑI	RS ID#: 1150039 DATE: <u>12/13/2010</u> ARRIVE: <u>~9:10 am</u> DEPART:						
FACILITY NAME: WIEGAND BRS FUNERAL HOME-CREMATORY							
FA	ACILITY LOCATION: 7454 S TAMIAMI TRAIL						
	SARASOTA 34231-7006						
CO	WNER/AUTHORIZED REPRESENTATIVE: GREGG WIEGAND Email: ONTACT NAME: Email: WITTLEMENT PERIOD: 10/3/2009 / 10/3/2014 (effective date) (end date)  PHONE: (941)921-575 Mobile: PHONE: Mobile: Wobile:	55					
Facility Section							
PART I: INSPECTION COMPLIANCE STATUS (check ☑ only one box)  ☐ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE							
D.4	DE H. ONGER INED ODLICEODY MEDITING						
	Name(s) of facility representative(s): <u>Joey Luckado</u> , <u>Environmental Solutions (contractor)</u>	(check <b>☑</b> only one box for each question)					
	Brief Notes: 407-770-9950; contracted to handle environmental compliance						
2.	Is the Authorized Representative still GREGG WIEGAND?	⊠ Yes □No					
3.	If different, did the facility provide an administrative update within 30 days?						
4.	Will facility be conducting VE test(s) during today's inspection?						

## Emissions Unit Section 1 – Human Crematory-prim/2ndary chmbrs,100lb/hr,NG fired,tempMon

PA	RT I: FILE REVIEW PRIOR TO INSPECTION	(check 🗹 box for each	only one question)
1.	<ul> <li>a. Complete AC application or, if no AC permit, initial GP registration received on or after August 30, 1989?</li> <li>b. If yes, were design calculations provided then to confirm a sufficient volume in the</li> </ul>	☐ Yes	□No
3.	secondary chamber combustion zone to provide for at least a 1.0 second gas residence time at 1800 degrees Fahrenheit?	Yes Yes	□No ⊠No
4.	Past Visible Emissions (VE) tests:  a. Was a VE test performed within each of the past 4 calendar years?  b. Has a VE test been performed yet within the current calendar year?  c. If first year of operation, was a VE test performed within 30 days of commencing	Yes Yes	□No □No
	operation? N/A d. Date of last VE test:	Yes	□No
	e. Was the VE test report filed with the compliance authority no later than 45 days after the test? f. Did the facility demonstrate compliance during the last VE test?  If no, what was the problem (if known)?	Yes Yes	□No □No
D.4	DELIT MIGHEL E EMIGGIONG EDGENIO		
PA	RT II: <u>VISIBLE EMISSIONS TESTING</u>	(check <b>☑</b> box for each	only one question)
1.	Was a visible emissions test conducted by the facility for this unit during this site visit?	Yes	□No □No □No
	<ul> <li>c. The visible emission test resulted in an opacity of 0 % for the highest six minute average.</li> <li>d. Did the visible emission test demonstrate compliance with the limit?</li> <li>(5% opacity, six-minute average, except that visible emissions not exceeding 15% opacity shall be allowed for up to six minutes</li> </ul>		□No
2.	Was a visible emissions test conducted by the inspector during this site visit?	⊠ Yes	□No □No □No
3.	d. Did the visible emission test demonstrate compliance with the limit?		□No
	If yes, what reason?	Yes	⊠No
PA	RT III: MONITORING/RECORDKEEPING REQUIREMENTS	(check ☑ box for each	only one question)
1.	Were there any objectionable odors detected?		□No
	Continuous Monitoring Systems – Is a continuous temperature monitoring system installed on each unit to record temperatures in the		
	secondary chamber in accordance with the manufacturer's instructions?	Yes Yes	□No
	time at $\boxtimes 1,800^1$ $\square 1,600^2$ degrees was determined?	⊠ Yes	□No

PA	PART III: MONITORING/RECORDKEEPING REQUIREMENTS (continued)				
c.	Are the following records kept on file, available for inspection, for at least the past two years?	<b>►</b> 71 • •	_ ,,		
	<ol> <li>All temperature measurements</li></ol>	⊠ Yes	∐No		
	monitoring system all continuous performance evaluations	Yes	□No		
	3) All CEMS or monitoring device calibration checks (last performed on (10/26/10)	⊠ Yes	□No		
	4) Adjustments 5) Preventive maintenance performed on systems/devices	<ul><li>✓ Yes</li><li>✓ Yes</li></ul>	∐No □No		
	6) Corrective maintenance performed on systems/devices	⊠ Yes	□No		
d.	Are the temperature charts properly documented with operator name, operator indication of	_	_		
اے	when cremation in the primary chamber was begun, date, time, and temperature markings	Yes	⊠No		
e.	Was the crematory unit installed after $2/1/07$ ? If no, skip e.(1) – (3)	☐ Yes llv	⊠No		
	control combustion based on continuous in-stack opacity measurement?	Yes	□No		
	(2) Is the system calibrated to restrict combustion in the primary chamber whenever any opacity exceeds 15% opacity?	Yes	□No		
	(3) Has the opacity measurement system been cleaned and checked for proper operation in	L I es	NO		
	accordance with the manufacturer's recommended maintenance schedule?	Yes	□No		
			ก		
PA	ART IV: SECONDARY COMBUSTION ZONE TEMPERATURES	(check <b>☑</b> box for each	only one question)		
			4		
1.	If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F		I		
	A SCHALOBEIATHS TEHINGLATHIC OF THE SECONDALY CHAINDEL COMPASHOR FORCE HO 1600 than Tion i				
		☐ Yes	□No		
	throughout the combustion process in the primary chamber?b. secondary chamber combustion zone temperature equal to or greater than <b>1400°F</b> before the crematic	on			
	throughout the combustion process in the primary chamber?  b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber?		□No		
2.	throughout the combustion process in the primary chamber?  b. secondary chamber combustion zone temperature equal to or greater than <b>1400°F</b> before the crematic process begins in the primary chamber?  If the application to construct <b>ON</b> or <b>AFTER</b> August 30, 1989 is the:	on			
2.	throughout the combustion process in the primary chamber?  b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber?	on			
2.	throughout the combustion process in the primary chamber?  b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber?	on Yes  Yes On	No		
2.	throughout the combustion process in the primary chamber?  b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber?  If the application to construct ON or AFTER August 30, 1989 is the:  a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber?	on Yes	No		
2.	throughout the combustion process in the primary chamber?  b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber?	on Yes  Yes On	No		
	throughout the combustion process in the primary chamber?  b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber?	on Yes  Yes On	No		
	throughout the combustion process in the primary chamber?  b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber?	on Yes  Yes  Yes  Yes  Yes	No		
PA	throughout the combustion process in the primary chamber?  b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber?	on Yes  ☐ Yes  ☐ Yes  On Yes  ☐ (check ☑	No		
PA	throughout the combustion process in the primary chamber?  b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber?	on Yes  ☐ Yes  ☐ Yes  On Yes  ☐ (check ☑	No		
1.	throughout the combustion process in the primary chamber?	on Yes  Yes  Yes  Yes  (check  box for each	No		
1.	throughout the combustion process in the primary chamber?  b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber?  If the application to construct ON or AFTER August 30, 1989 is the:  a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber?  b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the crematic process begins in the primary chamber?	on Yes  Yes  Yes  Yes  (check  box for each	No		

			(check ☑ only one box for each question)			
1. Is the crematory unit maintained in accordance with the manufacture	r's specifications?	⊠ Yes	□No			
<ol> <li>Is there a written plan onsite which addresses the operating procedure shutdown and malfunction?</li></ol>	each operating shift?	<ul><li>⋉ Yes</li><li> Yes</li><li> Yes</li><li> Yes</li><li> Yes</li></ul>	□No □No □No □No			
PART VII: EU INSPECTION COMPLIANCE STATUS (check only one box)						
SPECIAL CONDITIONS AND PROCEDURES		(check 🗹 box for each	only one question)			
Administrative Changes:  1. Were there any changes in the name, address, or phone number of the facility or authorized representative associated with a change in ownership or with a physical relocation of the facility or any emissions units of operations comprising the facility; or any other similar minor administrative change at the facility?  2. If yes, did the facility provide written notification within 30 days of the change?  New or Modified Process Equipment or Change in Ownership:  3. Since the last registration form submittal has there been		Yes	<ul><li>□No</li><li>□No</li><li>□No</li><li>□No</li><li>□No</li><li>□No</li><li>□No</li><li>□No</li><li>□No</li><li>□No</li></ul>			
Michael Storino, ESIII  Inspector's Name (Please Print)  Inspector's Signature	Date of Inspection 12/31/2012 Approximate Date of Next Inspe	ection				
COMMENTS: INS3. MS indpected the facility and observed VE com	pliance testing.					