



FAX COVER SHEET

BROOKSVILLE CHAPEL
PHONE (352) 796-3588
FAX (352) 799-9060

TO: CHRIS BRADLEY / JOE PANETTAFROM: DENNIS BOYER EMAIL - dboyer@stei.comDATE 5-10-07RE: M605 CHLORINE FREE BAGSPages: (Includes Cover) - 3 -

Note: Please be aware that items in this transmission may be of a confidential nature. Should you receive this FAX in error, please notify the sender at once.

PLEASE SEND ME SOME KIND
OF NOTICE REGARDING (FIELD
WARNING NOTICE) -

Mailing Address: Post Office Box 1538 • Brooksville, FL 34605

Brooksville Chapel
504 East Jefferson St.
352/796-3588

Funeral and Cremation Center
5111 Commercial Way (US 19)
352/597-9510

Spring Hill Chapel
14360 Spring Hill Drive
352/796-9661

Florida Hills Memorial Gardens
14354 Spring Hill Drive
352/796-7080



Florida Department of Environmental Protection
Southwest District Office

FIELD WARNING NOTICE

Name / Owner / Operator: Dennis Boyes

Address: 14360 Spring Hill Dr. Spring Hill FL 34609

Location / Source: _____

Permit Number: 0530031 Permit Exp. Date: 9/22/2010 Date and Time: 5/9/07

The purpose of this notice is to advise you of possible violations of law for which you may be responsible, and to seek your cooperation in resolving the matter. Florida Department of Environmental Protection (DEP) personnel conducted a field inspection on the date listed above at the location described above. Florida DEP personnel observed the following, which indicates that a violation of Florida Statutes and Rules may exist at the above described facility: *(For example, Where was the activity observed? How was it discovered? Who provided information to the inspector?)*

Observations: Needs to provide MSDS for plastic bags used during cremation.

Rec'd in format MAY 10, 2007

Rule or Statute Relevant to Observations

Permit
Condition No.

Unconfined Particulate Matter. Rule 62-296.320(4)(c)1, Florida Administrative Code (F.A.C.), provides that no person shall cause, let, permit, suffer or allow the emission of unconfined particulate matter from any activity, without taking reasonable precautions to prevent such emissions.	
Operating Without a Permit. Rule 62-210.300, F.A.C., provides that, unless exempted from permitting or unless specifically authorized, the owner or operator of any facility or emissions unit which emits or can reasonably be expected to emit any air pollutant shall obtain an appropriate permit from the Department.	
Violation of Permit Condition(s). Rule 62-4.160(1), F.A.C., The terms, conditions, requirements, limitations and restrictions set forth in this permit, are "permit conditions" and are binding and enforceable pursuant to Sections 403.141, 403.727, or 403.859 through 403.861, F.S.	
Objectionable Odor. Rule 62-296.320(2), F.A.C., provides that no person shall cause, suffer, allow or permit the discharge of air pollutants which cause or contribute to an objectionable odor.	
Excessive Visible Emissions. Rule 62-296.320(4)(b)1., F.A.C., provides that no person shall cause, let, permit, suffer or allow to be discharged into the atmosphere the emissions of air pollutants from any activity, the density of which is equal to or greater than 20 percent opacity.	
Open Burning. With few exceptions, Rule 62-296.320(3), F.A.C., prohibits open burning in connection with industrial, commercial, or municipal operations.	
Constructing Without a Permit. Rule 62-4.210, F.A.C., provides that no person shall construct any installation or facility which will reasonably be expected to be a source of air or water pollution without first applying for and receiving a construction permit from the Department.	✓
Other. <u>See observations</u>	✓

The activities observed during the Department's field inspection and any other activities at your facility that may be contributing to violations of the above-described statutes or rules should be ceased. The operation of a facility in violation of state statutes or rules may result in liability for damages and restoration, and the administrative imposition of penalties up to \$10,000.00 pursuant to Section 403.121, Florida Statutes (F.S.), or the judicial imposition of civil penalties up to \$10,000.00 per violation per day pursuant to Sections 403.141 and 403.161, F.S.

You are requested to contact 5/20/07 at the address or telephone number below within fifteen (15) days of receipt of this Field Warning Notice. Please be advised that this Field Warning Notice is part of an agency investigation, preliminary to agency action in accordance with Section 120.57(5), F.S. We look forward to your cooperation in completing the investigation and resolution of this matter.

Received by: [Signature] Issued/Posted by: Joseph V. Panetta

Print: DENNIS BOYES Print: Joseph V. Panetta

Title: Env Assistant

05/10/2007 10:27

8508786103

MEDTECH FORENSICS

PAGE 02/03

May 10 07 10:21a

Centennial Products Inc

804-332-1100

QUICK IDENTIFIER (In Plant Common Name)

Transit Wrap Part No. TW35 & TW50

CHLORINATE FREE

MATERIAL SAFETY DATA SHEET

Manufacturer's

Name

Address

CENTENNIAL PRODUCTS INC
RAVEN INDUSTRIES INC.P.O. Box 5107
Sioux Falls, SD 57117

Emergency

800-633-3456

Telephone Numbers

605-335-0174

Other

Information

1812 "E" Avenue

Sioux Falls, SD 57104

Signature of Person

Responsible for Preparation

Date

Prepared

November 1, 2004

Section 1 - IDENTIFY

Common Name: (Used on Label)

Transit Wrap

CAS

N/A

(Trade Name & Synonyms)

TW35, TW50

Number(s)

Chemical

Chemical

Name

Polyethylene

Family

Polyolefin

Formula

(CH₂ - CH₂)_n

Section 2 - HAZARDOUS INGREDIENTS

Principal Hazardous Component(s) - Chemical and Common Name

%

Threshold Limit Value (units)

None Known

Section 3 - PHYSICAL & CHEMICAL CHARACTERISTICS (Fire & Explosion Data)

Section 3 - PHYSICAL & CHEMICAL CHARACTERISTICS							N/A
Boiling Point	Not Applicable (N/A)			Specific Gravity	0.94	Vapor Pressure, mmHg	N/A
Percent Volatile by Volume (%)	N/A	Vapor Density	N/A	Evaporation Rate	N/A		
Solubility in Water	Insoluble in Water			Reactivity in Water	N/A		
Appearance and Odor	White, odorless plastic film.						
Flash Point	N/A	Flammability Limits in Air, by Volume (%)	Lower	Upper	Auto Ignition Temperature	>660°F (estimate based upon raw material AIT)	
Extinguisher Media	Use water spray, dry chemical or carbon dioxide						
Special Fire Fighting Proced.	Fire fighters should wear a self-contained breathing apparatus when there is a possibility of exposure to smoke, fumes or hazardous decomposition products. If possible, water should be applied as a spray from a fogging nozzle since this material is a surface burning material.						
Unusual Fire and Explosion Hazards	None known						

Section 4 - PHYSICAL HAZARDS

Stability		Unstable		Conditions to Avoid	Temperatures over 570°F may release combustible gases.
Stable		X			
Incompatibility		Oxidizing materials can cause a reaction			
(Materials to Avoid)		The following combustion products may be generated: Carbon dioxide and trace volatile organic compounds.			
Hazardous Decomposition Products		N/A			
Hazardous Polymerization		May Occur		Conditions to Avoid	N/A
		Will not Occur	X		

Page 2

Part Number: TW35 & TW50

Section 5 - HEALTH HAZARDS

Threshold N/A

Limit Value

Signs and Symptoms of Exposure1. **Acute** Molten materials will cause thermal burns 2. **Chronic** Not Determined

Ovarexposure Ovarexposure

Medical Conditions Generally There are no known medical conditions aggravated by exposure to this product.

Aggravated by Exposure

Chemical Listed as Carcinogen or Potential Carcinogen	National Toxicology Program	Not Listed	L.A.R.C. Monographs	Not Listed	OSHA	Not Listed
OSHA Permissible	None	ACGIH Threshold	None	Other Exposed	None	
Exposure Limit	Limit Value			Limit Used		

Emergency and First Aid Procedures

Most problems will result from exposure to molten materials.

First Aid Procedures1. **Inhalation** Immediately remove victim from area to fresh air. Seek medical attention.2. **Eyes** If contacted by molten material, immediately flush eyes with plenty of cool water for at least 15 minutes. Do not permit victim to rub eyes. Immediately seek medical attention.3. **Skin** If contact by molten material, cool immediately with cool water. Do not attempt to remove any solidified material. Immediately seek medical attention.4. **Ingestion** If material is ingested, contact a physician or Poison Control Center as appropriate whenever any foreign object is swallowed.**Section 6 - SPECIAL PROTECTION INFORMATION****Respiratory Protection**

(Specify Type) N/A

Ventilation	Local Exhaust	Mechanical (General)	Recommend	Special	Other
N/A	N/A	10 air changes/hour for good room ventilation	N/A	N/A	N/A

Protective Gloves	Wear protective gloves during thermal processing.	Eye Protection	Wear eye protection during thermal processing.
Other Protective	n/a		

Clothing or Equipment**Section 7 - SPECIAL PRECAUTIONS AND SPILL / LEAK PROCEDURES****Precautions to be Taken**

In Handling and Storage Store in a cool, dry area.

Other

Precautions None

Steps to be Taken in Case

Material is Released or Spilled n/a

Waste Disposal

Methods Observe all federal, state and local laws concerning health and environment.

IMPORTANT - Do not leave blank spaces. If information is unavailable, unknown or does not apply, so indicate