


HUMAN CREMATORY
AIR GENERAL PERMIT NOTIFICATION FORM



Part III. Notification of Intent to Use General Permit

(Submit this Part to the appropriate permitting office and keep copy of completed form onsite. Instructions follow.)


Instructions to Owner or Operator: To give notice to the Department of an eligible facility's intent to use the human crematory air general permit, the owner or operator of the facility must detach and complete Part III of this Human Crematory Air General Permit Notification Form and submit it to the appropriate Department of Environmental Protection district office or local air pollution control program office which has been delegated permitting authority. Please type or print clearly all information and enclose the appropriate general permit processing fee pursuant to Rule 62-4.050(4)(o), F.A.C. Please note, the form will not be considered complete unless: 1) the processing fee is attached; and 2) appropriate emissions testing was conducted within 60 days of submitting the form and the test results have already been submitted to the appropriate permitting authority or accompany the form. Also, please refer to the instructions for completing Part III of the notification form at the end of the form.

General Facility Information

Facility Owner/Company Name (Name of corporation, agency, or individual owner): <i>Family Owned Services Corp</i>
Site Name (For example, plant name or number): <i>Brewer & Sons Funeral Homes (Brooksville Crematory)</i>
Facility Location: Street Address: <i>1190 S. Broad St</i> City: <i>Brooksville</i> County: <i>Hernando</i> Zip Code: <i>34601</i>
Facility Start-Up Date:

Notification Type

Check one: <input type="checkbox"/> NEW FACILITY WITH AIR CONSTRUCTION PERMIT: Provide the air construction permit number: _____ <input type="checkbox"/> EXISTING FACILITY WITH AIR OPERATION PERMIT: Provide the air operation permit number: _____ <input checked="" type="checkbox"/> EXISTING FACILITY WITH AIR GENERAL PERMIT
--



Owner/Authorized Representative

Name and Title: <i>Barry K. Brewer - CEO - President</i>
Owner/Authorized Representative Mailing Address: Organization/Firm: <i>Brewer & Sons F.H.</i> Street Address: <i>1190 S. Broad St</i> City: <i>Brooksville</i> County: <i>Hernando</i> Zip Code: <i>34601</i>
Owner/Authorized Representative Telephone Number: Telephone: <i>(352) 796-4991</i> Fax: <i>(352) 799-6451</i>



Facility Contact (If different from Owner/Authorized Representative)

Name and Title: Tammy Tolbert - office Manager		
Facility Contact Mailing Address: Organization/Firm: Brewer + Sons F.H.		
Street Address: 1190 S. Broad St		
City: Brooksville	County: Hernando	Zip Code: 34601
Facility Contact Telephone Number: Telephone: (352) 796-4991 Fax: (352) 799-6461		

Facility Comments

Process Description:

Power-Pak II Crematory
purchased from I+E



Surrender of Existing Air Permit(s) except Air General Permits (do not complete for renewal notifications)


Check one:

- I hereby surrender all existing air permits authorizing operation of the facility indicated on this form; specifically permit number(s) _____
- No air permits currently exist for the operation of the facility indicated on this form.

Owner/Authorized Representative Statement

I, the undersigned, am the owner or authorized representative of the owner or operator of the facility addressed in this Air General Permit Notification Form. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the facility and any air pollution control equipment described in this notification so as to comply with all applicable standards and requirements for control of air pollutant emissions found in the statutes of the State of Florida and rules of the Department of Environmental Protection and revisions thereof.

I will promptly notify the Department of any changes to the information contained in this notification.


Signature

2/6/04
Date

(b) Registration. The owner or operator who intends to construct or operate an eligible facility under the authority of an air general permit shall complete and submit the proper registration form to the Department for the specific air general permit to be used, as provided in subsection 62-210.920(1) or (2), F.A.C. The registration form shall be accompanied by the appropriate air general permit processing fee pursuant to Rule 62-4.050, F.A.C. (*\$100 as of the effective date of this form*)

1. Initial Registration. Registration of a facility which is not currently authorized to construct or operate under the terms and conditions of an air general permit is classified as an initial registration. Any existing, individual air operation permit(s) authorizing operation of the facility must be surrendered by the owner or operator, effective upon the first day of use of the air general permit.

[REDACTED]

F.A.C.

(c) Use of Air General Permit.

1. Unless the Department denies use of the air general permit, the owner or operator of an eligible facility may use the air general permit for such facility 30 days after giving notice to the Department. The first day of the 30-day time frame, day one, is the date the Department receives the proper registration form and processing fee. The last day of the 30-day time frame, day 30, is the date the owner or operator may use the air general permit, provided there is no agency action to deny use of the air general permit.

[REDACTED]

[REDACTED]. Within 30 days of any minor changes requiring corrections to information contained in the registration form, the owner or operator shall notify the Department in writing. Such changes shall include:

1. Any change in the name, address, or phone number of the facility or authorized representative not associated with a change in ownership or with a physical relocation of the facility or any emissions units or operations comprising the facility; or
2. Any other similar minor administrative change at the facility.

[REDACTED] The owner or operator shall maintain records of all equipment changes. In the case of installation of new process or air pollution control equipment, alteration of existing process or control equipment without replacement, or replacement of existing process or control equipment with equipment substantially different in terms of capacity, method of operation, material processed, or intended use than that noted on the most recent registration form, the owner or operator shall submit a new and complete air general permit registration form for the facility with the appropriate fee pursuant to Rule 62-4.050, F.A.C. to the Department, provided, however, that any change that would constitute a new major stationary source, major modification, or modification that would be a major modification but for the provisions of paragraph 62-212.400(2)(a), F.A.C., shall require authorization by air construction permit.

(f) Enforcement of Ineligibility. If a facility using an air general permit at any time becomes ineligible for the use of the air general permit, or if any facility using an air general permit is determined to have been initially ineligible for use of the air general permit, it shall be subject to enforcement action for constructing or operating without an air permit under subsection 62-210.300(1) or (2), F.A.C., or Chapter 62-213, F.A.C., as appropriate.

least two (2) years after their use. No other material, including biomedical waste as defined in Rule 62-210.200, F.A.C., shall be incinerated.

(e) Equipment Maintenance. All human crematory units **shall be maintained in proper working order in accordance with the manufacturer's specifications** to ensure the integrity and efficiency of the equipment. If a crematory unit contains a defect that affects the integrity or efficiency of the unit, the unit shall be taken out of service. No person shall use or permit the use of that unit until it has been repaired or adjusted. **Repair records on all crematory units shall be maintained onsite for at least two (2) years. A written plan with operating procedures for startup, shutdown and malfunction of each crematory unit shall be maintained and followed during those events.** Each unit's burners shall be operated with a proper air-to-fuel ratio. If the unit so allows, the burners' flame characteristics shall be visually checked at least once during each operating shift and adjusted when warranted by the visual checks.

(f) Test Methods and Procedures. All emissions tests performed pursuant to the requirements of this subsection shall comply with the following requirements. All EPA reference test methods are described in 40 CFR Part 60, Appendix A, adopted and incorporated by reference at Rule 62-204.800, F.A.C.

1. The reference test method for visible emissions shall be EPA Method 9.
2. The reference test method for carbon monoxide shall be EPA Method 10.
3. The reference test method for oxygen shall be EPA Method 3.
4. The reference test method for particulate matter emissions shall be EPA Method 5. The minimum sample volume shall be thirty (30) dry standard cubic feet.
5. Test procedures shall conform to the procedures specified in Rule 62-297.310, F.A.C. All test results shall be reported to the Department in accordance with the provisions of Rule 62-297.310, F.A.C.

(g) Operation During Emissions Test. Testing of emissions shall be conducted with the unit operating at a capacity of one (1) adult-sized cadaver.

(h) Frequency of Testing.

2. The owner or operator of any human crematory unit operating under the authority of an air construction permit or air operation permit shall have a performance test conducted for visible emissions prior to submitting the application for an initial air operation permit, and annually thereafter.

3. The owner or operator of any human crematory unit shall not be required to have performance tests conducted for carbon monoxide and particulate matter, except as provided at paragraph 62-297.310(7)(b), F.A.C.

(i) Continuous Monitoring Requirements. Each crematory unit shall be equipped and operated with a continuous monitor to record temperature at the point or beyond where 1.0 second gas residence time is obtained in the secondary chamber combustion zone in accordance with the manufacturer's instructions. In addition, each crematory unit installed after February 1, 2007, shall be equipped and operated with a pollutant monitoring system to automatically control combustion based on continuous in-stack opacity measurement. Such system shall be calibrated to restrict combustion in the primary chamber whenever any opacity exceeding 15% opacity is occurring. A complete file of all temperature measurements; all continuous monitoring system, monitoring device, and performance testing measurements; all continuous monitoring system performance evaluations; all continuous monitoring system or monitoring device calibration checks; and all adjustments, preventive maintenance, and corrective maintenance performed on these systems or devices, shall be recorded in a permanent legible form available for inspection. Continuous temperature monitoring documentation shall include operator name, operator indication of when cremation in the primary chamber was begun, date, time, and temperature markings. Pollutant monitoring system documentation shall include indication of when the opacity measurement system was cleaned and checked for proper operation in accordance with the manufacturer's recommended



Florida Department of Environmental Protection

Southwest District Office

FIELD WARNING NOTICE

Name / Owner / Operator: BREWER & Sons Funeral Home

Address: 1190 S. BROAD Street

Location / Source: BKsville FL 34601-3110

Permit Number: 0530039-002-AG Permit Exp. Date: 3/29/2009 Date and Time: 1-28-2010

The purpose of this notice is to advise you of possible violations of law for which you may be responsible, and to seek your cooperation in resolving the matter. Florida Department of Environmental Protection (DEP) personnel conducted a field inspection on the date listed above at the location described above. Florida DEP personnel observed the following, which indicates that a violation of Florida Statutes and Rules may exist at the above described facility: *(For example, Where was the activity observed? How was it discovered? Who provided information to the inspector?)*

Observations: operating after permit/registration expired - 62-210.310(2) (b)2a
Visible Emissions Test Not Performed and Submitted For 2009 - 62-296.401
(5)(h)1. F.A.C.

Rule or Statute Relevant to Observations

Permit Condition No.

Unconfined Particulate Matter. Rule 62-296.320(4)(c)1, Florida Administrative Code (F.A.C.), provides that no person shall cause, let, permit, suffer or allow the emission of unconfined particulate matter from any activity, without taking reasonable precautions to prevent such emissions.	
<input checked="" type="checkbox"/> Operating Without a Permit. Rule 62-210.300, F.A.C., provides that, unless exempted from permitting or unless specifically authorized, the owner or operator of any facility or emissions unit which emits or can reasonably be expected to emit any air pollutant shall obtain an appropriate permit from the Department.	62-210.310 (2)(b)2a
Violation of Permit Condition(s). Rule 62-4.160(1), F.A.C., The terms, conditions, requirements, limitations and restrictions set forth in this permit, are "permit conditions" and are binding and enforceable pursuant to Sections 403.141, 403.727, or 403.859 through 403.861, F.S.	F.A.C.
Objectionable Odor. Rule 62-296.320(2), F.A.C., provides that no person shall cause, suffer, allow or permit the discharge of air pollutants which cause or contribute to an objectionable odor.	
Excessive Visible Emissions. Rule 62-296.320(4)(b)1., F.A.C., provides that no person shall cause, let, permit, suffer or allow to be discharged into the atmosphere the emissions of air pollutants from any activity, the density of which is equal to or greater than 20 percent opacity.	
Open Burning. With few exceptions, Rule 62-296.320(3), F.A.C., prohibits open burning in connection with industrial, commercial, or municipal operations.	
Constructing Without a Permit. Rule 62-4.210, F.A.C., provides that no person shall construct any installation or facility which will reasonably be expected to be a source of air or water pollution without first applying for and receiving a construction permit from the Department.	
<input checked="" type="checkbox"/> Other. <u>Visible Emission Test Not Performed & Submitted For 2009</u>	62-296.401(5) (h)1 F.A.C.

The activities observed during the Department's field inspection and any other activities at your facility that may be contributing to violations of the above-described statutes or rules should be ceased. The operation of a facility in violation of state statutes or rules may result in liability for damages and restoration, and the administrative imposition of penalties up to \$10,000.00 pursuant to Section 403.121, Florida Statutes (F.S.), or the judicial imposition of civil penalties up to \$10,000.00 per violation per day pursuant to Sections 403.141 and 403.161, F.S.

You are requested to contact Joe Panetta ext 105 at the address or telephone number below within fifteen (15) days of receipt of this Field Warning Notice. Please be advised that this Field Warning Notice is part of an agency investigation, preliminary to agency action in accordance with Section 120.57(5), F.S. We look forward to your cooperation in completing the investigation and resolution of this matter.

Received by: _____ Issued / Posted by: Joseph V. Panetta

Print: TAMMY Tolbert Print: Joseph V. Panetta

Title: _____

Panetta, Joe

From: Brewer Funeral Homes [debra@brewerfuneral.com]
To: Panetta, Joe
Sent: Saturday, January 30, 2010 2:14 PM
Subject: Read: Brewer and Sons Warning notice 0530039.002.AG

Your message was read on Saturday, January 30, 2010 2:14:15 PM (GMT-05:00) Eastern Time (US & Canada).

Panetta, Joe

From: Microsoft Exchange
To: 'Tammy - Brewer & Sons Funeral Homes'; 'debra@brewerfuneral.com'
Sent: Thursday, January 28, 2010 12:58 PM
Subject: Relayed: Brewer and Sons Warning notice 0530039.002.AG

Delivery to these recipients or distribution lists is complete, but delivery notification was not sent by the destination:

'Tammy - Brewer & Sons Funeral Homes'

'debra@brewerfuneral.com'

Subject: Brewer and Sons Warning notice 0530039.002.AG

Sent by Microsoft Exchange Server 2007

Panetta, Joe

From: Microsoft Exchange
To: Henry, Danielle D.
Sent: Thursday, January 28, 2010 12:57 PM
Subject: Delivered: Brewer and Sons Warning notice 0530039.002.AG

Your message has been delivered to the following recipients:

Henry, Danielle D.

Subject: Brewer and Sons Warning notice 0530039.002.AG

Sent by Microsoft Exchange Server 2007

Panetta, Joe

From: Panetta, Joe
Sent: Thursday, January 28, 2010 12:57 PM
To: 'Tammy - Brewer & Sons Funeral Homes'; 'debra@brewerfuneral.com'
Cc: Henry, Danielle D.
Subject: Brewer and Sons Warning notice 0530039.002.AG
Attachments: Brewer warning notice 01.28.2009 0530039.002.tif

Hi Tammy,

Per our conversation at 1150 today I am required to send a Field Warning Notice for operating without a permit from 03/30/2009 to 02/24/2010.

Your Renewal Permit\Registration was received in Tallahassee on 01/27/2009 and takes 30 days to become effective that's why operating without a permit until 02/24/2010.

We also discussed that a Visible Emissions (VE) Test was not performed and or received by the Department for calendar year 2009.

Thank you,
Joe

Please contact me if you need further information

"This staff assessment is preliminary and is designed to assist in the review of the information provided prior to final agency action. The comments provided herein are not the final position of the department and may be subject to revision pursuant to additional information and further review".

Joseph V. Panetta

Air Program Compliance

Florida Department of Environmental Protection

Southwest District

13051 North Telecom Phwy.

Temple Terrace, Fl 33637-0926

Joe.Panetta@dep.state.fl.us

(813) 632-7600 ext 105

Fax: (813) 632-7668

Tracking:

Recipient	Delivery	Read
'Tammy - Brewer & Sons Funeral Homes' 'debra@brewerfuneral.com' Henry, Danielle D.	Delivered: 1/28/2010 12:57 PM	Read: 1/28/2010 2:12 PM

Panetta, Joe

From: Panetta, Joe
Sent: Tuesday, January 19, 2010 4:15 PM
To: Tammy@brewerfuneral.com
Subject: FW: registration form
Attachments: SBEAP_HOTLINE_ASSISTANCE_DIRECTORY_2006.doc; Consultants PDF List.pdf; Maintenance Checklist Example.pdf; NONT5humancrematorywrkbk.doc; SBEAP .pdf; SBEAP Contact Info 06.03.2008.doc; image001.gif; Registration form and Rules HUMAN_CREMATORY HIGHLIGHTED.doc

Please contact me if you need further information

"This staff assessment is preliminary and is designed to assist in the review of the information provided prior to final agency action. The comments provided herein are not the final position of the department and may be subject to revision pursuant to additional information and further review".

Joseph V. Panetta

Air Program Compliance

Florida Department of Environmental Protection

Southwest District

13051 North Telecom Pkwy.

Temple Terrace, FL 33637-0926

Joe.Panetta@dep.state.fl.us

(813) 632-7600 ext 105

Fax: (813) 632-7668

From: Panetta, Joe
Sent: Thursday, December 24, 2009 1:21 PM
To: 'Tammy@brewerfuneral.com'
Subject: registration form

Hi Tammy,

I have attached items for you. I thought this would help with operation of your crematory.

I have highlighted parts of the rule, but please become familiar with all of the rule.

If you have any questions please feel free to contact me.

I will be out of the office Monday.

Please mail to registration form to address below:

FDEP
Receipts

Air Resource Information

DEPARTMENT OF ENVIRONMENTAL PROTECTION

DARM Home | GPCI Home | GPCI Search | Reports | Help |

Facility Activity List

POINT AIRS ID: **0530039** Status: **A**
 Office: **SWD** County: **HERNANDO**
 Latest Permit: **0530039002AG - Effective**

Type: **HUMAN CREMATORY**
 Addr: **1190 S. BROAD STREET**
 Applicant: **BARRY BREWER**

Owner: **BREWER & SONS FUNERAL HOME**
 Name: **BREWER & SONS FUNERAL HOME**

[Create New Compliance Activity](#)

CA	Activity Code	Date Due	Date Done	ACS	VCS	CCS	Viol
TRPT	TST - Test Scheduled		01/20/2009				0
TRPT	VER - Ve Test Report Review		03/18/2008	IN			0
INSP	INS2 - Compliance Inspection Walk Through		10/31/2007	IN			0
TRPT	VER - Ve Test Report Review		04/18/2007	IN			0
INSP	INS2 - Compliance Inspection Walk Through		10/03/2006	IN			0
TRPT	VER - Ve Test Report Review		05/01/2006	IN			0
INSP	INS2 - Compliance Inspection Walk Through		01/24/2006	IN			0
TRPT	VER - Ve Test Report Review	07/13/2005	06/14/2005	MNC		IN	1

Resolution Activities

	Date Done	CS	CA	Office
WLI - Warning Letter Issued	07/19/2005		RESV	SWD
EMT - Enforcement Meeting	07/27/2005		RESV	SWD
CALL - Telephone Conversation	07/29/2005		RESV	SWD
SCOE - Short Form Consent Order Executed Penalty	09/27/2005	IN	RESV	SWD
COI - Consent Order Issued	08/15/2005		RESV	SWD
CCDL - Case Closed By District Or Local	09/28/2005		RESV	SWD
COI - Consent Order Issued	08/15/2005		RESV	SWD

INSP	INS2 - Compliance Inspection Walk Through		05/05/2005	IN			0
TRPT	VER - Ve Test Report Review	03/28/2004	03/02/2004	IN			0
TRPT	STR - Stack Test Report Review	03/28/2004	03/02/2004	IN			0
TRPT	VER - Ve Test Report Review	03/26/2003	03/12/2003	IN			0
INSP	INS2 - Compliance Inspection Walk Through		09/03/2002	IN			0
TRPT	VER - Ve Test Report Review	08/13/2002	07/31/2002	MNC		IN	1

Resolution Activities

	Date Done	CS	CA	Office
WLI - Warning Letter Issued	10/01/2002		RESV	SWD
CALL - Telephone Conversation	10/09/2002		RESV	SWD
EMT - Enforcement Meeting	10/09/2002		RESV	SWD
COE - Consent Order Executed Penalty	11/25/2002	IN	RESV	SWD
CCDL - Case Closed By District Or Local	11/26/2002		RESV	SWD

TRPT	VER - Ve Test Report Review	04/16/2001	03/28/2001	IN			0
TRPT	VER - Ve Test Report Review		12/22/1999	IN			0
TRPT	STR - Stack Test Report Review		03/15/1999	IN			0
TRPT	VER - Ve Test Report Review		03/11/1999	IN			0

FLORIDA DEPARTMENT OF STATE DIVISION OF CORPORATIONS



[Home](#) [Contact Us](#) [E-Filing Services](#) [Document Searches](#) [Forms](#) [Help](#)

[Previous on List](#) [Next on List](#) [Return to List](#)

[Fictitious Name Search](#)

[Filing History](#)

Fictitious Name Detail

Fictitious Name

BREWER & SONS FUNERAL HOMES & CREMATION SERVICES

Filing Information

Registration Number	G03016700014
Status	ACTIVE
Filed Date	01/16/2003
Expiration Date	12/31/2013
Current Owners	1
County	HERNANDO
Total Pages	2
Events Filed	1
FEI/EIN Number	NONE

Mailing Address

P O BOX 566
BROOKSVILLE, FL 346050566

Owner Information

FAMILY OWNED SERVICE COMPANY, INC.
P O BOX 566
BROOKSVILLE, FL 346050566
FEI/EIN Number: 59-3543984
Document Number: P98000087125

Document Images

01/16/2003 -- REGISTRATION

08/07/2008 -- RENEWAL

Note: This is not official record. See documents if question or conflict.

[Previous on List](#) [Next on List](#) [Return to List](#)

[Fictitious Name Search](#)

[Filing History](#)

| [Home](#) | [Contact us](#) | [Document Searches](#) | [E-Filing Services](#) | [Forms](#) | [Help](#) |

Copyright and Privacy Policies
Copyright © 2007 State of Florida, Department of State.

Permitting Application - Permit Detail and Log Permit



POINT	APPL ID: 1630089	STATUS: A	OFFICE: SWD	SWD TAMPA				
OWNER NAME	BREWSTER & SONS FUNERAL HOME		COUNTY	HERNANDO				
OWNER ADDRESS	BREWSTER & SONS FUNERAL HOME							
APPL Permit #	1630089	DD2	AG	Project #	DD2	CPA Reference #	014613	
Product Code	SWD (DISTRICT)		Agency Action	Effective				
Project Name	HUMAN CREMATORY GP		Dist					
Type/Status	AG	07	Non Title V General Permit (No PE REQUIRED)			Issued	03/29/2004	
Received	02/27/2004	Issued	03/29/2004	Expires	03/29/2009	Application Status		
Fee	100.00	Net Fee	100.00	Date		Overdue	NONE	
Role	APPLICANT		Begin	03/02/2004		End		
Name	BREWSTER, BARRY K.		Company	BREWSTER & SONS FUNERAL HOME				
Address	1180 SOUTH BROAD STREET							
City	BROOKSVILLE		State	FL	Zip	34606	Country	USA
Phone	802-796-4000		Fax	702-799-6400				
Processor	FERNANDEZ_L		Active	03/02/2004		Inactive		

ASR000000

Party# 000238 日期# #日期#

姓名 BARRY K. BREWER
(姓名) (姓名) (姓名)
Company BREWER & SONS FUNERAL HOME Title PRESIDENT 日期#
Voice 352-796-4991 日期# Fax 752-799-6451 日期# 日期#

Address 1190 SOUTH BROAD STREET Address Type BUSINESS
City BROOKSVILLE 日期# 日期#
Country U.S.A. 日期# 日期# 日期# 日期#
State FL Zip 34605

FLORIDA DEPARTMENT OF STATE
DIVISION OF CORPORATIONS



[Home](#) [Contact Us](#) [E-Filing Services](#) [Document Searches](#) [Forms](#) [Help](#)

[Previous on List](#) [Next on List](#) [Return to List](#)

[Fictitious Name Owner Search](#)

[Filing History](#)

Fictitious Name Detail

Fictitious Name

ASSOCIATED CONSULTANTS OF THE FUNERAL INDUSTRY

Filing Information

Registration Number G96106900077
Status ACTIVE
Filed Date 04/15/1996
Expiration Date 12/31/2011
Current Owners 1
County HERNANDO
Total Pages 3
Events Filed 2
FEI/EIN Number NONE

Mailing Address

P.O. BOX 566
BROOKSVILLE, FL 34605

Owner Information

BREWER, BARRY K
280 MARINER BLVD
BROOKSVILLE, FL 34609
FEI/EIN Number: NONE
Document Number: NONE

Document Images

04/15/1996 -- 1996 REGISTRATION
02/02/2006 -- RENEWAL
12/31/2001 -- RENEWAL

Note: This is not official record. See documents if question or conflict.

[Previous on List](#) [Next on List](#) [Return to List](#)

[Fictitious Name Owner Search](#)

[Filing History](#)

| [Home](#) | [Contact us](#) | [Document Searches](#) | [E-Filing Services](#) | [Forms](#) | [Help](#) |

Copyright and Privacy Policies
Copyright © 2007 State of Florida, Department of State.

Air Resource Information

DEPARTMENT OF ENVIRONMENTAL PROTECTION

DARM Home | GPCI Home | GPCI Search | Reports | Help |

Facility Activity List

POINT AIRS ID: **0530039** Status: **A**
 Office: **SWD** County: **HERNANDO**
 Latest Permit: **0530039002AG - Effective**

Type: **HUMAN CREMATORY**
 Addr: **1190 S. BROAD STREET**
 Applicant: **BARRY BREWER**

Owner: **BREWER & SONS FUNERAL HOME**
 Name: **BREWER & SONS FUNERAL HOME**

[Create New Compliance Activity](#)

CA Activity Code	Date Due	Date Done	ACS	VCS	CCS	Viol
INSP INS2 - Compliance Inspection Walk Through		01/28/2010	MNC			0
TRPT TST - Test Scheduled		01/20/2009				0
TRPT VER - Ve Test Report Review		03/18/2008	IN			0
INSP INS2 - Compliance Inspection Walk Through		10/31/2007	IN			0
TRPT VER - Ve Test Report Review		04/18/2007	IN			0
INSP INS2 - Compliance Inspection Walk Through		10/03/2006	IN			0
TRPT VER - Ve Test Report Review		05/01/2006	IN			0
INSP INS2 - Compliance Inspection Walk Through		01/24/2006	IN			0
TRPT VER - Ve Test Report Review	07/13/2005	06/14/2005	MNC		IN	1
Resolution Activities			Date Done	CS	CA	Office
WLI - Warning Letter Issued			07/19/2005		RESV	SWD
EMT - Enforcement Meeting			07/27/2005		RESV	SWD
CALL - Telephone Conversation			07/29/2005		RESV	SWD
SCOE - Short Form Consent Order Executed Penalty			09/27/2005	IN	RESV	SWD
COI - Consent Order Issued			08/15/2005		RESV	SWD
CCDL - Case Closed By District Or Local			09/28/2005		RESV	SWD
COI - Consent Order Issued			08/15/2005		RESV	SWD
<hr/>						
INSP INS2 - Compliance Inspection Walk Through		05/05/2005	IN			0
TRPT VER - Ve Test Report Review	03/28/2004	03/02/2004	IN			0
TRPT STR - Stack Test Report Review	03/28/2004	03/02/2004	IN			0
TRPT VER - Ve Test Report Review	03/26/2003	03/12/2003	IN			0
INSP INS2 - Compliance Inspection Walk Through		09/03/2002	IN			0
TRPT VER - Ve Test Report Review	08/13/2002	07/31/2002	MNC		IN	1
Resolution Activities			Date Done	CS	CA	Office
WLI - Warning Letter Issued			10/01/2002		RESV	SWD
CALL - Telephone Conversation			10/09/2002		RESV	SWD
EMT - Enforcement Meeting			10/09/2002		RESV	SWD
COE - Consent Order Executed Penalty			11/25/2002	IN	RESV	SWD
CCDL - Case Closed By District Or Local			11/26/2002		RESV	SWD
<hr/>						
TRPT VER - Ve Test Report Review	04/16/2001	03/28/2001	IN			0
TRPT VER - Ve Test Report Review		12/22/1999	IN			0
TRPT STR - Stack Test Report Review		03/15/1999	IN			0
TRPT VER - Ve Test Report Review		03/11/1999	IN			0