

## Southern Environmental Sciences, Inc.

1204 North Wheeler Street Plant City, Florida 33563 (813) 752-6014 Fax: (813) 752-2475

October 16, 2008

Ms. Danielle Henry  
Environmental Compliance Manager  
FLORIDA DEPARTMENT OF  
ENVIRONMENTAL PROTECTION  
Southwest District Air Section  
13051 N Telecom Parkway  
Temple Terrace, Florida 33637-0926

Re: Dobies Funeral Home  
Human Crematory  
Facility ID No.: 1010349


Ms. Henry:

Enclosed is a copy of the visible emissions evaluation performed at the above referenced facility on September 24, 2008. Also enclosed is a copy of the temperature recording chart. Results of the testing were within the allowable limits established by the permit for this facility.

Please feel free to call if you have any questions concerning the results.

Regards,

SOUTHERN ENVIRONMENTAL  
SCIENCES, INC.



Dale A. Wingler  
Environmental Specialist


Enclosures

cc: Mr. Dick Christian, Dobies Funeral Home


# Southern Environmental Sciences, Inc.

1204 North Wheeler Street □ Plant City, Florida 33563 □ (813) 752-5014, Fax (813) 752-2475

## VISIBLE EMISSIONS EVALUATION

COMPANY <i>Dobies Funeral Home</i>	
UNIT <i>Human Crematory</i>	
ADDRESS <i>9944 Hudson Ave.</i>	
<i>Hudson, FL 34699</i>	
PERMIT NO. <i>1010349-003-A6</i>	COMPLIANCE? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
AIRB NO. <i>1010349</i>	EU NO. <i>001</i>
PROCESS NAME <i>est. 150lb body</i>	PERMITTED RATE <i>150lb/hr</i>
PROCESS EQUIPMENT <i>BFL Crem. Sys. Model N20</i>	
CONTROL EQUIPMENT <i>afterburner</i>	
OPERATING MODE <i>Natural gas</i>	AMBIENT TEMP. (°F) START <i>75.0</i> STOP <i>75.0</i>
HEIGHT ABOVE GROUND LEVEL START <i>20'</i> STOP <i>20'</i>	HEIGHT RELATIVE TO OBSERVER START <i>~15'</i> STOP <i>~15'</i>
DISTANCE FROM OBSERVER START <i>~100'</i> STOP <i>~100'</i>	DIRECTION FROM OBSERVER START <i>~290°</i> STOP <i>~290°</i>
EMISSION COLOR <i>black</i>	PLUME TYPE CONTIN. <input type="checkbox"/> INTERMITTENT <input checked="" type="checkbox"/>
WATER DROPLETS PRESENT? NO <input checked="" type="checkbox"/> YES <input type="checkbox"/>	IS WATER DROPLET PLUME ATTACHED <input type="checkbox"/> DETACHED <input checked="" type="checkbox"/> <i>NA</i>
POINT IN PLUME AT WHICH OPACITY WAS DETERMINED START <i>stack exit</i> STOP <i>stack exit</i>	
DESCRIBE BACKGROUND START <i>sky</i> STOP <i>sky</i>	
BACKGROUND COLOR START <i>blue</i> STOP <i>blue</i>	SKY CONDITIONS START <i>clear</i> STOP <i>clear</i>
WIND SPEED (MPH) START <i>5-10</i> STOP <i>5-10</i>	WIND DIRECTION START <i>NNW</i> STOP <i>NNW</i>
AVERAGE OPACITY FOR HIGHEST PERIOD <i>0.4%</i>	RANGE OF OPACITY READINGS MIN. <i>0%</i> MAX. <i>5%</i>
SOURCE LAYOUT SKETCH 	
Comments	

OBSERVATION DATE <i>9/24/08</i>		START TIME <i>0839</i>		STOP TIME <i>0908</i>					
SEC	0	15	30	45	SEC	0	15	30	45
MIN	0	15	30	45	MIN	0	15	30	45
0	0	0	0	0	30	0	0	0	0
1	5	5	0	0	31	0	0	0	0
2	0	0	0	0	32	0	0	0	0
3	0	0	0	0	33	0	0	0	0
4	0	0	0	0	34	0	0	0	0
5	0	0	0	0	35	0	0	0	0
6	0	0	0	0	36	0	0	0	0
7	0	0	0	0	37	0	0	0	0
8	0	0	0	0	38	0	0	0	0
9	0	0	0	0	39	0	0	0	0
10	0	0	0	0	40	0	0	0	0
11	0	0	0	0	41	0	0	0	0
12	0	0	0	0	42	0	0	0	0
13	0	0	0	0	43	0	0	0	0
14	0	0	0	0	44	0	0	0	0
15	0	0	0	0	45	0	0	0	0
16	0	0	0	0	46	0	0	0	0
17	0	0	0	0	47	0	0	0	0
18	0	0	0	0	48	0	0	0	0
19	0	0	0	0	49	0	0	0	0
20	0	0	0	0	50	0	0	0	0
21	0	0	0	0	51	0	0	0	0
22	0	0	0	0	52	0	0	0	0
23	0	0	0	0	53	0	0	0	0
24	0	0	0	0	54	0	0	0	0
25	0	0	0	0	55	0	0	0	0
26	0	0	0	0	56	0	0	0	0
27	0	0	0	0	57	0	0	0	0
28	0	0	0	0	58	0	0	0	0
29	0	0	0	0	59	0	0	0	0
<p>I certify that all data provided to the person conducting the test was true and correct to the best of my knowledge:</p> <p>Signature: <i>Sally B. Murray</i> Title: <i>Trk</i></p>									



DOBIES FUNERAL HOME  
HUMAN CREMATORY INCINERATOR  
SEPTEMBER 24, 2008

**HUNTSMAN**

# MATERIAL SAFETY DATA SHEET

READ AND UNDERSTAND MATERIAL SAFETY DATA SHEET BEFORE HANDLING OR USING  
OF PRODUCT

MSDS CODE AND NAME : L8147  
DATE ISSUED : 07/01/2004  
DATE PRINTED : 07/01/2004

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

### MATERIAL IDENTITY

MSDS CODE AND NAME

L8147

Plastic Casket Covers

Chemical Name and/or Family or Description:

Linear-low density polyethylene

### COMPANY INFORMATION

Huntsman Polymers Corporation  
PO Box 4980  
The Woodlands, TX 77387-4980

### TELEPHONE NUMBERS

Transportation Emergency  
Company: (800) 328-8501  
CHEMTREC: (800) 424-9300  
Medical Emergency: (409) 722-8673 (24 Hour)  
General MSDS Assistance: (281) 719-6432  
Technical Information: (800) 233-1169

## 2. COMPOSITION AND INFORMATION ON INGREDIENTS

THE CRITERIA FOR LISTING COMPONENTS IN THE COMPOSITION SECTION ARE AS FOLLOWS: CARCINOGENS ARE LISTED WHEN PRESENT AT 0.1 % OR GREATER; COMPONENTS WHICH ARE OTHERWISE HAZARDOUS ACCORDING TO OSHA ARE LISTED WHEN PRESENT AT 1.0 % OR GREATER; NON-HAZARDOUS COMPONENTS ARE LISTED AT 3.0 % OR GREATER. THIS IS NOT INTENDED TO BE COMPLETE COMPOSITIONAL DISCLOSURE. REFER TO SECTION 14 FOR APPLICABLE STATES' RIGHT TO KNOW AND OTHER REGULATORY INFORMATION.

Product and/or Component(s) Carcinogenic According to:

OSHA IARC NTP OTHER NONX

### Composites:

Chemical Name	CAS Number	Exposure Limit	Range in %
1-Octene, polymer with ethene modifiers/additives Particulates not otherwise classified (PNOC)	26221-73-8 081	10 (mg/m <sup>3</sup> ) TWA-OELH (INHALABLE PARTICULATE); 3 (mg/m <sup>3</sup> ) TWA-OELH (RESPIRABLE PARTICULATE)	>99.0 <1.0
Particulates not otherwise regulated (PNOR)		16 (mg/m <sup>3</sup> ) TWA-OSHA (TOTAL DUST) 6 (mg/m <sup>3</sup> ) TWA-OSHA (RESPIRABLE FRACTION)	

**MSDS CODE AND NAME** : L8147  
**DATE ISSUED** : 07/01/2004  
**DATE PRINTED** : 07/01/2004  
**COMPANY** : HUNTSMAN

---

**15. ENVIRONMENTAL INFORMATION**

---

**Acute Toxicity:**  
Not determined.

**Mobility:**  
Not determined.

**Persistence and Biodegradability:**  
Not determined.

**Potential to Bioaccumulate:**  
Not determined.

**Remarks:**  
None

---

**16. OTHER INFORMATION 07/01/2004**

---

None

Date Issued: 07/01/2004

THE INFORMATION IN THIS DATA SHEET IS PROVIDED INDEPENDENTLY OF ANY SALE OF THE PRODUCT. IT IS PROVIDED FOR THE PURPOSE OF HAZARD COMMUNICATION AS PART OF HUNTSMAN'S PRODUCT SAFETY PROGRAM. IT IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE PRODUCT BY A PROPERLY TRAINED PERSON. YOU ARE ENCOURAGED AND REQUESTED TO ADVISE THOSE WHO MAY COME IN CONTACT WITH SUCH PRODUCTS OF THE INFORMATION CONTAINED HEREIN. THE DATA RELATES ONLY TO THE SPECIFIC PRODUCT DESIGNATED, AND DOES NOT RELATE TO USE OF THE PRODUCT IN COMBINATION WITH ANY OTHER MATERIAL OR USE OF THE PRODUCT IN ANY PROCESS. THE DATA IS NOT INTENDED TO CONSTITUTE PERFORMANCE INFORMATION CONCERNING THE PRODUCT. NO EXPRESS WARRANTY, OR IMPLIED WARRANTY OF MERCHANTABILITY FOR FITNESS FOR A PARTICULAR PURPOSE IS MADE WITH RESPECT TO THE PRODUCT, ITS COMPOSITION, ITS SAFETY OR THE INFORMATION CONTAINED IN THIS DATA SHEET.

TO DETERMINE THE APPLICABILITY OR THE EFFECTS OF ANY LAW OR REGULATION WITH RESPECT TO THE PRODUCT, THE USER SHOULD CONSULT A LEGAL ADVISOR OR THE APPROPRIATE GOVERNMENT AGENCY. HUNTSMAN DOES NOT UNDERTAKE TO FURNISH ADVICE ON SUCH MATTERS.

CURRENT DATA SHEETS ARE AVAILABLE FOR ALL HUNTSMAN PRODUCTS. YOU ARE URGED TO OBTAIN DATA SHEETS FOR ALL HUNTSMAN PRODUCTS YOU BUY, USE OR DISTRIBUTE BY CALLING (281) 718-8432 OR DIRECTING YOUR INQUIRIES TO:

HUNTSMAN  
MANAGER, PRODUCT SAFETY  
P.O. BOX 4980  
THE WOODLANDS, TX 77387-4980

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE. NO PART OF THIS DATA SHEET MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM, OR BY ANY MEANS, WITHOUT PERMISSION IN WRITING FROM HUNTSMAN. ALL REQUESTS FOR PERMISSION TO REPRODUCE MATERIAL FROM THIS DATA SHEET SHOULD BE DIRECTED TO HUNTSMAN, COORDINATOR, PRODUCT SAFETY AT THE ABOVE ADDRESS.

COPYRIGHT © BY HUNTSMAN CORPORATION. ALL RIGHTS RESERVED.

**MSDS CODE AND NAME** : L8147  
**DATE ISSUED** : 07/01/2004  
**DATE PRINTED** : 07/01/2004  
**COMPANY** : HUNTSMAN

---

## 7. HANDLING AND STORAGE

---

### Precautions to be Taken In

#### Handling:

Practice good housekeeping and clean up spills immediately, as this product can present a serious slipping hazard. The handling of this product during loading, unloading, and fabrication may generate nuisance dusts. Take necessary precautions to prevent exposure to these dusts. When unloading bulk vehicles, do not use metal sampling devices, such as a grain thief, due to the risk of static shock and potential ignition hazards. Pneumatic handling systems, augers, and other unloading devices should be free of contaminants.

#### Storage:

Periods of exposure to high temperatures should be minimized. Water contamination should be avoided.

---

## 8. EXPOSURE CONTROLS & PERSONAL PROTECTION

---

### Protective Equipment (Type)

#### Eye/Face Protection:

Safety glasses, chemical type goggles, or face shield recommended to prevent eye contact. Heat resistant face shield recommended when handling hot material.

#### Hand Protection:

Protective clothing such as coveralls or lab coats should be worn. Launder or dry-clean when soiled. Gloves and boots resistant to chemicals and petroleum distillates also recommended. Heat protective clothing should be worn when handling heated materials.

#### Respiratory Protection:

Airborne concentrations should be kept to lowest levels possible. If vapor, mist or dust is generated and the occupational exposure limit of the product, or any component of the product, is exceeded, use appropriate NIOSH approved air purifying or air supplied respirator after determining the airborne concentration of the contaminant. Air supplied respirators should always be worn when airborne concentration of the contaminant or oxygen content is unknown.

#### Exhaustion:

Local exhaust ventilation recommended if generating vapor, dust, or mist. If exhaust ventilation is not available or inadequate, use NIOSH approved respirator as appropriate. It is recommended that adequate ventilation be provided at external extrusion points where the product is at elevated temperatures.

#### Exposure Limit for the Total Product:

None established for product.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

---

### Appearance:

White solid pellets

### Odor:

Weak paraffinic

### Boiling Point (degrees C):

Not applicable.

### Melting/Freezing Point (degrees C):

Softening Point: 120-135°C (248-276°F)

### Specific Gravity (water=1):

0.920

**MSDS CODE AND NAME** : LB947  
**DATE ISSUED** : 07/01/2004  
**DATE PRINTED** : 07/01/2004  
**COMPANY** : HUNTSMAN

**3. HAZARD IDENTIFICATION**


**EMERGENCY OVERVIEW**

**Appearance:**  
White solid pellets  
**Odor:**  
Weak paraffinic

**WARNING STATEMENT:**

**CAUTION!** MAY CAUSE EYE IRRITATION.

**Hazardous Material Information System (United States)**



**National Fire Protection Association NFPA (United States)**



**POTENTIAL HEALTH EFFECTS**

**Primary Routes of Exposure**

Eye X Skin X Inhalation X Ingestion

**Effects of Overexposure**

**Acute:**

**Eyes:** Product may contain residual amounts of dust or small particulates which may cause eye irritation or abrasion experienced as mild discomfort and slight excessive redness of the eye.  
**Skin:** Product may contain residual amounts of dust or small particulates that may cause skin irritation or abrasion experienced as local redness with possible mild discomfort.  
**Inhalation:** Dust may cause irritation of the nose and throat. Overexposure to high concentrations of dust may cause respiratory irritation, experienced as coughing and difficulty breathing. Product not volatile at ambient temperatures. Vapors or mist in high concentrations, as generated from spraying or heating in an enclosed space, may cause minimal irritation.  
**Ingestion:** May cause abdominal discomfort, nausea, and diarrhea.  
**Sensitization Properties:** Unknown

**Chronic:**

Prolonged or repeated inhalation of dust or particulates may impair lung function or cause lung damage.

**Medical Conditions Aggravated by Exposure:**

There is no evidence that this product aggravates an existing medical condition.

**Other Remarks:**

None

**HSDS CODE AND NAME** : L8147  
**DATE ISSUED** : 07/01/2004  
**DATE PRINTED** : 07/01/2004  
**COMPANY** : HUNTSMAN

---

**12. DISPOSAL CONSIDERATIONS:**

---

**Waste Disposal Methods:**

This product has been evaluated for RCRA characteristics and does not meet the criteria of a hazardous waste if discarded in its purchased form. Under RCRA, it is the responsibility of the user of the product to determine at the time of disposal, whether the product meets RCRA criteria for hazardous waste. This is because product uses, transformations, mixtures, processes, etc. may render the resulting materials hazardous.

**Remarks:**

None

---

**13. TRANSPORT INFORMATION**

---

**Transportation**

**DOT:**

**Proper Shipping Name:**  
Not regulated.

**Hazard Class:**  
Not regulated.

**Identification Number:**  
Not regulated.

**Packing Group:**  
Not regulated.

**Label Required:**  
Not regulated.

**IMDG**

**Proper Shipping Name:**  
Not regulated.

**ICAO**

**Proper Shipping Name:**  
Not regulated.

**TDG**

**Proper Shipping Name:**  
Not regulated.

**Hazard Class:**  
Not regulated.

**Identification Number:**  
Not regulated.

**Label Required:**  
Not regulated.



**MSDS CODE AND NAME** : L9147  
**DATE ISSUED** : 07/01/2004  
**DATE PRINTED** : 07/01/2004  
**COMPANY** : HUNTSMAN

**14. REGULATORY INFORMATION**

**Federal Regulations:**

**HAZARDOUS MATERIALS:**

Section 302/304 Extremely Hazardous Substances

Chemical Name	CAS Number	Range in %	TPQ	RQ
None.				

Section 311 Hazardous Classification:

Acute Chronic Fire Pressure Reactive N/A X

Section 313 Toxic Chemicals:

Chemical Name	CAS Number	Concentration
None.		

**CRACIA 103(a) DOT Hazardous Substances:**

Chemical Name	CAS Number	Range in %	RQ
None.			

**State Right-to-Know Regulations:**

Chemical Name	State Right-to-Know
None.	

**California Prop. 65:**

The following detectable components of this product are substances, or belong to classes of substances, known to the State of California to cause cancer and/or reproductive toxicity.

Chemical Name	CAS Number
None.	

**INTERNATIONAL REGULATIONS:**

**TSCA Inventory Status:**

This product, or its components, are listed on, or are exempt from the Toxic Substances Control Act (TSCA) Chemical Substances Inventory.

**WHMIS Classification:**

Not regulated.

**Canadian Inventory Status:**

This product, or its components, are listed on or are exempt from the Canadian Domestic Substance List (DSL).

**EINECS Inventory Status:**

This product, or its components, are listed on or are exempt from the European Inventory of Existing Chemical Substances (EINECS) or the European List of Notified Chemical Substances (ELNCS).

**Australian Inventory Status:**

This product, or its components, are listed on or are exempt from the Australian Inventory of Chemical Substances (AICS).

**Japan Inventory Status:**

This product, or its components, are listed on or are exempt from the Japanese Ministry of International Trade and Industry (MITI) Inventory.

**MSDS CODE AND NAME** : L8147  
**DATE ISSUED** : 07/01/2004  
**DATE PRINTED** : 07/01/2004  
**COMPANY** : HUNTSMAN

---

**pH:**  
Not applicable.  
**Vapor Pressure:**  
Not applicable.  
**Viscosity:**  
Not applicable.  
**VOC Content:**  
< 1%  
**Vapor Density (Air=1):**  
Not applicable.  
**Solubility in Water (%):**  
Insoluble (< 0.1%)  
**Other:**  
None

---

## 10. STABILITY AND REACTIVITY

---

The Material Reacts Violently With:

Air Water Heat Strong Oxidizers X Others None of these

Comments:

Elevated temperatures should be avoided. Keep material dry. Do not exceed 320-330°C as stabilization of polymer at elevated temperatures results in inflammable gases being formed.

Products Evolved When Subjected to Heat or Combustion:

At processing temperatures some degree of thermal degradation will occur. A variety of decomposition products may occur including, simple hydrocarbons, to toxic and irritating gases such as carbon, carbon monoxide, carbon dioxide, acids, ketones, and aldehydes. Some special film grades may also release fluorinated organic substances.

Exothermic Polymerizations:

DO NOT OCCUR

---

## 11. TOXICOLOGICAL INFORMATION

---

TOXICOLOGICAL INFORMATION (ANIMAL TOXICITY DATA)

**Oral:**  
LD50 > 6.00 g/kg (rat) practically non-toxic  
**Inhalation:**  
LD50 > 2.00 g/kg (rabbit) practically non-toxic

IRRITATION INDEX, ESTIMATION OF IRRITATION (SPECTER)

See "Other", below.

Other:

Product may contain dust or particulates that may cause eye irritation or abrasion.

**MSDS CODE AND NAME** : L8147  
**DATE ISSUED** : 07/01/2004  
**DATE PRINTED** : 07/01/2004  
**COMPANY** : HUNTSMAN

---

#### 4. FIRST AID MEASURES

---

**Eyes:**

Flush eyes with plenty of water for several minutes. Remove larger particles from the eye as one would any foreign object. Get medical attention if eye irritation persists or particulates are difficult to remove from the eye.

**Skin:**

Wash skin with plenty of soap and water for several minutes. Get medical attention if skin irritation develops or persists.

**Inhalation:**

None considered necessary.

**Inhalation:**

If irritation, headache, or drowsiness occurs, remove to fresh air.

**Other Instructions:**

None

---

#### 5. FIRE-FIGHTING MEASURES

---

**Ignition Temperature - AIT (degrees C):**

>400 (>752°F)

**Flash Point (degrees C):**

>345 (>653°F)

**Flammable Limits % (Lower-Upper):**

Not determined.

**Recommended Fire Extinguishing Agents And Special Procedures:**

Use water spray, dry chemical, foam, or carbon dioxide to extinguish flames. Use water spray to cool fire-exposed containers. Water or foam may cause frothing.

**Unusual or Explosive Hazards:**

Hazardous melting and dripping may occur at elevated temperatures. May burn at or above flash point, and airborne dust may explode if ignited. See National Fire Protection Association Bulletin 654, "Dust Explosion Prevention, Plastics Industry 1976".

**Special Protective Equipment for Firefighters:**

No special equipment or procedures required.

---

#### 6. ACCIDENTAL RELEASE MEASURES (Transportation Spills: CHEMTREC (800)424-9300)

---

**Procedures in Case of Accidental Release, Breakage or Leakage:**

Avoid breathing dust. Pressure demand or supplied respirators should always be worn when the airborne concentration of the contaminant or oxygen is unknown. Otherwise, wear respiratory protection and other personal protective equipment as appropriate for the potential exposure hazard. Wear gloves, goggles, and protective clothing to avoid contact with eyes, skin, or clothing. Use vacuuming or sweeping compound for clean up. Do not dry sweep or use methods that increase dusting. Prevent entry into sewers and waterways.

If spilled when molten, allow to solidify. Sweep up released material. Clean up dust or fines with a special industrial vacuum cleaner. Avoid the generation of dust clouds. Place in appropriate containers for disposal or recycle.

Thomas B.  
**Dobies Funeral Homes & Crematory**  
Thomas B. Dobies - Licensed Funeral Director, Owner

*Personalized Service - Locally Owned & Operated*

FAX COVER PAGE

DATE: 4/9/09

TO: Joe Panetta

TELEPHONE #: 813-632-7600 Ext 105

FROM: R. Dodd

TIME:

COMPANY: Dept. of

Environmental Protection  
FAX #:

813-632-7668

CHAPEL:

This transmission, including cover page, contains 11 page(s).

MESSAGE:

ADMINISTRATIVE CHAPEL  
4910 Bartlett Road • Holiday, FL 34690  
(727) 937-7555 • Fax (727) 938-6570

6816 Congress Street  
New Port Richey, FL 34653  
(727) 841-7555

701 E. Tarpon Avenue  
Tarpon Springs, FL 34689  
(727) 942-0515

9844 Hudson A  
Hudson, FL 3  
(727) 868-4

Thomas B.  
**Dobies Funeral Homes & Crematory**  
 Thomas B. Dobies - Licensed Funeral Director, Owner

*Personalized Service - Locally Owned & Operated*

FAX COVER PAGE

DATE: April 9, 2009

TIME:

TO: Joe Panetta

COMPANY: Dept. Of Environm-  
ental protection

TELEPHONE #: 813-632-7600 Ext: 105

FAX #:

813-632-7668

FROM: R. Dodd--Dobies

CHAPEL:

This transmission, including cover page, contains 11 page (s).

MESSAGE:

ADMINISTRATIVE CHAPEL  
 4910 Bartlett Road - Holiday, FL 34690  
 (727) 937-7555 - Fax (727) 938-8670

8816 Congress Street  
 New Port Richey, FL 34653  
 (727) 841-7665

701 E. Tarpon Avenue  
 Tarpon Springs, FL 34689  
 (727) 942-0515

9944 Hudson A  
 Hudson, FL 3  
 (727) 868-4