

Betancourt, Amaury

From: Jason P Jones [jasonp.jones@cemex.com]
Sent: Thursday, May 31, 2012 3:11 PM
To: Betancourt, Amaury
Subject: Fw: Cemex Lakeland (air operating Facility ID No. 1050073) questions
Attachments: pic26456.gif; pic13808.gif; pic12385.gif; pic23629.gif; pic23802.gif; pic02833.gif; pic30755.gif; pic29661.gif; pic32017.gif; pic23743.gif

Mr. Betancourt,

Please see below. Let me know if you have any questions.

----- Original Message -----

From: James L Twiggs

Sent: 05/31/2012 11:49 AM EDT

To: Jason P Jones

Subject: Fw: Cemex Lakeland (air operating Facility ID No. 1050073)

questions

Here it is again.

(Embedded image moved to file: pic26456.gif)

James L. Twiggs

Area Operations Manager - Concrete - United States of America

Office : +863(287)7037 Fax: +863(686)4085 Mobile: +863(287)7037

Address: 801 McCue Rd Lakeland, Fla. 33815

e-Mail: jamesl.twiggs@cemex.com

www.cemexusa.com

(Embedded image moved to file: pic13808.gif)

(Embedded image moved to file: pic12385.gif)

Please consider the environment before printing this email.

----- Forwarded by James L Twiggs/US/Cemex on 05/31/2012 11:49 AM -----

From: James L Twiggs/US/Cemex
To: [mailto:jasonp.jones@cemex.com],
amaury.betancourt@dep.state.fl.us
Cc: James L Twiggs/US/Cemex@CEMEX
Date: 05/31/2012 11:45 AM
Subject: Fw: Cemex Lakeland (air operating Facility ID No. 1050073)
questions

In answer to questions 1 and 3:

1 Concrete production for 2011 = 1791 cubic yards
Concrete production 2012 YTD = 6640 cy

3 Fuel usage 2011 = APPX 150 gallons
Fuel usage 2012 YTD = APPX 1476 gallons

(Embedded image moved to file: pic23629.gif)

James L. Twiggs
Area Operations Manager - Concrete - United States of America
Office : +863(287)7037 Fax: +863(686)4085 Mobile: +863(287)7037
Address: 801 McCue Rd Lakeland, Fla. 33815
e-Mail: jamesl.twiggs@cemex.com
www.cemexusa.com

(Embedded image moved to file: pic23802.gif)

(Embedded image moved to file: pic02833.gif)

Please consider the environment before printing this email.

----- Forwarded by James L Twiggs/US/Cemex on 05/31/2012 11:35 AM -----

From: James L Twiggs/US/Cemex
To: James L Twiggs/US/Cemex@CEMEX
Date: 05/31/2012 10:57 AM

Subject: Fw: Cemex Lakeland (air operating Facility ID No. 1050073)
questions

(Embedded image moved to file: pic30755.gif)

James L. Twiggs
Area Operations Manager - Concrete - United States of America
Office : +863(287)7037 Fax: +863(686)4085 Mobile: +863(287)7037
Address: 801 McCue Rd Lakeland, Fla. 33815
e-Mail: jamesl.twiggs@cemex.com
www.cemexusa.com

(Embedded image moved to file: pic29661.gif)

(Embedded image moved to file: pic32017.gif)

Please consider the environment before printing this email.

----- Forwarded by James L Twiggs/US/Cemex on 05/31/2012 10:56 AM -----

From: James L Twiggs/US/Cemex
To: "JC" <JCarson@cemexusa.com>
Cc: "Jason P Jones" <jasonp.jones@cemex.com>
Date: 05/29/2012 06:40 AM
Subject: Fw: Cemex Lakeland (air operating Facility ID No. 1050073)
questions

From: Jason P Jones [jasonp.jones@cemex.com]
Sent: 05/26/2012 12:51 PM AST
To: "Betancourt, Amaury" <Amaury.Betancourt@dep.state.fl.us>
Cc: "Twiggs, James L." <JTwiggs@cemexusa.com>
Subject: RE: Cemex Lakeland (air operating Facility ID No. 1050073)

questions

Jim,

See below, please respond to Mr. Betancourt with regard to our fuel usage and concrete production at Lakeland main since January 2011.

Thanks,

(Embedded image moved to file: pic23743.gif)Description:
D:\Documents and Settings\jppjones\My Documents
\CEMEXLogo.gif

Jason P. Jones

Environmental Manager - Environmental Affairs -
United States of America

Office : +1(813)269-1240 , Fax: +1(813)269-1030 ,
Mobile: +1(813)363-6112

Address: 3820 Northdale Blvd. Suite 100-B Tampa, Fl 33624

E-Mail: jasonp.jones@cemex.com

www.cemexusa.com

From: "Betancourt, Amaury" <Amaury.Betancourt@dep.state.fl.us>
To: Jason P Jones/US/Cemex@CEMEX
Date: 05/25/2012 10:42 AM
Subject: RE: Cemex Lakeland (air operating Facility ID No. 1050073)
questions

Hi Jason,

Thank you for the information you provided me with last week regarding the Cemex concrete batch plant in Lakeland, FL, air operating facility ID 1050073.

It has been approximately one week since you e-mailed me back with responses to most of my questions. However, I have not received answers to questions 1 and 3 (please see e-mail below). Please let me know the status of these questions when you get a chance.

Thank you,
Amaury

Amaury Betancourt
Engineering Specialist I
Florida Department of Environmental Protection (FDEP)
Southwest District Division of Air Resource Management
13051 North Telecom Parkway
Temple Terrace, FL 33637-0926
Telephone: (813) 632-7600 extension 122
Cell Phone: (813) 416-3492
Fax: (813) 632-7668
e-mail: amaury.betancourt@dep.state.fl.us

"This staff assessment is preliminary and is designed to assist in the review of the information provided prior to final agency action. The comments provided herein are not the final position of the department and may be subject to revision pursuant to additional information and further review."

Please note: Florida has a very broad public records law. Most written communications to or from state officials regarding state business are public records available to the public and media upon request. Your e-mail communication may therefore be subject to public disclosure.

From: jasonp.jones@cemex.com [mailto:jasonp.jones@cemex.com]
Sent: Friday, May 18, 2012 2:15 PM
To: Betancourt, Amaury; James L Twiggs
Subject: Re: Cemex Lakeland (air operating Facility ID No. 1050073) questions

Mr. Betancourt,

Question #2 - the plant is used on an as needed basis. When we have work in that area we run the plant.

Question #4 - there have been no changes at the plant.

Question #5 - yes you may identify the one silo as cement/flyash in your database.

Jim, when you have a chance can you please see what you can pull out of SAP to answer questions 1 and 3 from Mr. Betancourt listed below.

Thanks ,

Jason

From: "Betancourt, Amaury" [Amaury.Betancourt@dep.state.fl.us]
Sent: 05/18/2012 01:11 PM AST
To: Jason P Jones
Subject: Cemex Lakeland (air operating Facility ID No. 1050073) questions

Hi Mr. Jones,

I hope you are doing well. When you have a chance, I have a few questions for you to answer for me regarding the Cemex - Lakeland concrete batch plant, air operating Facility ID No. 1050073. The questions are as follows:

- (1.) Can you send me, via e-mail, any recent production records you can have for this facility, including 2011 records?
 - (2.) Is this facility currently operating? Also, in the past (and present, if applicable), how long has this facility been idle? I received your letter from May 3, 2012, regarding non-operating facilities belonging to Cemex, and this facility was not listed as one of them, but I know it has been idle in the past, so I was just wondering if it is operating or if the silos were just loaded with cement and fly ash on 05/02/2012 as storage.
 - (3.) Do you keep records for monthly fuel consumption? Can you send me any recent fuel records for this facility, including diesel usage and, if applicable, any other fuel usage? Please provide information also for 2011.
 - (4.) Have there been any administrative changes, ownership changes, equipment replacements, modifications, or alterations at this facility since 2010?
 - (5.) The North silo at this facility was filled with cement and the South silo was filled with fly ash during my facility inspection on 05/02/2012. However, in our database, both silos are listed as cement silos and no position information is given. May I modify the description in our database to state that EU001 is the North (cement) silo and EU002 is the South (fly ash) silo? Let me know if you have any suggestions.
- Thank you,

Amaury Betancourt
Engineering Specialist I
Florida Department of Environmental Protection (FDEP)
Southwest District Division of Air Resource Management
13051 North Telecom Parkway
Temple Terrace, FL 33637-0926
Telephone: (813) 632-7600 extension 122

Cell Phone: (813) 416-3492
Fax: (813) 632-7668
e-mail: amaury.betancourt@dep.state.fl.us

"This staff assessment is preliminary and is designed to assist in the review of the information provided prior to final agency action. The comments provided herein are not the final position of the department and may be subject to revision pursuant to additional information and further review."

Please note: Florida has a very broad public records law. Most written communications to or from state officials regarding state business are public records available to the public and media upon request. Your e-mail communication may therefore be subject to public disclosure.

Please take a few minutes to share your comments on the service you received from the department by clicking on this link. DEP Customer Survey.