

ANIMAL CREMATORY



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE :	ANNUAL (INS1, INS2)) 🔀 C(OMPLAINT/DISCOV	VERY (CI	.) 🔲		
	RE-INSPECTION (FUI))	RMS COMPLAINT N	NO:			
AIRS ID#: 0111026 DA	TE: <u>01/09/2007</u>	ARI	RIVE:	D	EPART:		
FACILITY NAME: HU	MANE SOCIETY OF BE	ROWARD CO	DUNTY				
FACILITY LOCATION	N: 2070 GRIFFIN RI	D					
	FORT LAUDERI	DALE 33312	2				
RESPONSIBLE OFFIC	TAL: CHRISTOPHER A	GOSTINO	PHO	NE: (954)989-3977		
CONTACT NAME: Bo	ob Ansel		PHO	NE:			
REMITTANCE YEAR:	EN	ITITLEMEN	T PERIOD: 12/5/20 (effective		/ 12/5/2008 (end date)		
PART I: INSPECTION							
⊠ IN COMPLIAN	CE MINOR Non-	COMPLIAN	CE SIGNIFIC	ANT Non	ı-COMPLIANCI	E	
IN COMPLIANO PART II: TESTING/RE	CCORDKEEPING REQU				1-COMPLIANCE	<u> </u>	
IN COMPLIANO PART II: TESTING/RE (check ☑ appropriate	CCORDKEEPING REQUES to box(es))	UIREMENTS	<u>S</u> – Rule 62-296.401,	F.A.C.		E ∏ Yes	⊠ No
PART II: TESTING/RE (check appropriat 1. Were there any obtained a visible emissible	te box(es)) ojectionable odor(s) detectessions test conducted during	UIREMENTS ed? ng this site vis	S – Rule 62-296.401,	F.A.C. Method 9	(Ref.: Chapter	☐ Yes	
PART II: TESTING/RE (check appropriat 1. Were there any ob 2. Was a visible emit 62-297, F.A.C.)?- 3. In order to demon	te box(es)) ojectionable odor(s) detected during the section of t	ed? ng this site vis	S – Rule 62-296.401, sit according to EPA N	F.A.C. Method 9 ((Ref.: Chapter	☐ Yes	⊠ No ⊠ No
PART II: TESTING/RE (check appropriate 1. Were there any obtained 2. Was a visible emit 62-297, F.A.C.)?- 3. In order to demon days prior to the 62-296.401(6)(j),	ccordent Eping Requested to box(es)) ojectionable odor(s) detected sisions test conducted during strate individual source coader Notification form sub F.A.C.)	ed? ng this site vis ompliance, wa	S – Rule 62-296.401, sit according to EPA Management in EPA Manage	Method 9 ((Ref.: Chapter 	☐ Yes	
PART II: TESTING/RE (check appropriate app	ccordenance conducted during strate individual source co	ed? ng this site vis ompliance, wa omission, and ompliance wer	S – Rule 62-296.401, sit according to EPA Market accor	Method 9 on the standard stand	(Ref.: Chapter 	☐ Yes ☐Yes Rule ⊠Yes	⊠ No
PART II: TESTING/RE (check appropriate 1. Were there any obtained 2. Was a visible emine 62-297, F.A.C.)? 3. In order to demone days prior to the Action of 62-296.401(6)(j), 4. In order to demone completed within a) Carbon Monory volume, dry basis	ccordkeeping requirements to box(es)) ojectionable odor(s) detected sistements to box (es) ojectionable odor(s) detected during the conducted during the c	ed? ng this site vis ompliance, wa omission, and ompliance wer Notification of	S – Rule 62-296.401, Sit according to EPA No. 10 s an annual visible en within 60 days prior to the remaining application of the requirements of 10 to ge basis and tested according to EPA No. 10 s an annual visible en within 60 days prior to the remaining application.	Method 9 (mails) and the first period of the f	cest conducted 60 niversary date? (conducted for sary date? (conducted for sary date) (conducted	☐ Yes ☐Yes Rule ☑Yes ☑Yes	No No □
PART II: TESTING/RE (check appropriate) 1. Were there any obtour 2. Was a visible emine 62-297, F.A.C.)? 3. In order to demone days prior to the Acceptage of 62-296.401(6)(j), 4. In order to demone completed within a) Carbon Monor volume, dry basis 10 (Ref.: Chapter b) Oxygen test per second completes of the complete of the comp	ccord Replication able odor(s) detected box(es)) ojectionable odor(s) detected sistematical during strate individual source control of the AGP Notification form substrate individual source control of 60 days prior to the AGP kide (CO) emissions equal processors control of the AGP corrected to 7% O2 on an accord of the AGP of th	ed? ng this site vis ompliance, wa omission, and ompliance wer ompliance were ompliance w	S – Rule 62-296.401, sit according to EPA Market acco	Method 9 on the standard parts per coording to the standard parts per coordinate to the standard parts	(Ref.: Chapter	☐ Yes ☐Yes Rule ☐Yes ☐Yes ☐Yes	NoNoNoNo
PART II: TESTING/RE (check appropriat 1. Were there any obtoes 2. Was a visible emit 62-297, F.A.C.)?- 3. In order to demon days prior to the 62-296.401(6)(j), 4. In order to demon completed within a) Carbon Monos volume, dry basis 10 (Ref.: Chapter b) Oxygen test per c) Particulate mandry standard cubic	ccordente box(es)) spectionable odor(s) detected sistematical source during strate individual source control form substrate individual source control form subs	ed? ng this site vis ompliance, wa omission, and ompliance wer Notification to to or below the hourly avera A Method 3 (Figure 15) sults equal to of	S – Rule 62-296.401, Sit according to EPA Market according to EPA Market according to EPA Market according applies form submission? (Rushe requirements of 10 age basis and tested according to EPA Market according to EPA M	Method 9 (missions teato each anile 62-210 (missions percent) parts percent for the following to EPA (missions teato each anile 62-210 (missio	(Ref.: Chapter	☐ Yes ☐Yes Rule ☐Yes ☐Yes ☐Yes ☐Yes	 No No No No No
PART II: TESTING/RE (check appropriat) 1. Were there any obtoo 2. Was a visible emit 62-297, F.A.C.)?- 3. In order to demon days prior to the 62-296.401(6)(j), 4. In order to demon completed within a) Carbon Monor volume, dry basis 10 (Ref.: Chapter b) Oxygen test per c) Particulate mandry standard cubic (Ref.: Chapter62-5. Was all emissions)	corrected to 7% O ₂ on an 62-297, F.A.C.)?	ed? ng this site vis ompliance, wa omission, and ompliance wer Notification of to or below the hourly avera A Method 3 (Figures equal to or ected to 7% Comes	S – Rule 62-296.401, Sit according to EPA Marks an annual visible en within 60 days prior to the term of the requirements of 10 to the requirements of 10 to the requirements and tested according at the manufacture ating at the manufacture.	Method 9 (missions teato each anile 62-210 (missions teato each anile 62-2	(Ref.: Chapter	☐ Yes ☐Yes Rule ☐Yes ☐Yes ☐Yes ☐Yes ☐Yes	
PART II: TESTING/RE (check appropriate app	ccordensity of the AGP in the AGP	ed? ng this site vise ompliance, wa omission, and ompliance were of Notification of the source operations of the sou	S – Rule 62-296.401, Sit according to EPA Marks an annual visible emwithin 60 days prior to the requirements of 10 age basis and tested according to the requirements of 10 age basis and tested according and tested according at the manufacture of a test report for an interest of the requirements of a test report for an interest of a test report for an interest of the requirements of a test report for an interest of a test report for an interest of the requirements of a test report for an interest of the requirements of a test report for an interest of the requirements of a test report for an interest of the requirements of a test report for an interest of the requirements of a test report for an interest of the requirements of a test report for an interest of the requirements of a test report for an interest of the requirements of a test report for an interest of the requirements of the requir	F.A.C. Method 9 (and the property of the prop	(Ref.: Chapter	☐ Yes ☐Yes Rule ☐Yes ☐Yes ☐Yes ☐Yes ☐Yes ☐Yes ☐Yes	

ART III: OPERATING/RECORDKEEPING REQUIREMENTS – Rule 62-296.401, F.A.C. (check ☑ appropriate box(es))			
		:	41
1. Is there Continuous Emissions Monitoring System (CEMS) equipment installed on each unit to record			
primary and secondary chambers where there is a 1.0 second gas residence time in the secondary chamber of			
accordance with the manufacturer's instructions?			No
a) Do temperature probes seem to be properly placed?	- ⊠Yes	_ ∐_N	
b) Are the following records kept on file, available for inspection for at least two years following the re-	ecording o	f such	
measurements, maintenance, reports and records?			
1) All measurements (including CEMS)	- <u>⊠</u> Yes		No
2) Monitoring device		N	No
3) Performance Testing Measurements			No
4) CEMS Performance Evaluation	\boxtimes Yes	□ N	No
5) All CEMS or monitoring device calibration checks	⊠Yes		No
6) Adjustments	⊠Yes		No
7) Preventive maintenance performed on systems/devices	Yes	\Box N	No
8) Corrective maintenance performed on systems/devices		\sqcap N	No
2. Was this crematory unit constructed: (check only one ☑ box)	_	_	
a) BEFORE August 30, 1989? (If this box checked, continue on to #3 and skip #4)			
b) ON or AFTER August 30, 1989? (If this box checked, skip #3 and continue on to #4)			
3. If constructed BEFORE August 30, 1989 is the:			
a) secondary chamber combustion zone providing at least a 1.0 second gas residence time @ 1600°F ?	Yes	\square N	VΩ
b) actual operating temperature of the secondary chamber combustion zone no less than 1400°F	105	ш.	10
throughout the combustion process in the primary chamber?	- Yes		No.
c) cremation in the primary chamber begun after the secondary chamber combustion zone temperature			10
is equal to or greater than 1400°F?		\square N	N _O
· · · · · · · · · · · · · · · · · · ·	- L168	Шт	NO
d) required monitoring equipment installed and operational, and providing continuous monitoring to			
record the temperature at the point or beyond where 1.0 second gas residence time is obtained in the			. Τ
secondary chamber combustion zone according to the manufacturer's instructions?	- LYes	Г	No
4. If constructed <u>ON</u> or <u>AFTER</u> August 30, 1989 is the:			
a) volume in the secondary combustion zone sufficient to provide at least a 1.0 second gas residence ti @ 1800° F?	me - ⊠Yes	\square N	No
b) the actual operating temperature of the secondary chamber combustion zone no less than 1600°F	_		
throughout the combustion process in the primary chamber?	- XYes	\prod N	No
c) secondary chamber combustion zone temperature equal to or greater than 1600°F before the cremati			
process begins in the primary chamber?		\square N	Vο
5. Are appropriate leak-proof containers containing no more than 0.5 % (percent) by weight chlorinated	<u></u>	ш -	10
plastics used during the cremation of dead animals?	Yes		No
a) If the answer to question 4 above is YES, is certifying documentation from the manufacturer that the		Ш 1	10
are composed of 0.5% or less by weight chlorinated plastics kept on file at the site for the duration of			
			ΝĪο
their use and for at least two years after their use?	∐ i es	∐ N	NO
b) If plastic bags are used for the cremation of animals are they non-chlorinated and no less than 3 miles	3 		. +
thick?	⊠Yes	\boxtimes N	NO
c) Are dead animals, which have been used for medical or commercial experimentation, or other			_
materials, including biomedical wastes (Rule 62-210.200, F.A.C.), incinerated at this location?	□Yes	=	No
6. During this review period, was the largest batch load cremated 500 pounds per hour or less?	Yes	=	No
7. Have all crematory operators been trained and certified by a Department-approved training program?	⊠Yes	∐ N	No
a) Are copies of the training certificates all crematory operators kept on file at the facility for the durat			
of the operator's employment & for an additional two years after termination of employment?	\boxtimes Yes		No

PART IV: SPECIAL CONDITIONS AND PROCEDUR A. New or Modified Process Equipment	<u>RES</u> – Rule 62-296.401, F.A.C.		
Since the last inspection has there been a) installation of any new process equipment? b) alterations to existing process equipment without replacement? c) replacement of existing equipment substantially different than that noted on the most recent notification form?			⊠No ⊠No ⊠No
 d) If you answered <u>YES</u> to any of the above, did the owner submit a new and complete notification form and appropriate fee (Rule 62-4.050, F.A.C.) to the appropriate DEP or local program office? 2. If a crematory unit has been modified to the extent that a Department air construction permit was required, have all operators been retrained to operate the modified unit? 3. In the case of new or modified equipment, where a Department air construction permit was required, has the owner submitted copies of all operator training certificates?			□No □No □No □No
Courtney Pitters	01/09/2007		
Inspector's Name (Please Print)	Date of Inspection		
	01/09/2008		
Inspector's Signature	Approximate Date of Next Inspe	ction	
COMMENTS:			