



SURFACE COATING OPERATIONS



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: ANNUAL (INS1, INS2) COMPLAINT/DISCOVERY (CI)
 RE-INSPECTION (FUI) ARMS COMPLAINT NO:

AIRS ID#: 0112135 **DATE:** 08/29/2011 **ARRIVE:** 1300 **DEPART:** 1400

FACILITY NAME: SEN-DURE PRODUCTS INC

FACILITY LOCATION: 6785 NW 17TH AVE
FT LAUDERDALE 33309

OWNER/AUTHORIZED REPRESENTATIVE: THOMAS GHOUGASIAN **PHONE:** (954)973-1260
Email: **Mobile:**

CONTACT NAME: WAYNE GROB **PHONE:** (954)973-1260
Email: **Mobile:**

ENTITLEMENT PERIOD: 5/26/2007 / 5/26/2012
 (effective date) (end date)

PART I: INSPECTION COMPLIANCE STATUS (check only one box)

IN COMPLIANCE MINOR Non-COMPLIANCE SIGNIFICANT Non-COMPLIANCE

PART II: RECORDKEEPING REQUIREMENTS – Rule 62-210.300, F.A.C.
 (check appropriate box(es))

- Does the facility operate any emissions units other than the surface coating operations and emissions units which are exempt from permitting pursuant to the criteria of paragraph 62-210.300(3)(a) or (b), F.A.C., or have been exempted from permitting under Rule 62-4.040, F.A.C.? (Rule 62-210.300(3)(c)4.a., F.A.C.) Yes No
- Does the owner/operator of the facility maintain records to document the VOC content of the coatings and the quantity of the coatings used?----- Yes No
- Does the owner/operator retain, and make available for Department inspection, these records for a period of at least five years?----- Yes No
- Is the total quantity of VOC's in such coatings 44 lbs/day or less, averaged monthly?----- Yes No
- Does the amount of coatings used, include solvents and thinners used in the process including those used for cleanups?----- Yes No

PART III: CONTROL/OPERATING/MAINTANANCE REQUIREMENTS – Rule 62-210.300, F.A.C.
 (check appropriate box(es))

- Is/Are the surface coating operation(s) subject to a VOC Reasonably Available Control Technology (RACT) emission limiting standard of Chapter 62-296.500, F.A.C.? (Rule 62-210.300(3)(c)4.b., F.A.C.)----- Yes No
- Does the facility cause, suffer, allow or permit the discharge of air pollutants which cause or contribute to an objectionable odor? (Rule 62.296.320(2), F.A.C.)----- Yes No

PART III: CONTROL/OPERATING/MAINTENANCE REQUIREMENTS – Rule 62-210.300, F.A.C. – (continued)

(check appropriate box(es))

3. Does the owner/operator encourage pollution prevention through such measures as training employees involved in surface coating operations on methods of reducing VOC emissions by:
- a) maintaining spray coating equipment to ensure effective application with a minimum of overspray? Yes No
 - b) monitoring the coating thickness to avoid excessive coating?----- Yes No
 - c) considering the use of low-VOC coatings (e.g., waterborne, ultra-violet cured, or powder coatings)? Yes No
 - d) implementing inventory control practices to prevent spillage?----- Yes No
 - e) implementing management practices to reduce VOC emissions during cleanup by:
 - 1. spraying light colored coatings before dark colored coatings to reduce the number of cleaning cycles?----- Yes No
 - 2) recycling cleaning solvents?----- Yes No
 - 3) using water based cleaners?----- Yes No

PART IV: SPECIAL CONDITIONS AND PROCEDURES – Rule 62-210.300, F.A.C.

A. New or Modified Process Equipment

1. Since the last inspection has there been
- a) installation of any new process equipment?----- Yes No
 - b) alterations to existing process equipment without replacement?----- Yes No
 - c) replacement of existing equipment substantially different than that noted on the most recent notification form?----- Yes No
 - d) If you answered **YES** to any of the above, did the owner submit a new and complete notification form and appropriate fee (Rule 62-4.050, F.A.C.) to the appropriate DEP or local program office?----- Yes No

Elizabeth F.Susky

08/29/2011

Inspector's Name (Please Print)

Date of Inspection

08/29/2012

Inspector's Signature

Approximate Date of Next Inspection

COMMENTS: In a compliance inspection conducted on 08/29/2011, AQD staff (E.Susky) observed operations at Sendure Products. The facility coats pumps and heat exchangers. They have one spray booth that is well maintained. Mr. Tom Ghougasian (manager) accompanied staff on the inspection. He also submitted VOC records and the facility is well below their GP threshold.