

HUMAN CREMATORY



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE:	ANNUAL (INS1, INS2) RE-INSPECTION (FUI)	COMPLAINT/DISCO	· / —			
AIRS ID#: 0112149 DA	TE: <u>7/17/09</u>	ARRIVE: <u>1000</u>	DEPART: <u>1300</u>			
FACILITY NAME: FRED HUNTER'S MEMORIAL SERVICES, INC.						
FACILITY LOCATION	N: 6301 TAFT STREET					
	HOLLYWOOD 3302	4				
OWNER/AUTHORIZE	D REPRESENTATIVE: RAY	YMOND KOTERBA PHO	ONE: (954)989-1550			
CONTACT NAME:		PH	ONE:			
ENTITLEMENT PERIO	OD: 7/17/2008 / 7/17/2013 (effective date) (end date)	3				
PART I: INSPECTION IN COMPLIAN	CE MINOR Non-COM		CANT Non-COMPLIANCE	;		
DADT II. TECTING/DE	ECORDKEEPING REQUIRE	MENTS - Dula 62 206 40	1 F A C			
(check appropria		<u> </u>	i, F.A.C.			
	ojectionable odor(s) detected? ssions test conducted during this			☐ Yes ⊠ No		
62-297, F.A.C.)?-				□Yes ⊠ No		
3. In order to demonstrate individual source compliance, was an annual visible emissions test conducted 60 days prior to the AGP Notification form submission, and within 60 days prior to each anniversary date?						
	(Rule 62-296.401(5)(i), F.A.C.)					
completed within 60 days prior to the AGP Notification form submission? (Rule 62-210.300(4), F.A.C.) Yes \(\subseteq \text{No} \) a) Carbon Monoxide (CO) emissions equal to or below the requirements of 100 parts per million by						
volume, dry basis, corrected to 7% O ₂ on an hourly average basis and tested according to EPA Method 10 (Ref.: Chapter 62-297, F.A.C.)?						
b) Oxygen test performed according to EPA Method 3 (Ref.: Chapter 62-297, F.A.C.)?						
dry standard cubic foot (ft³)of flue gas, corrected to 7% O ₂ and tested according to EPA Method 5						
5. Was all emissions	(Ref.: Chapter.62-297, F.A.C.)?					
capacity?						
8. Was the required	ent notified at least 15 days prion test report filed with the Departn	nent as soon as practical, bu	ıt no longer than 45 days afte	⊠Yes □ No er		
	eleted?			⊠Yes □ No		

PART III: <u>OPERATING/RECORDKEEPING REQUIREMENTS</u> – Rule 62-296.401, F.A.C. (check ☑ appropriate box(es))	
1. Is there Continuous Emissions Monitoring System (CEMS) equipment installed on each unit to record	temperatures in the
primary and secondary chambers where there is a 1.0 second gas residence time in the secondary chamber co	
accordance with the manufacturer's instructions?	
a) Do temperature probes seem to be properly placed?	
b) Are the following records kept on file, available for inspection for at least two years following the re-	
measurements, maintenance, reports and records?	cording or such
1) All measurements (including CEMS)	⊠Yes □ No
2) Monitoring device	⊠Yes □ No
3) Performance Testing Measurements	
4) CEMS Performance Evaluation	
5) All CEMS or monitoring device calibration checks	
6) Adjustments	
7) Preventive maintenance performed on systems/devices	
8) Corrective maintenance performed on systems/devices	⊠Yes ☐ No
2. Was this crematory unit constructed: (check only one box)	
a) BEFORE August 30, 1989? (If this box checked, continue on to #3 and skip #4)	
b) or <u>AFTER</u> August 30, 1989? (If this box checked, skip #3 and continue on to #4)	
3. If constructed BEFORE August 30, 1989 is the:	
a) secondary chamber combustion zone providing at least a 1.0 second gas residence time @ 1600°F ?	∐Yes ∐ No
b) actual operating temperature of the secondary chamber combustion zone no less than 1400°F	
throughout the combustion process in the primary chamber?	☐Yes ☐ No
c) cremation in the primary chamber begun after the secondary chamber combustion zone temperature	
is equal to or greater than 1400°F?	☐Yes ☐ No
d) required monitoring equipment installed and operational, and providing continuous monitoring to	
record the temperature at the point or beyond where 1.0 second gas residence time is obtained in the	
secondary chamber combustion zone according to the manufacturer's instructions?	☐Yes ☐ No
4. If constructed ON or AFTER August 30, 1989 is the:	
a) volume in the secondary combustion zone sufficient to provide at least a 1.0 second gas residence tin	ne
@ 1800° F?	⊠Yes □ No
b) the actual operating temperature of the secondary chamber combustion zone no less than 1600°F	
throughout the combustion process in the primary chamber?	⊠Yes ☐ No
c) secondary chamber combustion zone temperature equal to or greater than 1600°F before the crematic	
process begins in the primary chamber?	Yes ☐ No
5. Are appropriate cremation containers containing no more than 0.5 % (percent) by weight chlorinated	<u> </u>
plastics used during the cremation of dead human bodies?	⊠Yes □ No
a) If the answer to question 4 above is YES, is certifying documentation from the manufacturer that the	
are composed of 0.5% or less by weight chlorinated plastics kept on file at the site for the duration of	
their use and for at least two years after their use?	⊠Yes □ No
b) Are there any other materials, including biomedical wastes (Rule 62-210.200, FAC) incinerated at	⊠ 1 €2
	□Vos ⋈ No
this location?	∐Yes ⊠ No
6. Have all crematory operators been trained and certified by a Department-approved training program?	⊠Yes □ No
a) Are copies of the training certificates for all crematory operators kept on file at the facility for the du	
of the operator's employment & for an additional two years after termination of employment?	⊠Yes ∐ No

PART IV: SPECIAL CONDITIONS AND PROCEDURI A. New or Modified Process Equipment	<u>ES</u> – Rule 62-296.401, F.A.C.			
 Since the last inspection has there been a) installation of any new process equipment? b) alterations to existing process equipment without or replacement of existing equipment substantiall recent notification form? d) If you answered <u>YES</u> to any of the above, did 	out replacement? y different than that noted on the most Yes No Yes No			
notification form and appropriate fee (Rule 62-4.050, F.A.C.) to the appropriate DEP or local program office?				
CPitters	7/17/09			
Inspector's Name (Please Print)	Date of Inspection			
	7/17/2010			
Inspector's Signature	Approximate Date of Next Inspection			
COMMENTS: No environmental air violations were observed during CY 2009 compliance inspection.				