

HUMAN CREMATORY



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: ANNUAL (INS1, INS RE-INSPECTION (FU		· / —				
AIRS ID#: 0112149 DATE: <u>7/16/14</u>	ARRIVE: <u>11:00</u>	DEPART: <u>1:30</u>				
FACILITY NAME: FRED HUNTER MEMOR	IAL CREMATORY FACILITY					
FACILITY LOCATION: 6301 TAFT ST						
HOLLYWOOD	33024-5934					
	E: JEFF CASEY Mobile PHON Mobile 5/2018 and date)	IE: (954)989-1550				
Facility Section PART I: INSPECTION COMPLIANCE STATUS (check ☑ only one box) ☑ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE						
PART II: ONSITE INTRODUCTORY MEET 1. Name(s) of facility representative(s): Brief Notes:	<u>ING</u>	(check ✓ only one box for each question)				
2. Is the Authorized Representative still JEFF CA If no, who is?:	ASEY?	YesNo				
If different, did the facility provide an adminis 3. Is the facility contact still RAYMOND KOTE If no, who is?:						
4. Will facility be conducting VE test(s) during to If yes, was the compliance authority notified a						

Emissions Unit Section 2 – Human Crematory-#1,prim/2ndarychmbrs,opac/temp-m/r-250#/hr

PA	ART I: FILE REVIEW PRIOR TO INSPECTION			
1.	a. Complete AC application or, if no AC permit, initial GP registration received on or after August 30, 1989?	\boxtimes	Yes	□No
	b. If yes, were design calculations provided then to confirm a sufficient volume in the secondary chamber combustion zone to provide for at least a 1.0 second gas residence time			
2.	at 1800 degrees Fahrenheit?	\boxtimes	Yes Yes	□No □No
	Past Visible Emissions (VE) tests: a. Was a VE test performed within each of the past 4 calendar years?	\boxtimes	Yes	□No
	b. Has a VE test been performed yet within the current calendar year?c. If first year of operation, was a VE test performed within 30 days of commencing		Yes	⊠No
	operation? N/A d. Date of last VE test: 11/4/13		Yes	∐No
	e. Was the VE test report filed with the compliance authority no later than 45 days after the test? f. Did the facility demonstrate compliance during the last VE test? If no, what was the problem (if known)?		Yes Yes	∐No □No
_	I no, what was the proofer (if the way).			
PA	ART II: VISIBLE EMISSIONS TESTING			
- -	THE TAXABLE PROPERTY OF THE PARTY OF THE PAR			
1.	Was a visible emissions test conducted by the facility for this unit during this site visit? a. Was the test conducted with the unit operating at a capacity of one adult-sized cadaver? b. Was the visible emissions test conducted according to EPA Method 9?		Yes Yes Yes	⊠No □No □No
	c. The visible emission test resulted in an opacity of % for the highest six minute average. d. Did the visible emission test demonstrate compliance with the limit? (5% opacity, six-minute average, except that visible emissions not exceeding 15% opacity shall be allowed for up to six minutes in	☐ in any	Yes one-hour)	□No
2.	Was a visible emissions test conducted by the inspector during this site visit? a. Was the test conducted with the unit operating at a capacity of one (1) adult-sized cadaver? b. Was the visible emissions test conducted according to EPA Method 9?		Yes Yes Yes	⊠No □No □No
2	c. The visible emission test resulted in an opacity of % for the highest six minute average.d. Did the visible emission test demonstrate compliance with the limit?		Yes	□No
<i>3</i> .	Is there any reason to ask for a special test to determine compliance with the PM and CO standar		Yes	⊠No
	If yes, what reason?			
				7
PA	ART III: MONITORING/RECORDKEEPING REQUIREMENTS			
1.	Were there any objectionable odors detected? An upwind/downwind survey of the facility was conducted. The observed parameters were:		Yes	⊠No
	Downwind odor level detected- Wind direction - Upwind odor level detected-	(1-1	10)	
	Continuous Monitoring Systems –			
	Is a continuous temperature monitoring system installed on each unit to record temperatures in the secondary chamber in accordance with the manufacturer's instructions?	\boxtimes	Yes	□No
υ	Is the temperature probe properly placed, at least at the distance where the 1.0 second gas residence time at $\boxtimes 1,800^1$ $\square 1,600^2$ degrees was determined?		Yes	□No

PART III: MONITORING/RECORDKEEPING REQUIREMENTS (continued)			
TIMI III. MONTORING/RECORDINEE IN REQUIREMENTS (Continued)			
c. Are the following records kept on file, available for inspection, for at least the past two years? 1) All temperature measurements		les les les les les	No
 (1) Is the crematory unit equipped and operated with a pollutant monitoring system to automatical control combustion based on continuous in-stack opacity measurement?	_	les les	NoNoNoNo
PART IV: SECONDARY COMBUSTION ZONE TEMPERATURES 1. If the application to construct was BEFORE August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber? 2. If the application to construct ON or AFTER August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the crematic process begins in the primary chamber?	on Y	/es /es /es	No No No No
PART V: ALLOWED MATERIALS			
 Other than human or fetal remains with appropriate containers or clothing, are any materials, including biomedical wastes, incinerated in the unit?	_ \	les les les	⊠No ⊠No □No

PART VI: EQUIPMENT MAINTENANCE				
Is the crematory unit maintained in accordance with the manufacturer's specifications? Is there a written plan onsite which addresses the operating procedures during startup, shutdown and malfunction? Does the crematory allow for a visible check on the flame characteristics?	⊠ Yes	No No No		
If no, skip a. – b. a. Was the flame characteristic visually checked at least once during each operating shift? b. Was the flame adjusted when necessary?	_	□No □No		
PART VII: EU INSPECTION COMPLIANCE STATUS (check ☑ only one box)				
☑ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE				

Emissions Unit Section 3 – Human Crematory-#2,prim/2ndarychmbrs,opac/temp-m/r-200#/hr

PART I: <u>FILE REVIEW PRIOR TO INSPECTION</u>	I: FILE REVIEW PRIOR TO INSPECTION (check Do box for each qu	
a. Complete AC application or, if no AC permit, initial GP registration received on or after August 30, 1989? b. If yes, were design calculations provided then to confirm a sufficient volume in the	⊠ Yes	□No
secondary chamber combustion zone to provide for at least a 1.0 second gas residence time at 1800 degrees Fahrenheit?	- 🛚 Yes - 🔻 Yes	□No □No
4. Past Visible Emissions (VE) tests: a. Was a VE test performed within each of the past 4 calendar years? b. Has a VE test been performed yet within the current calendar year? c. If first year of operation, was a VE test performed within 30 days of commencing		□No ⊠No
operation?	Yes	□No
e. Was the VE test report filed with the compliance authority no later than 45 days after the test? f. Did the facility demonstrate compliance during the last VE test? If no, what was the problem (if known)?		□No □No
PART II: <u>VISIBLE EMISSIONS TESTING</u>	(check ☑ box for each	•
Was a visible emissions test conducted by the facility for this unit during this site visit? a. Was the test conducted with the unit operating at a capacity of one adult-sized cadaver? b. Was the visible emissions test conducted according to EPA Method 9?	Yes	⊠No □No □No
c. The visible emission test resulted in an opacity of % for the highest six minute average. d. Did the visible emission test demonstrate compliance with the limit? (5% opacity, six-minute average, except that visible emissions not exceeding 15% opacity shall be allowed for up to six minute.)		□No
 Was a visible emissions test conducted by the inspector during this site visit?		NoNoNoNo
If yes, what reason?	Yes	⊠No
PART III: MONITORING/RECORDKEEPING REQUIREMENTS	(check ☑ box for each	•
Were there any objectionable odors detected? An upwind/downwind survey of the facility was conducted. The observed parameters were: Downwind odor level detected- Wind direction - Upwind odor level detected-	Yes (1-10)	⊠No
Continuous Monitoring Systems — Is a continuous temperature monitoring system installed on each unit to record temperatures in the secondary chamber in accordance with the manufacturer's instructions? ————————————————————————————————————	🛛 Yes	□No
b Is the temperature probe properly placed, at least at the distance where the 1.0 second gas residence time at $\boxtimes 1,800^1$ $\square 1,600^2$ degrees was determined?	X Yes	□No

PART III: MONITORING/RECORDKEEPING REQUIREMENTS (continued)		
c. Are the following records kept on file, available for inspection, for at least the past two years?		
1) All temperature measurements	Yes	□No
2) all continuous monitoring systems, monitoring devices, and performance testing measurements;	- -	
monitoring system all continuous performance evaluations 3) All CEMS or monitoring device calibration checks (last performed on ()	⊠ Yes □ Yes	∐No □No
4) Adjustments	⊠ Yes	□No
5) Preventive maintenance performed on systems/devices	Yes	□No
6) Corrective maintenance performed on systems/devices	⊠ Yes	∐No
d. Are the temperature charts properly documented with operator name, operator indication of	_	
when cremation in the primary chamber was begun, date, time, and temperature markings	⊠ Yes ⊠ Yes	∐No □No
e. Was the crematory unit installed after $2/1/07$? If no, skip e.(1) – (3)(1) Is the crematory unit equipped and operated with a pollutant monitoring system to automatical		□N0
control combustion based on continuous in-stack opacity measurement?	Yes	□No
(2) Is the system calibrated to restrict combustion in the primary chamber whenever any opacity	5 7	
exceeds 15% opacity?(3) Has the opacity measurement system been cleaned and checked for proper operation in	⊠ Yes	∐No
accordance with the manufacturer's recommended maintenance schedule?	⊠ Yes	□No
PART IV: SECONDARY COMBUSTION ZONE TEMPERATURES	(check ☑	only one
TART IV. SECONDART COMBUSTION ZONE TEMPERATURES	box for each	•
1. If the application to construct was BEFORE August 30, 1989 is the:		
a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F		
there are not the combination are seen in the military about 199	□ v	□ N-
throughout the combustion process in the primary chamber?		□No
throughout the combustion process in the primary chamber?b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremati process begins in the primary chamber?		□No
b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremati process begins in the primary chamber?	on	
 b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremati process begins in the primary chamber?	on Yes	
 b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremati process begins in the primary chamber?	on Yes	
 b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremati process begins in the primary chamber? 2. If the application to construct ON or AFTER August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the crematical combustion. 	Yes Yes Yes	□No
 b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremati process begins in the primary chamber?	on Yes	□No
 b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremati process begins in the primary chamber? 2. If the application to construct ON or AFTER August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the crematical combustion in the primary chamber? 	Yes Yes Yes	□No
 b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremati process begins in the primary chamber? 2. If the application to construct ON or AFTER August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the cremati process begins in the primary chamber? 	Yes Yes Yes Yes Yes	No
 b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremati process begins in the primary chamber? 2. If the application to construct ON or AFTER August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the crematical combustion in the primary chamber? 	Yes Yes Yes	No
b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremati process begins in the primary chamber?	on Yes Yes on Yes (check ☑	No
b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremating process begins in the primary chamber?	Yes Yes Yes Yes (check box for each	NoNoNo only one n question)
b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremati process begins in the primary chamber?	on Yes Yes on Yes (check ☑	□No □No □No only one
b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremati process begins in the primary chamber?	Yes Yes Yes Yes (check box for each	NoNoNo only one n question)

PART VI: EQUIPMENT MAINTENANCE	-	(check ☑ box for each	only one
1. In the exemptom, unit maintained in accordance with the many Cont	urar'a anacification of		
1. Is the crematory unit maintained in accordance with the manufact	_	Yes	□No
2. Is there a written plan onsite which addresses the operating procedures during startup, shutdown and malfunction?		⊠ Yes	□No
3. Does the crematory allow for a visible check on the flame characteristics?			□No
a. Was the flame characteristic visually checked at least once dur b. Was the flame adjusted when necessary?			□No □No
PART VII: EU INSPECTION COMPLIANCE STATUS (check	only one box)		
☐ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE	SIGNIFICANT Non-COMPL	IANCE	
Facility Section (continued) SPECIAL CONDITIONS AND PROCEDURES (check V only one			
Administrative Changes:		(check v box for each	only one question)
 Were there any changes in the name, address, or phone number of associated with a change in ownership or with a physical relocation operations comprising the facility; or any other similar minor admits. If yes, did the facility provide written notification within 30 days on the New or Modified Process Equipment or Change in Ownership: Since the last registration form submittal has there been	on of the facility or any emissions unital inistrative change at the facility? of the change? ement? s substantially different?	ts or Yes Yes Yes Yes Yes Yes	 No No No No No No No No No
C.Pitters	7/16/2014		
Inspector's Name (Please Print)	Date of Inspection		
	7/16/2015		
Inspector's Signature	Approximate Date of Next Insp	pection	
COMMENTS:			