

ANIMAL CREMATORY



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: ANNUAL (INS1, INS2) COMPLAINT/DISCOVERY (CI) RE-INSPECTION (FUI) ARMS COMPLAINT NO:				
AIRS ID#: 0250250 DATE: <u>6/26/2012</u> ARRIVE: <u>12:52 PM</u> DEPART:	1:12 PM			
FACILITY NAME: PET HEAVEN MEMORIAL PARK				
FACILITY LOCATION: 10901 W FLAGLER ST				
MIAMI 33174				
OWNER/AUTHORIZED REPRESENTATIVE: CARMEL SANTOS Email: CONTACT NAME: CANDY SANTOS Email: ENTITLEMENT PERIOD: 1/17/2008 / 1/16/2013 (effective date) (end date) PHONE: (305)223-651 Mobile: PHONE: (305)223-651				
Facility Section PART I: INSPECTION COMPLIANCE STATUS (check ☑ only one box) ☑ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE				
PART II: ONSITE INTRODUCTORY MEETING 1. Name(s) of facility representative(s): SERGIO SANTOS Brief Notes:	(check ☑ only one box for each question)			
2. Is the Authorized Representative still CARMEL SANTOS?	⊠ Yes □No			
If different, did the facility provide an administrative update within 30 days? 3. Is the facility contact still CANDY SANTOS? If no, who is?:	☐ Yes ☐No ☐ Yes ☐No			
4. Will facility be conducting VE test(s) during today's inspection? If yes, was the compliance authority notified at least 15 days in advance?	☐ Yes			

Emissions Unit Section 1 –SIMONDS 404 INCINERATOR-400 LB/HR TYPE IV WASTE-DUAL CHAMBER

PART I: FILE REVIEW PRIOR TO INSPECTION 1. a Complete AC application or if no AC parmit initial CP resistration received on or	(check ☑ box for each	only one question)
a. Complete AC application or, if no AC permit, initial GP registration received on or after August 30, 1989? b. If yes, were design calculations provided then to confirm a sufficient volume in the	X Yes	□No
secondary chamber combustion zone to provide for at least a 1.0 second gas residence time at 1800 degrees Fahrenheit? ————————————————————————————————————	⊠ Yes	□No
 3. Crematory unit installed after February 1, 2007?	☐ Yes	⊠No
a. Was a VE test performed within each of the past 4 calendar years? b. Has a VE test been performed yet within the current calendar year? c. If first year of operation, was a VE test performed within 30 days of commencing	∑ Yes∑ Yes	□No □No
operation?	Yes	□No
e. Was the VE test report filed with the compliance authority no later than 45 days after the test? f. Did the facility demonstrate compliance during the last VE test? If no, what was the problem (if known)?		∐No □No
PART II: <u>VISIBLE EMISSIONS TESTING</u>	(check ☑ box for each	only one question)
1. Was a visible emissions test conducted by the facility for this unit during this site visit?a. Operating capacity during test?		⊠No
b. Was the operating capacity greater than the manufacturer's recommended capacity?c. Was the test conducted with the unit operating at a capacity that is representative of normal operations? d. Was the visible emissions test conducted according to EPA Method 9?	Yes	□No □No □No
e. The visible emission test resulted in an opacity of % for the highest six minute average. f. Did the visible emission test demonstrate compliance with the limit?		No
2. Was a visible emissions test conducted by the inspector during this site visit?a. Operating capacity during test?		⊠No
b. Was the operating capacity greater than the manufacturer's recommended capacity?c. Was the test conducted with the unit operating at a capacity that is representative of normal operations? d. Was the visible emissions test conducted according to EPA Method 9?	Yes	□No □No □No
e. The visible emission test resulted in an opacity of % for the highest six minute average. f. Did the visible emission test demonstrate compliance with the limit?	Yes	No
3. Is there any reason to ask for a special test to determine compliance with the PM and CO standar	rds?	⊠No
If yes, what reason?	1cs	₩140

PART III: MONITORING/RECORDKEEPING REQUIREMEN		(check ☑ box for each of	only one question)
1. Were there any objectionable odors detected?		Yes	∑No
An upwind/downwind survey of the facility was conducted. The of Wind direction Downwind odor level detected		Scale: 1-10 (v	worst)
 Continuous Monitoring Systems – a Is a continuous temperature monitoring system installed on each u secondary chamber in accordance with the manufacturer's instruct b Is the temperature probe properly placed, at least at the distance w time at \$\square\$ 1,800\square\$ \$\square\$ 1,600\square\$ degrees was determined?	ions? here the 1.0 second gas residence		□No
c. Are the following records kept on file, available for inspection, for (1) All temperature measurements(2) All continuous monitoring systems, monitoring devices, and p		⊠ Yes	□No
monitoring system all continuous performance evaluations (3) All CEMS or monitoring device calibration checks (last performance) (4) Adjustments (5) Preventive maintenance performed on systems/devices	rmed on)	∑ Yes☐ Yes☐ Yes	No No No No
 (6) Corrective maintenance performed on systems/devices d. Are the temperature charts properly documented with operator nar when cremation in the primary chamber was begun, date, time, and e. Was the crematory unit installed after 2/1/07? If no, skip e.(1) – (ne, operator indication of 1 temperature markings 3)	☐ Yes ☐ Yes ☐ Yes	□No □No □No
 (1) Is the crematory unit equipped and operated with a pollu control combustion based on continuous in-stack opacity (2) Is the system calibrated to restrict combustion in the printed exceeds 15% opacity? 	measurement?	llly □ Yes □ Yes	⊠No
(3) Has the opacity measurement system been cleaned and c accordance with the manufacturer's recommended maint		⊠ Yes	□No
PART IV: SECONDARY COMBUSTION ZONE TEMPERATU	RES	(check 🗹 box for each	only one question)
If the application to construct was BEFORE August 30, 1989 is the analysis and actual operating temperature of the secondary chamber combust throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or graph process begins in the primary chamber?	tion zone no less than 1400°F eater than 1400°F before the cremati		□No
If the application to construct <u>ON</u> or <u>AFTER</u> August 30, 1989 is t a. the actual operating temperature of the secondary chamber comthroughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or graprocess begins in the primary chamber?	bustion zone no less than 1600°F eater than 1600°F before the cremati	☐ Yes on ☐ Yes	□No
		(check 🗹	only one
PART V: <u>ALLOWED MATERIALS</u> Besides animal remains and, if applicable, the bedding associated are any other materials, including biomedical wastes, incinerated in If yes, what other materials?		tainers, Yes	question) ⊠No
Do containers contain no more than 0.5 percent by weight chloring as certified by the manufacturer? If yes, is the certifying documentation from the manufacturer kept		☐ Yes	⊠No

	(check 🗹	
PART VI: <u>EQUIPMENT MAINTENANCE</u>	box for each	question)
1. Is the crematory unit maintained in accordance with the manufacturer's specifications? 2. Is there a written plan onsite which addresses the operating procedures during startup, shutdown and malfunction? 3. Does the crematory allow for a visible check on the flame characteristics? If no, skip a. – b. a. Was the flame characteristic visually checked at least once during each operating shift? b. Was the flame adjusted when necessary?	Yes Yes Yes	□No □No □No □No □No
PART VII: EU INSPECTION COMPLIANCE STATUS (check ☑ only one box)		
☐ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPL	IANCE	

Emissions Unit Section 2 –PROPANE FIRED POWER-PAK II MODEL 1E43-PPII INCINERATOR

PART I: FILE REVIEW PRIOR TO INSPECTION	(check ☑ box for each	only one
1. a. Complete AC application or, if no AC permit, initial GP registration received on or after August 30, 1989?	Yes	No
b. If yes, were design calculations provided then to confirm a sufficient volume in the secondary chamber combustion zone to provide for at least a 1.0 second gas residence time at 1800 degrees Fahrenheit?	⊠ Yes	□No
2. Manufacturer's recommended capacity:	Yes	□No
5. Past Visible Emissions (VE) tests: a. Was a VE test performed within each of the past 4 calendar years? b. Has a VE test been performed yet within the current calendar year? c. If first year of operation, was a VE test performed within 30 days of commencing operation?	∑ Yes∑ Yes☐ Yes	□No □No
 d. Date of last VE test: 6/20/2012 e. Was the VE test report filed with the compliance authority no later than 45 days after the test? f. Did the facility demonstrate compliance during the last VE test?		□No □No
PART II: <u>VISIBLE EMISSIONS TESTING</u>	(check ☑ box for each	only one question)
1. Was a visible emissions test conducted by the facility for this unit during this site visit?	☐ Yes ☐ Yes ☐ Yes ☐ Yes ☐ Yes ☐ Yes	NoNoNoNoNo
2. Was a visible emissions test conducted by the inspector during this site visit?	Yes Yes Yes Yes	NoNoNoNoNo
3. Is there any reason to ask for a special test to determine compliance with the PM and CO standa. If yes, what reason?	rds?	⊠No

PART III: MONITORING/RECORDKEEPING REQUIREMENTS	(check ✓ box for each	only one
1. Were there any objectionable odors detected?		⊠No
An upwind/downwind survey of the facility was conducted. The observed parameters were: Wind direction Downwind odor level detected Upwind odor level detected	Scale: 1-10 (worst)
 2. Continuous Monitoring Systems – a Is a continuous temperature monitoring system installed on each unit to record temperatures in the secondary chamber in accordance with the manufacturer's instructions?		□No
c. Are the following records kept on file, available for inspection, for at least the past two years? (1) All temperature measurements	;	NoNoNoNoNoNo
 (6) Corrective maintenance performed on systems/devices d. Are the temperature charts properly documented with operator name, operator indication of when cremation in the primary chamber was begun, date, time, and temperature markings e. Was the crematory unit installed after 2/1/07? If no, skip e.(1) – (3)		No
 (1) Is the crematory unit equipped and operated with a pollutant monitoring system to automa control combustion based on continuous in-stack opacity measurement?	Yes ity Yes	□No□No
PART IV: SECONDARY COMBUSTION ZONE TEMPERATURES	(check 🗹 box for each	only one question)
 If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremprocess begins in the primary chamber? If the application to construct <u>ON</u> or <u>AFTER</u> August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? 	nation Yes	□No □No
b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the cremprocess begins in the primary chamber?		□No
PART V: ALLOWED MATERIALS	(check 🗹 box for each	only one question)
Besides animal remains and, if applicable, the bedding associated with the animals and appropriate care any other materials, including biomedical wastes, incinerated in the unit?		⊠No
2. Do containers contain no more than 0.5 percent by weight chlorinated plastics as certified by the manufacturer?	X Yes	□No

	(check ✓	only one
PART VI: <u>EQUIPMENT MAINTENANCE</u>	box for each	question)
Is the crematory unit maintained in accordance with the manufacturer's specifications? Is there a written plan onsite which addresses the operating procedures during startup, shutdown and malfunction?	Yes Yes Yes	NoNoNoNoNo
PART VII: EU INSPECTION COMPLIANCE STATUS (check ☑ only one box)		
☐ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPL	LIANCE	

Emissions Unit Section 3 –New Natural Gas Fired Power Pak II INCINERATOR

PART I: FILE REVIEW PRIOR TO INSPECTION		
a. Complete AC application or, if no AC permit, initial GP registration received on or after August 30, 1989? b. If yes, were design calculations provided then to confirm a sufficient volume in the	⊠ Yes	□No
secondary chamber combustion zone to provide for at least a 1.0 second gas residence time at 1800 degrees Fahrenheit?	Yes	□No
2. Manufacturer's recommended capacity:	☐ Yes	□No
5. Past Visible Emissions (VE) tests: a. Was a VE test performed within each of the past 4 calendar years? b. Has a VE test been performed yet within the current calendar year? c. If first year of operation, was a VE test performed within 30 days of commencing	∑ Yes∑ Yes	□No □No
operation? N/A d. Date of last VE test:	Yes	□No
e. Was the VE test report filed with the compliance authority no later than 45 days after the test? f. Did the facility demonstrate compliance during the last VE test? If no, what was the problem (if known)?	⊠ Yes ⊠ Yes	□No □No
PART II: <u>VISIBLE EMISSIONS TESTING</u>		
1. Was a visible emissions test conducted by the facility for this unit during this site visit?a. Operating capacity during test? bs for batch unit bs/hr for ram-charged unit	Yes	⊠No
b. Was the operating capacity greater than the manufacturer's recommended capacity?c. Was the test conducted with the unit operating at a capacity that is representative of normal operations? d. Was the visible emissions test conducted according to EPA Method 9?	☐ Yes ☐ Yes ☐ Yes	□No □No □No
e. The visible emission test resulted in an opacity of % for the highest six minute average. f. Did the visible emission test demonstrate compliance with the limit?	Yes in any one-hour)	□No
2. Was a visible emissions test conducted by the inspector during this site visit?a. Operating capacity during test?	Yes	⊠No
b. Was the operating capacity greater than the manufacturer's recommended capacity? c. Was the test conducted with the unit operating at a capacity that is representative of normal operations? d. Was the visible emissions test conducted according to EPA Method 9? e. The visible emission test resulted in an opacity of% for the highest six minute average.		□No □No □No
f. Did the visible emission test demonstrate compliance with the limit? (5% opacity, six-minute average, except that visible emissions not exceeding 15% opacity shall be allowed for up to six minutes	Yes in any one-hour)	□No
3. Is there any reason to ask for a special test to determine compliance with the PM and CO standar		
If yes, what reason?	∐ Yes	⊠No

PART III: MONITORING/RECORDKEEPING REQUIREMENTS		
1. Were there any objectionable odors detected?	☐ Yes	⊠No
An upwind/downwind survey of the facility was conducted. The observed parameters were:	☐ 1es	☑N0
Wind direction Downwind odor level detected Upwind odor level detected	Scale: 1-10) (worst)
while direction Bownwhile odor level detected opwhile odor level detected	beare. 1 10	(worst)
2. Continuous Monitoring Systems –		
a Is a continuous temperature monitoring system installed on each unit to record temperatures in the		
secondary chamber in accordance with the manufacturer's instructions?	Yes	□No
b Is the temperature probe properly placed, at least at the distance where the 1.0 second gas residence	□ • •	
time at \square 1,800 1 \square 1,600 2 degrees was determined?	Yes	□No
(Application of initial nonlication. Teceived on of after 6/30/67, Teceived before 6/30/67)		
c. Are the following records kept on file, available for inspection, for at least the past two years?		
(1) All temperature measurements	Yes	□No
(2) All continuous monitoring systems, monitoring devices, and performance testing measurements;	_	_
monitoring system all continuous performance evaluations		∐No
(3) All CEMS or monitoring device calibration checks (last performed on)	⊠ Yes	∐No
(4) Adjustments (5) Preventive maintenance performed on systems/devices	☐ Yes☐ Yes	∐No □No
(6) Corrective maintenance performed on systems/devices	Yes	□No
d. Are the temperature charts properly documented with operator name, operator indication of	□ 3 7	□ N.
when cremation in the primary chamber was begun, date, time, and temperature markingse. Was the crematory unit installed after $2/1/07$? If no, skip e.(1) – (3)	Yes Yes	□No □No
(1) Is the crematory unit equipped and operated with a pollutant monitoring system to automatic	•	□INO
control combustion based on continuous in-stack opacity measurement?		⊠No
(2) Is the system calibrated to restrict combustion in the primary chamber whenever any opacity		2310
exceeds 15% opacity ?	Yes	⊠No
(3) Has the opacity measurement system been cleaned and checked for proper operation in		
accordance with the manufacturer's recommended maintenance schedule?	⊠ Yes	□No
		_
PART IV: SECONDARY COMBUSTION ZONE TEMPERATURES		Ī
THE THE BEST STATE OF THE PROPERTY OF THE PROP		
1. If the application to construct was BEFORE August 30, 1989 is the:		
a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F		
throughout the combustion process in the primary chamber?	Yes	□No
b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremat	_	□ N-
process begins in the primary chamber?	∐ Yes	□No
2. If the application to construct ON or AFTER August 30, 1989 is the:		
a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F	□ *7	
throughout the combustion process in the primary chamber?	Yes	∐No
b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the cremat	ion Xes	□No
process begins in the primary chamber?		□140
		=
PART V: <u>ALLOWED MATERIALS</u>		
1. Decides animal number and if annihable shall be a very first of the decided and		
1. Besides animal remains and, if applicable, the bedding associated with the animals and appropriate cor are any other materials, including biomedical wastes, incinerated in the unit?		⊠No
If yes, what other materials?	∐ Yes	□IN0
ii yes, what offici materials:		
2. Do containers contain no more than 0.5 percent by weight chlorinated plastics		
as certified by the manufacturer?	Yes	□No
If yes, is the certifying documentation from the manufacturer kept on file for at least 2 years from use?		□No

		=	=
PART VI: EQUIPMENT MAINTENANCE			
 Is the crematory unit maintained in accordance with the n Is there a written plan onsite which addresses the operatin shutdown and malfunction? Does the crematory allow for a visible check on the flame If no, skip a. – b. a. Was the flame characteristic visually checked at least ob. Was the flame adjusted when necessary? 	ng procedures during startup, e characteristics? once during each operating shift?		□No □No □No □No □No
PART VII: EU INSPECTION COMPLIANCE STATUS	\underline{S} (check $\underline{\mathbf{V}}$ only one box)		
☐ IN COMPLIANCE ☐ MINOR Non-COMPLI	IANCE SIGNIFICANT Non-COM	IPLIANCE	
Facility S	ection (continued)		
SPECIAL CONDITIONS AND PROCEDURES		(check ✓	only one
		,	ch question)
Administrative Changes:			
 Were there any changes in the name, address, or phone not associated with a change in ownership or with a physical operations comprising the facility; or any other similar mit. If yes, did the facility provide written notification within a New or Modified Process Equipment or Change in Ownershith. Since the last registration form submittal has there been a. Installation of any new process equipment?b. Alterations to existing process equipment without c. Replacement of existing equipment with equipment d. A change in ownership?	relocation of the facility or any emissions inor administrative change at the facility? 30 days of the change? ip: treplacement? ent that is substantially different? istration form and the appropriate fee	units or Yes	□No□No□No□No□No□No□No□No
FRANK DELGADO	6/26/2012		
Inspector's Name (Please Print)	Date of Inspection		
	6/2013		
Inspector's Signature	Approximate Date of Next I	Inspection	
COMMENTS: ONLY THE SIMMONDS CREMATORY SECONDARY CHAMBER TEMPERATURE WAS 1755 DA VISIBLE EMISSIONS TEST WAS PERFORMED BY ENTEMPERATURE CHARTS FOR ALL THREE (3) CREMA SERGIO SANTOS, THE FACILITY'S MANAGER WAS OF THE HOUSEKEEPING IS GOOD. I DID NOT DETECT ANY OBJECTIONABLE ODORS IN	DEGREE FAHRENHEIT. UGENE SCHALTENBRAND ON 6/20/20 ATORIES WERE AVAILABLE FOR INS DN SITE.	012.	TION; THE

REVIEWED
By Ray Gordon at 12:07 pm, Jul 16, 2012