

HUMAN CREMATORY



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: ANNUAL (INS1, INS2) COMPLAINT/DISCOVERY (CI) RE-INSPECTION (FUI) ARMS COMPLAINT NO:							
AIRS ID#: 0250630 DATE: <u>3/19/2013</u> ARRIVE: <u>10:52 AM</u> DEPART:	11:32 AM						
FACILITY NAME: WOODLAWN PARK CEMETERY							
FACILITY LOCATION: 3260 SW 8 STREET							
MIAMI 33114							
OWNER/AUTHORIZED REPRESENTATIVE: LAWRENCE ZIMMERMAN PHONE: (305) Email: Mobile: CONTACT NAME: LAWRENCE ZIMMERMAN PHONE: (305)445-542 Email: Mobile: ENTITLEMENT PERIOD: 7/7/2008 / 7/5/2013 (effective date) (end date)	,						
Facility Section PART I: INSPECTION COMPLIANCE STATUS (check ☑ only one box) ☑ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE							
PART II: ONSITE INTRODUCTORY MEETING 1. Name(s) of facility representative(s): LAWRENCE ZIMMERMAN Brief Notes:	(check ☑ only one box for each question)						
2. Is the Authorized Representative still KEENAN KNOPKE?	☐ Yes ⊠No						
If different, did the facility provide an administrative update within 30 days? 3. Is the facility contact still KENNAN KNOPKE? If no, who is?: LAWRENCE ZIMMERMAN	☐ Yes☐ L.No☐ Yes☐ M.No						
4. Will facility be conducting VE test(s) during today's inspection?	∑ Yes						

Emissions Unit Section 2 – HUMAN CREMATORY INCINERATOR ENER-TEK MODEL IE43-ET

PA	PART I: FILE REVIEW PRIOR TO INSPECTION (check ✓ only one						
		box for each question)					
		box for each.	question,				
1.	a. Complete AC application or, if no AC permit, initial GP registration received on or	₩	□ N ₁				
	after August 30, 1989?	⊠ Yes	□No				
	b. If yes, were design calculations provided then to confirm a sufficient volume in the						
	secondary chamber combustion zone to provide for at least a 1.0 second gas residence time at 1800 degrees Fahrenheit?	⊠ Yes	□No				
2	Crematory unit installed after February 1, 2007?	Yes	□No ⊠No				
	Date of last inspection: 3/29/2012	□ 1 cs	∠J1 \ U				
	Past Visible Emissions (VE) tests:						
т.	a. Was a VE test performed within each of the past 4 calendar years?	⊠ Yes	□No				
	b. Has a VE test been performed yet within the current calendar year?	⊠ Yes	□No				
l	c. If first year of operation, was a VE test performed within 30 days of commencing	K7 100					
	operation? N/A	☐ Yes	□No				
	d. Date of last VE test: 3/29/2012						
	e. Was the VE test report filed with the compliance authority no later than 45 days after the test?	⊠ Yes	□No				
	f. Did the facility demonstrate compliance during the last VE test?	_	□No				
	If no, what was the problem (if known)?	<u></u>					
_							
	DE W. WOMER ENGOLOSIO EDUCATIO						
PA	RT II: <u>VISIBLE EMISSIONS TESTING</u>	(check 🗹	only one				
		box for each	question)				
1.	Was a visible emissions test conducted by the facility for this unit during this site visit?	Yes	□No				
	a. Was the test conducted with the unit operating at a capacity of one adult-sized cadaver?		□No				
	b. Was the visible emissions test conducted according to EPA Method 9?		□No				
	c. The visible emission test resulted in an opacity of 0 % for the highest six minute average.						
	d. Did the visible emission test demonstrate compliance with the limit?		□No				
	(5% opacity, six-minute average, except that visible emissions not exceeding 15% opacity shall be allowed for up to six minutes	in any one-hour)					
2	Was a visible emissions test conducted by the inspector during this site visit?	Yes	⊠No				
۷.	a. Was the test conducted with the unit operating at a capacity of one (1) adult-sized cadaver?		□No				
	b. Was the visible emissions test conducted according to EPA Method 9?		□No				
	c. The visible emission test resulted in an opacity of % for the highest six minute average.						
	d. Did the visible emission test demonstrate compliance with the limit?	- Yes	□No				
3.	Is there any reason to ask for a special test to determine compliance with the PM and CO standa		_				
		☐ Yes	⊠No				
	If yes, what reason?						
PA	RT III: MONITORING/RECORDKEEPING REQUIREMENTS	(check ☑	only one				
	ATOTAL OTTAL COLLEGE AND COLLE	box for each	•				
		—					
1.	Were there any objectionable odors detected?	Yes	⊠No				
	An upwind/downwind survey of the facility was conducted. The observed parameters were:						
	Downwind odor level detected- Wind direction - Upwind odor level detected-	(1-10)					
2	Continue Maritaria Continu						
	Continuous Monitoring Systems –						
a	Is a continuous temperature monitoring system installed on each unit to record temperatures in the	⊠ Vas					
1_	secondary chamber in accordance with the manufacturer's instructions?	⊠ Yes	∟No				
D	Is the temperature probe properly placed, at least at the distance where the 1.0 second gas residence	⊠ Yes	\square No				
D		⊠ Yes	□No				

PART III: MONITORING/RECORDKEEPING REQUIREMENTS (continued)						
·						
c. Are the following records kept on file, available for inspection, for at least the past two years?						
1) All temperature measurements	Yes	□No				
2) all continuous monitoring systems, monitoring devices, and performance testing measurements;	□ v	□ Na				
monitoring system all continuous performance evaluations	☐ Yes☐ Yes	∐No □No				
4) Adjustments	Yes	□No				
5) Preventive maintenance performed on systems/devices	Yes Yes	□No				
6) Corrective maintenance performed on systems/devices	⊠ Yes	∐No				
d. Are the temperature charts properly documented with operator name, operator indication of	⊠ Yes	□ No				
when cremation in the primary chamber was begun, date, time, and temperature markingse. Was the crematory unit installed after $2/1/07$? If no, skip e.(1) – (3)	Yes Yes	∐No ⊠No				
(1) Is the crematory unit equipped and operated with a pollutant monitoring system to automatical	.ll <u>y</u>					
control combustion based on continuous in-stack opacity measurement?	Yes Yes	□No				
(2) Is the system calibrated to restrict combustion in the primary chamber whenever any opacity exceeds 15% opacity?	☐ Yes	□No				
(3) Has the opacity measurement system been cleaned and checked for proper operation in						
accordance with the manufacturer's recommended maintenance schedule?	Yes	□No				
		_				
PART IV: SECONDARY COMBUSTION ZONE TEMPERATURES	(check 🗹	only one				
	1 C 1	4.				
	box for each	question)				
	box for each	question)				
 If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F 						
If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	☐ Yes	question)				
If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematical secondary chamber.	Yes					
If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? ———— b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremati process begins in the primary chamber? ————————————————————————————————————	☐ Yes	□No				
If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematical secondary chamber.	Yes	□No				
 If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber? If the application to construct <u>ON</u> or <u>AFTER</u> August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? 	☐ Yes on ☐ Yes ☐ Yes	□No				
 If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber? If the application to construct <u>ON</u> or <u>AFTER</u> August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the crematic 	☐ Yes on ☐ Yes ☐ Yes ☐ Yes	NoNoNo				
 If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremating process begins in the primary chamber? If the application to construct <u>ON</u> or <u>AFTER</u> August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? 	☐ Yes on ☐ Yes ☐ Yes	□No □No				
 If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber? If the application to construct <u>ON</u> or <u>AFTER</u> August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the crematic 	☐ Yes on ☐ Yes ☐ Yes ☐ Yes	NoNoNo				
 If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremati process begins in the primary chamber? If the application to construct <u>ON</u> or <u>AFTER</u> August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the cremati process begins in the primary chamber? 	☐ Yes on ☐ Yes ☐ Yes ☐ Yes	NoNoNo				
 If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber? If the application to construct <u>ON</u> or <u>AFTER</u> August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the crematic 	☐ Yes on ☐ Yes ☐ Yes ☐ Yes ☐ Yes ☐ Yes	NoNoNo only one				
 If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremating process begins in the primary chamber? If the application to construct <u>ON</u> or <u>AFTER</u> August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the cremating process begins in the primary chamber? PART V: <u>ALLOWED MATERIALS</u> 	☐ Yes on ☐ Yes ☐ Yes ☐ Yes ☐ Yes ☐ Yes ☐ (check ☑	NoNoNo only one				
 If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremating process begins in the primary chamber? If the application to construct <u>ON</u> or <u>AFTER</u> August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the cremating process begins in the primary chamber? PART V: <u>ALLOWED MATERIALS</u> Other than human or fetal remains with appropriate containers or clothing, are any materials, 	☐ Yes on ☐ Yes ☐ Yes ☐ Yes ☐ Yes On ☐ Yes	NoNoNo only one question)				
1. If the application to construct was BEFORE August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremating process begins in the primary chamber? 2. If the application to construct ON or AFTER August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the cremating process begins in the primary chamber? PART V: ALLOWED MATERIALS 1. Other than human or fetal remains with appropriate containers or clothing, are any materials, including biomedical wastes, incinerated in the unit?	☐ Yes on ☐ Yes ☐ Yes ☐ Yes ☐ Yes ☐ Yes ☐ (check ☑	NoNoNo only one				
 If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremating process begins in the primary chamber? If the application to construct <u>ON</u> or <u>AFTER</u> August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the cremating process begins in the primary chamber? PART V: <u>ALLOWED MATERIALS</u> Other than human or fetal remains with appropriate containers or clothing, are any materials, 	☐ Yes on ☐ Yes ☐ Yes ☐ Yes ☐ Yes On ☐ Yes	NoNoNo only one question)				

			(check only one oox for each question)			
Is the crematory unit maintained in accordance with the manufactor	urer's specifications?	⊠ Yes	□No			
2. Is there a written plan onsite which addresses the operating process shutdown and malfunction?	lures during startup,	⊠ Yes	□No			
3. Does the crematory allow for a visible check on the flame characters.	eristics?	Yes	⊠No			
If no, skip a. – b. a. Was the flame characteristic visually checked at least once dur. b. Was the flame adjusted when necessary?		Yes Yes	□No □No			
PART VII: EU INSPECTION COMPLIANCE STATUS (check	☑ only one box)					
☐ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE	SIGNIFICANT Non-COMPL	IANCE				
Facility Section (continued) SPECIAL CONDITIONS AND PROCEDURES (check only one)						
Administrative Changes:		(check v box for each	only one question)			
 Were there any changes in the name, address, or phone number of associated with a change in ownership or with a physical relocation operations comprising the facility; or any other similar minor adm If yes, did the facility provide written notification within 30 days on the Modified Process Equipment or Change in Ownership: Since the last registration form submittal has there been	on of the facility or any emissions unit inistrative change at the facility? of the change?	s or	 □No □No □No □No □No □No □No 			
FRANK DELGADO	3/19/2013					
Inspector's Name (Please Print)	Date of Inspection					
	3/2014					
Inspector's Signature	Approximate Date of Next Insp	ection				
1 6	11					

COMMENTS: BRUNO FERRARO OF GROVE SCIENTIFIC & ENGINEERING PERFORMED A SIXTY (60) MINUTES VISIBLE EMISSIONS TEST ON THE HUMAN CREMATORY. THE PROCESS RATE WAS 200 POUNDS AND THE SECONDARY CHAMBER TEMPERATURE WAS 1769 DEGREES FAHRENHEIT. I DID NOT OBSERVE ANY VISIBLE EMISSIONS WHILE I WAS ON SITE. IDALBERTO IPARRAGUIRRE IS THE CREMATORY OPERATOR.

REVIEWED

By Ray Gordon at 10:24 am, Apr 05, 2013