

HUMAN CREMATORY



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE:	ANNUAL (INS1, INS2)	COMPLAINT/DISCOVERY	Y(CI)		
	RE-INSPECTION (FUI)	ARMS COMPLAINT NO:			
AIRS ID#: 0990305 DAT	ΓΕ: <u>9/1/2006</u>	ARRIVE: <u>9:28</u>	DEPART: <u>10:45</u>		
FACILITY NAME: NORTHWOOD FUNERAL HOME					
FACILITY LOCATION	: 5608 BROADWAY				
	WEST PALM BEACH	33407-			
RESPONSIBLE OFFICI	AL: ERNEST GAGNON	PHONE:	(561)844-4311		
CONTACT NAME:		PHONE:			
REMITTANCE YEAR:	ENTITI	LEMENT PERIOD: 9/30/2005 (effective date)	/ 9/30/2010 (end date)		
	COMPLIANCE STATUS (cl				
⊠ IN COMPLIANC	E MINOR Non-COM	PLIANCE SIGNIFICANT	Non-COMPLIANCI	3	
PART II: TESTING/REG	CORDKEEPING REOUIRE	MENTS – Rule 62-296.401, F.A.	С.		
(check ☑ appropriate	e box(es))				
2. Was a visible emiss	sions test conducted during this	s site visit according to EPA Methor	od 9 (Ref.: Chapter	∐ Yes ⊠ No	
62-297, F.A.C.)?					
days prior to the AGP Notification form submission, and within 60 days prior to each anniversary date? (Rule 62-296.401(5)(i), F.A.C.)					
4. In order to demonstrate individual source compliance were the remaining applicable standards testing completed within 60 days prior to the AGP Notification form submission? (Rule 62-210.300(4), F.A.C.) Yes No a) Carbon Monoxide (CO) emissions equal to or below the requirements of 100 parts per million by					
volume, dry basis, corrected to 7% O ₂ on an hourly average basis and tested according to EPA Method 10 (Ref.: Chapter 62-297, F.A.C.)?					
b) Oxygen test performed according to EPA Method 3 (Ref.: Chapter 62-297, F.A.C.)?					
dry standard cubic foot (ft ³)of flue gas, corrected to 7% O ₂ and tested according to EPA Method 5 (Ref.: Chapter.62-297, F.A.C.)?					
5. Was all emissions testing conducted with the source operating at the manufacturers recommended capacity?					
	-	mission of a test report for an ident r to the date of the last formal com	•	☐Yes ☐ No ☑Yes ☐ No	
8. Was the required to	est report filed with the Departr	ment as soon as practical, but no lo	onger than 45 days aft	er Yes No	

PART III: OPERATING/RECORDKEEPING REQUIREMENTS – Rule 62-296.401, F.A.C. (check ☑ appropriate box(es))	
1. Is there Continuous Emissions Monitoring System (CEMS) againment installed on each unit to record to	comporatures in the
1. Is there Continuous Emissions Monitoring System (CEMS) equipment installed on each unit to record to primary and secondary chambers where there is a 1.0 second gas residence time in the secondary chamber continuous experiments.	emperatures in the
accordance with the manufacturer's instructions?	
a) Do temperature probes seem to be properly placed?	
b) Are the following records kept on file, available for inspection for at least two years following the records are applied to the following the records are applied to the following the records as a second of the following the records are applied to the following the records as a first and a second of the following the records are applied to the following the records as a first and a second of the following the records are applied to the following the records as a first and a second of the following the records are a second of	cording of such
measurements, maintenance, reports and records?	
1) All measurements (including CEMS) 2) Monitoring device	
3) Performance Testing Measurements	
4) CEMS Performance Evaluation	
5) All CEMS or monitoring device calibration checks	
6) Adjustments	∐Yes ∐ No
7) Preventive maintenance performed on systems/devices	
8) Corrective maintenance performed on systems/devices	⊠Yes ☐ No
2. Was this crematory unit constructed: (check only one ☑ box)	
a) BEFORE August 30, 1989? (If this box checked, continue on to #3 and skip #4)	
b) ON or AFTER August 30, 1989? (If this box checked, skip #3 and continue on to #4)	
3. If constructed BEFORE August 30, 1989 is the:	
a) secondary chamber combustion zone providing at least a 1.0 second gas residence time @ 1600°F?	⊠Yes □ No
b) actual operating temperature of the secondary chamber combustion zone no less than 1400°F	
throughout the combustion process in the primary chamber?	⊠Yes ☐ No
c) cremation in the primary chamber begun after the secondary chamber combustion zone temperature	
is equal to or greater than 1400°F?	⊠Yes ☐ No
d) required monitoring equipment installed and operational, and providing continuous monitoring to	
record the temperature at the point or beyond where 1.0 second gas residence time is obtained in the	
secondary chamber combustion zone according to the manufacturer's instructions?	⊠Yes ☐ No
4. If constructed ON or AFTER August 30, 1989 is the:	
a) volume in the secondary combustion zone sufficient to provide at least a 1.0 second gas residence times	ne
@ 1800° F?	☐Yes ☐ No
b) the actual operating temperature of the secondary chamber combustion zone no less than 1600°F	_ _
	□Yes □ No
c) secondary chamber combustion zone temperature equal to or greater than 1600°F before the cremation	on
process begins in the primary chamber?	☐Yes ☐ No
5. Are appropriate cremation containers containing no more than 0.5 % (percent) by weight chlorinated	
plastics used during the cremation of dead human bodies?	□Yes □ No
a) If the answer to question 4 above is YES, is certifying documentation from the manufacturer that they	
are composed of 0.5% or less by weight chlorinated plastics kept on file at the site for the duration of	•
their use and for at least two years after their use?	□Yes □ No
b) Are there any other materials, including biomedical wastes (Rule 62-210.200, FAC) incinerated at	_
this location?	□Yes □ No
6. Have all crematory operators been trained and certified by a Department-approved training program?	☐Yes ☐ No
a) Are copies of the training certificates for all crematory operators kept on file at the facility for the dur	
of the operator's employment & for an additional two years after termination of employment?	□Yes □ No

PART IV: <u>SPECIAL CONDITIONS AND PROCEDURE</u> A. <u>New or Modified Process Equipment</u>	<u>ES</u> – Rule 62-296.401, F.A.C.			
1. Since the last inspection has there been a) installation of any new process equipment?				
PAUL KALAMARAS	9/1/2006			
Inspector's Name (Please Print)	Date of Inspection			
Inspector's Signature	Approximate Date of Next Inspection			
COMMENTS: SummaryInspection Report				
Witnessed the USEPA Method 9 VE Test that was conducted Date 9/1/2006 Time: 09:28 Weather: Sct clds Temp 85, RH 79%, Dwpt 78, Winds SW. The crematory secondary temperature taken @ 9:58 was 14 Body weight was 125 lbs. Crematory was rebuilt back in July 2004. Opacity passed at 0%. Training certificates and CEM charts are kept at facility and the Chart on crematory unit. Log sheets and permit/license was cl Facility next to PowerPak Unit. I took VE readings were taken Bill Arlington of Arlington Environmental Services. Inc. perfet	5-8mph 439 degrees. he one CEM learly displayed at n 9:28 to 9:58.			