

HUMAN CREMATORY



COMPLIANCE INSPECTION CHECKLIST

<u>INSPECTION</u> <u>TYPE</u> :	ANNUAL (INS1, INS2)	-	, , <u>—</u>	
	RE-INSPECTION (FUI)	ARMS COMPLAINT NO): 	
AIRS ID#: 0990322 DA	TE: <u>2/28/2006</u>	ARRIVE: <u>1100</u>	DEPART: <u>1230</u>	
FACILITY NAME: TR	EASURE COAST CREMATO	DRY		
FACILITY LOCATION	N: 730 NORTH DIXIE H	IGHWAY		
	LAKE WORTH 3346	50		
RESPONSIBLE OFFIC	CIAL: GLORIA RIZZO	PHON	E: (561)582-2665	
CONTACT NAME:		PHONI	E:	
REMITTANCE YEAR:	ENTIT	LEMENT PERIOD: 4/18/2002 (effective da		
	COMPLIANCE STATUS (c			
⊠ IN COMPLIAN	CE MINOR Non-COM	IPLIANCE SIGNIFICA	NT Non-COMPLIANCI	E
PART II: TESTING/RE (check ☑ appropriate		EMENTS – Rule 62-296.401, F	A.C.	
 (check ☑ appropriated) Were there any obesity Was a visible emision of the emision of the emission of	te box(es)) ojectionable odor(s) detected? ssions test conducted during thi astrate individual source complia AGP Notification form submiss (5)(i), F.A.C.) strate individual source complia 60 days prior to the AGP Noti xide (CO) emissions equal to or corrected to 7% O ₂ on an hour 62-297, F.A.C.)? erformed according to EPA Me tter emissions test with results or compliance demonstrated by sub- mention of the source compliance demonstrated by sub- mention of th	is site visit according to EPA Meance, was an annual visible emision, and within 60 days prior to	ethod 9 (Ref.: Chapter ssions test conducted 60 each anniversary date? able standards testing e 62-210.300(4), F.A.C.) parts per million by ording to EPA Method A.C.)? nts of 0.080 grains per to EPA Method 5 ers recommended entical crematory unit? ompliance test?	Yes No

PART III: <u>OPERATING/RECORDKEEPING REQUIREMENTS</u> – Rule 62-296.401, F.A.C. (check ☑ appropriate box(es))	
1. Is there Continuous Emissions Monitoring System (CEMS) equipment installed on each unit to record	temperatures in the
primary and secondary chambers where there is a 1.0 second gas residence time in the secondary chamber co	ombustion zone in
accordance with the manufacturer's instructions?	
a) Do temperature probes seem to be properly placed?	
b) Are the following records kept on file, available for inspection for at least two years following the re	
measurements, maintenance, reports and records?	cording of such
1) All measurements (including CEMS)	□Yes □ No
2) Monitoring device	☐Yes ☐ No
3) Performance Testing Measurements	
4) CEMS Performance Evaluation	
5) All CEMS or monitoring device calibration checks	
6) Adjustments	
7) Preventive maintenance performed on systems/devices	
8) Corrective maintenance performed on systems/devices	Yes No
2. Was this crematory unit constructed: (check only one ☑ box)	
a) BEFORE August 30, 1989? (If this box checked, continue on to #3 and skip #4) b) ON or AFTER August 30, 1989? (If this box checked, skip #3 and continue on to #4)	
ON OF AFTER August 50, 1969? (If this box checked, skip #5 and continue on to #4)	
3. If constructed BEFORE August 30, 1989 is the:	
a) secondary chamber combustion zone providing at least a 1.0 second gas residence time @ 1600°F?	☐Yes ☐ No
b) actual operating temperature of the secondary chamber combustion zone no less than 1400°F	
throughout the combustion process in the primary chamber?	☐Yes ☐ No
c) cremation in the primary chamber begun after the secondary chamber combustion zone temperature	
is equal to or greater than 1400°F ?	☐Yes ☐ No
d) required monitoring equipment installed and operational, and providing continuous monitoring to	
record the temperature at the point or beyond where 1.0 second gas residence time is obtained in the	
secondary chamber combustion zone according to the manufacturer's instructions?	□Yes □ No
4. If constructed ON or AFTER August 30, 1989 is the:	
a) volume in the secondary combustion zone sufficient to provide at least a 1.0 second gas residence time.	ne
@ 1800° F?	⊠Yes □ No
b) the actual operating temperature of the secondary chamber combustion zone no less than 1600°F	
throughout the combustion process in the primary chamber?	⊠Yes □ No
c) secondary chamber combustion zone temperature equal to or greater than 1600°F before the crematic	
process begins in the primary chamber?	∑Yes ☐ No
5. Are appropriate cremation containers containing no more than 0.5 % (percent) by weight chlorinated	
plastics used during the cremation of dead human bodies?	□Yes □ No
a) If the answer to question 4 above is YES, is certifying documentation from the manufacturer that the	
are composed of 0.5% or less by weight chlorinated plastics kept on file at the site for the duration of	y f
their use and for at least two years after their use?	Yes No
b) Are there any other materials, including biomedical wastes (Rule 62-210.200, FAC) incinerated at	☐ 1 C3 ☐ 1NU
this location?	□Yes □ No
6. Have all crematory operators been trained and certified by a Department-approved training program?	Yes No
a) Are copies of the training certificates for all crematory operators kept on file at the facility for the du	
of the operator's employment & for an additional two years after termination of employment?	
of the operator s employment α for an additional two years after termination of employment?	☐Yes ☐ No

PART IV: SPECIAL CONDITIONS AND PROCEDURE A. New or Modified Process Equipment	<u>ES</u> – Rule 62-296.401, F.A.C.				
 Since the last inspection has there been a) installation of any new process equipment? b) alterations to existing process equipment without or replacement of existing equipment substantiall recent notification form? d) If you answered <u>YES</u> to any of the above, did notification form and appropriate fee (Rule 62-local program office? If a crematory unit has been modified to the extent was required, have all operators been retrained to ofmodified. In the case of new or modified equipment, where a required, has the owner submitted copies of all operators as united within the 15 day required window for the submitted within the 15 day required window for the submitted within the 15 day required window for the submitted within the 15 day required window for the submitted within the 15 day required window for the submitted within the 15 day required window for the submitted within the 15 day required window for the submitted within the 15 day required window for the submitted within the 15 day required window for the submitted window for the submitted window for the submitted within the 15 day required window for the submitted window for the submit	out replacement?				
Paul Kalamaras	2/28/2006				
Inspector's Name (Please Print)	Date of Inspection				
	2/28/2007				
Inspector's Signature	Approximate Date of Next Inspection				
COMMENTS: 2 C1000 Crematory Units					
EU 1 East Stack and EU2 West Stack. Load on EU 1 WAS 155 lbs EU2 was 190 lbs,					
Secondary temperatures were good EU1 @1600F EU2 @168 Certification for Crematory Unit was displayed properly in fa Chart Recorders were operational and OK, Cremation started testing 1200pm-1230pm.	facility. The Service area was well maintained and clean.				
0 % OPacity was observed. Witnessed with VE Testing Company, Air Observations, Inc. of Tampa					