

ANIMAL CREMATORY



COMPLIANCE INSPECTION CHECKLIST

NSPECTION TYPE: ANNUAL (INS1, INS2) 🛛 COMPLAINT/DISCOVERY (CI) 🗌							
RE-INSPECTION (FUI) ARMS COMPLAINT NO:							
AIRS ID#: 0250320 DATE: <u>8/23/2010</u> ARRIVE: <u>12:30 pm</u>	DEPART: 2:30 pm						
FACILITY NAME: ZOO MIAMI-QUARANTINE COMPLEX CREMATORY							
FACILITY LOCATION: 12400 SW 152ND ST							
MIAMI 33177							
Email: Mobile:	(305)251-0400 (305)253-5050						
Facility Section PART I: INSPECTION COMPLIANCE STATUS (check ☑ only one box)							
☐ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE							
PART II: ONSITE INTRODUCTORY MEETING 1. Name(s) of facility representative(s): Christine Miller Brief Notes:	(check ☑ only one box for each question)						
2. Is the Authorized Representative still ERIC STEPHENS?							
If different, did the facility provide an administrative update within 30 days?3. Is the facility contact still CHRISTINE MILLER?							
4. Will facility be conducting VE test(s) during today's inspection?							

Emissions Unit Section 1 - AnimalCrematory-prim/2ndaryChmbrs,LPG,w/opac/tempMR200lbs/hr

1 3 4 3 4 4 5 4 5 4 5 5 5 5 5 5 5 5 5 5 5				
PART I: <u>FILE REVIEW PRIOR TO INSPECTION</u>	(check 🗹	only one		
1. a. Complete AC application or, if no AC permit, initial GP registration received on or after August 30, 1989?	box for each Yes	question)		
b. If yes, were design calculations provided then to confirm a sufficient volume in the		ZJ10		
secondary chamber combustion zone to provide for at least a 1.0 second gas residence time at 1800 degrees Fahrenheit?	☐ Yes	□No		
2. Manufacturer's recommended capacity: 400 ⋈ lbs for batch unit □ lbs/hr for ram-charged unit. 3. Crematory unit installed after February 1, 2007?	☐ Yes	⊠ No		
4. Date of last inspection: 9/3/2009 5. Past Visible Emissions (VE) tests:				
a. Was a VE test performed within each of the past 4 calendar years?b. Has a VE test been performed yet within the current calendar year?		□No ⊠No		
c. If first year of operation, was a VE test performed within 30 days of commencing operation? N/A	☐ Yes	□No		
d. Date of last VE test: 9/3/2009		•—		
e. Was the VE test report filed with the compliance authority no later than 45 days after the test? f. Did the facility demonstrate compliance during the last VE test?		□No □No		
If no, what was the problem (if known)?	_	_		
PART II: <u>VISIBLE EMISSIONS TESTING</u>	(check ☑	only one		
	box for each	question)		
1. Was a visible emissions test conducted by the facility for this unit during this site visit?a. Operating capacity during test? 375 Ibs for batch unit Ibs/hr for ram-charged unit	Yes	⊠No		
b. Was the operating capacity greater than the manufacturer's recommended capacity?	Yes	No.No		
c. Was the test conducted with the unit operating at a capacity that is representative of normal operations? d. Was the visible emissions test conducted according to EPA Method 9?	☐ Yes ☐ Yes	□No □No		
e. The visible emission test resulted in an opacity of % for the highest six minute average. f. Did the visible emission test demonstrate compliance with the limit?		□No		
(5% opacity, six-minute average, except that visible emissions not exceeding 15% opacity shall be allowed for up to six minutes in any one-hour)				
2. Was a visible emissions test conducted by the inspector during this site visit?a. Operating capacity during test? bls for batch unit lbs/hr for ram-charged unit	☐ Yes	⊠No		
b. Was the operating capacity greater than the manufacturer's recommended capacity?	Yes	No		
c. Was the test conducted with the unit operating at a capacity that is representative of normal operations? d. Was the visible emissions test conducted according to EPA Method 9?	☐ Yes ☐ Yes	□No □No		
e. The visible emission test resulted in an opacity of % for the highest six minute average. f. Did the visible emission test demonstrate compliance with the limit?	☐ Yes			
(5% opacity, six-minute average, except that visible emissions not exceeding 15% opacity shall be allowed for up to six minutes		□No		
3. Is there any reason to ask for a special test to determine compliance with the PM and CO standards?				
If yes, what reason?	☐ Yes	⊠No		

"	ART III: MONITORING/RECORDKEEPING REQUIREMENTS		only one
		box for each	question)
1.	Were there any objectionable odors detected?	☐ Yes	⊠No
	An upwind/downwind survey of the facility was conducted. The observed parameters were:		_
	Wind direction Downwind odor level detected Upwind odor level detected	Scale: 1-10 (worst)
2	Continuous Monitoring Systems -		
a			
	secondary chamber in accordance with the manufacturer's instructions?	☐ Yes	⊠No
b	Is the temperature probe properly placed, at least at the distance where the 1.0 second gas residence	F7	I
	time at \[\sum 1,800^1 \] \[\sum 1,600^2 \] degrees was determined?	⊠ Yes	□No
	(Application of initial notification. Teceived on of after 6/30/09, Teceived before 6/30/09)		
c.	Are the following records kept on file, available for inspection, for at least the past two years?	_	_
	(1) All temperature measurements	Yes	□No
	(2) All continuous monitoring systems, monitoring devices, and performance testing measurements;	⊠ vaa	
	monitoring system all continuous performance evaluations (3) All CEMS or monitoring device calibration checks (last performed on n/(n/a))	- ⊠ Yes □ Yes	□No □No
	(4) Adjustments	Yes	□No
	(5) Preventive maintenance performed on systems/devices	Xes	□No
	(6) Corrective maintenance performed on systems/devices	Yes	□No
d.	Are the temperature charts properly documented with operator name, operator indication of		
	when cremation in the primary chamber was begun, date, time, and temperature markings	Yes	□No
e.	Was the crematory unit installed after 2/1/07? If no, skip e.(1) – (3)	☐ Yes	⊠No
	(1) Is the crematory unit equipped and operated with a pollutant monitoring system to automatic		
	control combustion based on continuous in-stack opacity measurement?(2) Is the system calibrated to restrict combustion in the primary chamber whenever any opacity	☐ Yes	□No
Ì	exceeds 15% opacity?	☐ Yes	□No
	(3) Has the opacity measurement system been cleaned and checked for proper operation in		
L	accordance with the manufacturer's recommended maintenance schedule?	Yes Yes	□No
P/		(check ⊻	only one
	ART 1V: SECONDARY COMBUSTION ZONE TEMPERATURES	(check ☑ box for each	only one question)
l	ART IV: SECONDARY COMBUSTION ZONE TEMPERATURES		· · ·
			· · ·
1.	If the application to construct was BEFORE August 30, 1989 is the:		· · ·
1.	If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F	box for each	question)
1.	If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	box for each Yes	· · ·
1.	If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F	box for each Yes	question)
	If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? ————————————————————————————————————	box for each Yes	question)
	If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? ————————————————————————————————————	box for each Yes	question)
	If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremat process begins in the primary chamber? If the application to construct <u>ON</u> or <u>AFTER</u> August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber?	box for each Yes ion Yes Yes	question)
	If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremat process begins in the primary chamber? If the application to construct <u>ON</u> or <u>AFTER</u> August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the crematical contents that the combustion zone temperature equal to or greater than 1600°F before the crematical contents the primary chamber?	box for each Yes ion Yes Yes Yes	question)
	If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremat process begins in the primary chamber? If the application to construct <u>ON</u> or <u>AFTER</u> August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber?	box for each Yes Yes Yes Yes Yes	question)
2.	If the application to construct was BEFORE August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremat process begins in the primary chamber? If the application to construct ON or AFTER August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the cremat process begins in the primary chamber?	box for each Yes ion Yes Yes ion Yes ion Check	question) No No No No only one
2.	If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremat process begins in the primary chamber? If the application to construct <u>ON</u> or <u>AFTER</u> August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the crematical contents that the combustion zone temperature equal to or greater than 1600°F before the crematical contents the primary chamber?	box for each Yes Yes Yes Yes Yes	question) No No No No only one
2.	If the application to construct was BEFORE August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremat process begins in the primary chamber? If the application to construct ON or AFTER August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the cremat process begins in the primary chamber?	box for each Yes Yes Yes Yes Check (Check (Mark))	question) No No No No only one
2. P/	If the application to construct was BEFORE August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremat process begins in the primary chamber? If the application to construct ON or AFTER August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the cremat process begins in the primary chamber? ART V: ALLOWED MATERIALS	box for each Yes Yes Yes Yes (check V box for each	question) No No No No only one
2. P/	If the application to construct was BEFORE August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremat process begins in the primary chamber? If the application to construct ON or AFTER August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the cremat process begins in the primary chamber?	box for each Yes Yes Yes Yes (check V box for each	question) No No No No only one
2. P/	If the application to construct was BEFORE August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremat process begins in the primary chamber? If the application to construct ON or AFTER August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the cremat process begins in the primary chamber? ART V: ALLOWED MATERIALS Besides animal remains and, if applicable, the bedding associated with the animals and appropriate con	box for each Yes Yes Yes Yes (check box for each	uestion)
2. P/	If the application to construct was BEFORE August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremat process begins in the primary chamber? If the application to construct ON or AFTER August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the cremat process begins in the primary chamber? ART V: ALLOWED MATERIALS Besides animal remains and, if applicable, the bedding associated with the animals and appropriate con are any other materials, including biomedical wastes, incinerated in the unit? If yes, what other materials?	box for each Yes Yes Yes Yes (check box for each tainers, Yes	uestion)
2. P/	If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? ————————————————————————————————————	box for each Yes Yes Yes Yes (check box for each tainers, Yes	uestion)

: :

	(check 🗹	only one			
PART VI: <u>EQUIPMENT MAINTENANCE</u>	box for each	question)			
 Is the crematory unit maintained in accordance with the manufacturer's specifications?	⊠ Yes ⊠ Yes	No No No No No			
PART VII: EU INSPECTION COMPLIANCE STATUS (check only one box)					
☑ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPL	IANCE				
Facility Section (continued) SPECIAL CONDITIONS AND PROCEDURES (check only one					
	box for each	only one question)			
Administrative Changes: 1. Were there any changes in the name, address, or phone number of the facility or authorized representat associated with a change in ownership or with a physical relocation of the facility or any emissions uni operations comprising the facility; or any other similar minor administrative change at the facility? 2. If yes, did the facility provide written notification within 30 days of the change?	ts or Yes Yes Yes Yes Yes Yes Yes Yes	□No □No □No □No □No □No □No □No □No			
Michale A. Pobirson-Austin Inspector's Name (Please Print) Date of Inspection Approximate Date of Next Inspection COMMENTS:					
COMMENTS:					

Over 3 years of records were available for review. The facility's temperature charts and maintenance records were reviewed. A written plan addressing Operating Procedures during Start up, Shut down, and malfunction was posted next to the chamber. The facility is in compliance.