

EU 003

EPA

VISIBLE EMISSION OBSERVATION FORM 1

Method used: Method 9 203A 203B Other:

Company Name: Cerrex
 Facility Name: _____
 Street Address: 1100 Murray Rd
 City: H. Ponce State: FL Zip: _____

Process: fly ash Unit#: 1 Operating Mode: normal
 Control Equipment: dust collector Operating Mode: normal


Describe Emission Point: fly ash silo

Height of Emission Point Start: 100ft End: left Height of Emiss. Point Rel. to Obser. Start: _____ End: _____
 Distance to Emission Point Start: 100ft End: 100ft Direction to Emission Point (Degrees) Start: _____ End: _____

Vertical Angle to Obs. Point Start: _____ End: _____ Direction to Obs. Point (Degrees) Start: _____ End: _____
 Distance and Direction to Observation Point from Emission Point Start: 100ft SE End: 100ft SE

Describe Emissions Start: none End: none
 Emission Color Start: none End: none Water Droplet Plume Attached Detached None

Describe Plume Background Start: sky End: sky
 Background Color Start: blue End: blue Sky Conditions Start: scattered End: scattered
 Wind Speed Start: 0-5 End: 5-10 Wind Direction Start: E End: E
 Ambient Temperature Start: 60s End: 70s Wet Bulb Temp.: _____ RH Percent: _____



ADDITIONAL OBSERVATIONS:

AIRS ID / Permit #: 1110051
 Audit Type: _____
 District: _____
 County: _____
 Is Plume continual? _____
 Is Plume attached or detached? _____
 Does plume have any color? _____ If so, readings should show at least 5%
 Test Pass or Fail: _____
 Is this set of test data complete? Yes f No f

Form Number: _____ Page _____ Of _____
 Continued on VEO Form Number: _____

Observation Date:		Time Zone:		Start Time:	End Time:	Comments
11/31/12		est.		0823	0835	
Min	Sec	0	15	30	45	AVG
1	0	0	0	0	0	0.0
2	0	0	0	0	0	0.0
3	0	0	0	0	0	0.0
4	0	0	0	0	0	0.0
5	0	0	0	0	0	0.0
6	0	0	0	0	0	0.0
7	0	0	0	0	0	0.0
8	0	0	0	0	0	0.0
9	0	0	0	0	0	0.0
10	0	0	0	0	0	0.0
11	0	0	0	0	0	0.0
12	0	0	0	0	0	0.0
13						0.0
14						0.0
15						0.0
16						0.0
17						0.0
18						0.0
19						0.0
20						0.0
21						0.0
22						0.0
23						0.0
24						0.0
25						0.0
26						0.0
27						0.0
28						0.0
29						0.0
30						0.0

MINOR SOURCE 30 MIN. AVG: 0.0 (ONLY VALID FOR ALL 120 READINGS)

Observer's Name (Print): Nicole Stallings
 Observer's Signature: Nicole Stallings Date: 1/31/12
 Organization: FDEP
 Certified By: ETA Date: 1/11/12

Additional Information: _____

WORST 6 MINUTES: 0.0 %
 AVERAGE OPACITY: 0.0 %

Data for WebMICA
 Year: _____
 Month: _____
 Start Date: _____
 # of Days: _____
 Celestial Object: Sun
 Longitude W: _____ Degrees
 _____ Minutes
 Latitude N: _____ Degrees
 _____ Minutes
 Time Zone Hrs: _____ W. of Greenwich

Sun's Path

EU004

EPA

VISIBLE EMISSION OBSERVATION FORM 1

Method used: Method 9 203A 203B Other:

Company Name: Cemex
Facility Name:
Street Address: 6100 Midway Rd.
City: Ft. Pierce State: FL Zip:

Process: Cement Unit#: 1 Operating Mode: Normal
Control Equipment: can dust collector Operating Mode: Normal

Describe Emission Point: East side of split silo


Height of Emission Point Start: 70ft End: 70ft Height of Emiss. Point Rel. to Obser. Start: - End: -
Distance to Emission Point Start: 100ft End: 100ft Direction to Emission Point (Degrees) Start: - End: -

Vertical Angle to Obs. Point Start: - End: - Direction to Obs. Point (Degrees) Start: - End: -

Distance and Direction to Observation Point from Emission Point Start: 100ft SE End: 100ft SE

Describe Emissions Start: none End: none
Emission Color Start: none End: none Water Droplet Plume Attached Detached None

Describe Plume Background Start: sky End: sky
Background Color Start: Blue End: Blue Sky Conditions Start: Scattered " End: "
Wind Speed Start: 0-5 End: 0-5 Wind Direction Start: E End: E
Ambient Temperature Start: 60s End: 60s Wet Bulb Temp.: °F RH Percent: %



Longitude: Latitude: Declination:

ADDITIONAL OBSERVATIONS:

AIRS ID / Permit #: 1110051
Audit Type:
District:
County:
Is Plume continual?
Is Plume attached or detached?
Does plume have any color? If so, readings should show at least 5%
Test Pass or Fail:
Is this set of test data complete? Yes f No f

Form Number: Page Of
Continued on VEO Form Number:

Table with columns: Observation Date (1/31/12), Time Zone (EST), Start Time (0808), End Time (0831), Min, Sec, 0, 15, 30, 45, AVG, Comments. Rows 1-30.

MINOR SOURCE 30 MIN. AVG: 0.0 (ONLY VALID FOR ALL 120 READINGS)

Observer's Name (Print): Nicole Stallings
Observer's Signature: Nicole Stallings Date: 1/31/12
Organization: FDEP
Certified By: ETA Date: 1/11/12

Additional Information:

WORST 6 MINUTES: 0.0 %
AVERAGE OPACITY: 0.0 %

Data for WebMICA
Year:
Month:
Start Date:
of Days:
Celestial Object: Sun
Longitude W: Degrees
 Minutes
Latitude N: Degrees
 Minutes
Time Zone Hrs: W. of Greenwich

Sun's Path

BILL OF LADING - ORIGINAL - NOT NEGOTIABLE

TICKET NUMBER

15943281
CUSTOMER CARE
 1-800-99 CEMEX (23639)



480880923

COMPANY NAME: CEMEX CONSTRUCTION MATERIALS FLORIDA, LLC DBA CEMEX				LOCATION INFORMATION: 4808 CEM - MIAMI PLANT 1200 NW 137TH AVENUE MIAMI, FL 33182			
DATE TO SHIP: 01/31/2012	TICKET DATE: 01/30/2012	BEGIN LOAD: 1:53 pm	TICKET TIME: 3:41 pm				
PO: NO PO		SAP CONTRACT: 40862107 8100 MIDWAY ROAD		SAP ORDER NO: 1016000579		SAP DELIVERY NO: 169351877	
SHIPPING UNIT: 2234801	VEHICLE DESCRIPTION: 1379-F117, TRI-STATE CARRIERS			TRACTOR LIC: F117	TRAILER 1: 8489	TRAILER 2:	
CARRIER NO: 772281	CARRIER NAME: NEWLINETRA			DRIVER:		INCOTERMS: DELIVERED	
SHIP TO: 1092 FORT PIERCE FL (WEST) READYMIX READY 8100 MIDWAY ROAD PO. 12040				BILL TO: 1092 FORT PIERCE FL (WEST) READYMIX READY 8100 MIDWAY ROAD FORT PIERCE, FL 34981			

SHIPPING INSTRUCTIONS: *800* *3895359* SEALS:

WEIGHMASTER CERTIFICATE
 THIS IS TO CERTIFY that the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

28.04 TON	1425063	BULK TP 1/II AASHTO GRY PORT USCMXMIAMI	6	51
------------------	----------------	--	----------	-----------

Rate is individually determined and NOT subject to filed tariffs unless stated in Common Carrier Rate Agreement. RECEIVED, subject to the "COMMON CARRIER RATE AGREEMENT" or the CONTRACT between the Shipper and Carrier in effect on the date of the shipment, the property described above, in apparent good order, except as noted (contents and condition of packages unknown), marked, consigned and designated as shown below. This Bill of Lading is not subject to any tariffs or classifications, whether individually determined or filed with any federal or state regulatory agency, except as specifically agreed to in writing by the shipper and the carrier.

Notice:
 If the Gross Weight exceeds the State Maximum, this load is not legal on the Interstate Highway System

COD AMOUNT: \$ _____ RECEIVED: _____

Received from Shipper - Material above in good condition except as noted. If paying by BOL please refer to for remittance

All shipments are Prepaid unless picked up by customer. Subject to Section 7 of the Terms and Conditions of Carriage, if the shipment is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following statement. The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges.

 SIGNATURE OF CONSIGNOR

SCALE LBS:	
GROSS LB:	79,540
TARE LB:	27,460
NET LB:	52,080
SHORT TONS	28.04
METRIC TONS	23.62

Alfredo Velasco

Juan C. Cedeno
 Cedeno, Juan C

Received by Carrier: _____ Per (Driver or Customer): _____ Weighmaster: _____

FREIGHT PAID TO: 772281 NEW LINE TRANSPORT LLC


WARNING - KEEP OUT OF REACH OF CHILDREN
 FRESHLY MIXED CEMENT, MORTAR, PLUE DUST, CLINKER, FLY ASH, CONCRETE OR GROUT MAY CAUSE SKIN INJURY. AVOID CONTACT WITH SKIN WHERE POSSIBLE AND WASH EXPOSED SKIN AREAS PROMPTLY WITH WATER, IF ANY CEMENT OR CEMENT MIXTURES GET INTO THE EYE, RINSE IMMEDIATELY AND REPEATEDLY WITH WATER AND GET PROMPT MEDICAL ATTENTION. See MSDS for additional details.

ORIGINAL

32225341

BILL OF LADING - ORIGINAL - NOT NEGOTIABLE

TICKET NUMBER



MINERAL RESOURCE TECHNOLOGIES



CUSTOMER CARE

502301625

COMPANY NAME: 1000-55 CEMEX (20039) LOCATION INFORMATION: 5023 MRT - RIVIERA BEACH FLYASH TERMINAL

DATE TO SHIP: 01/26/2012 TICKET DATE: 01/26/2012 BEGIN LOAD: 11:21 am TICKET TIME: 11:47 am

PO: 709150 SAP CONTRACT: 70204 SAP ORDER NO: 169353923 SAP DELIVERY NO:

SHIPPING UNIT: 709150 VEHICLE DESCRIPTION: 1270 6500 TRP STATE SERVICES TRACTOR LIC: 1500 TRAILER 1: 7305 TRAILER 2:

CARRIER NO: 70204 CARRIER NAME: DRIVER: PICKUP

SHIP TO: PRELOAD PRELOAD CUSTOMER 920 MEMORIAL CITY WAY HOUSTON, TX 77024 BILL TO: PRELOAD PRELOAD CUSTOMER 920 MEMORIAL CITY WAY HOUSTON, TX 77024

SHIPPING INSTRUCTIONS: Port Pierce 8.00 9.4 SEALS: 410487

FOR CALIFORNIA ONLY - WEIGHMASTER CERTIFICATE THIS IS TO CERTIFY that the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

QTY UOM MATERIAL No MATERIAL DESCRIPTION SCALE SILO

25.47 TON 1509454 FLY ASH CLASS F MARTIN LAKE

MARTIN LAKE FLY ASH, ASTM C018, CLASS F, Silo #1

410487

(Handwritten signature)

Rate is individually determined and NOT subject to filed tariffs unless stated in contract between shipper and carrier. RECEIVED, subject to the CONTRACT between the Shipper and Carrier in effect on the date of the shipment, the property described above, in apparent good order, except as noted (contents and condition of packages unknown), marked, consigned and designated as shown below. This Bill of Lading is not subject to any tariffs or classifications, whether individually determined or filed with any federal or state regulatory agency, except as specifically agreed to in writing by the shipper and the carrier.

Notice: If the Gross Weight exceeds the State Maximum, this load is not legal on the Interstate Highway System

COD AMOUNT: \$ RECEIVED:

Received from MRT - Material above in good condition except as noted. If paying by BOL please refer to for remittance

All shipments are Prepaid unless picked up by customer. If the shipment is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following statement. The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges.

SIGNATURE OF CONSIGNOR

SCALE LBS:

GROSS LB: 79.000 TARE LB: 28.360 NET LB: 50.640 SHORT TONS 25.47 METRIC TONS 23.11

Received by Carrier

Per (Driver or Customer)

Weighmaster

WARNING - KEEP OUT OF REACH OF CHILDREN FRESHLY MIXED CEMENT, MORTAR, FLUE DUST, CLINKER, COAL COMBUSTION PRODUCTS, SLAG, CONCRETE OR GROUT MAY CAUSE SKIN INJURY. AVOID CONTACT WITH SKIN WHERE POSSIBLE AND WASH EXPOSED SKIN AREAS PROMPTLY WITH WATER. IF ANY CEMENT OR CEMENT MIXTURES GET INTO THE EYE, RINSE IMMEDIATELY AND REPEATEDLY WITH WATER AND GET PROMPT MEDICAL ATTENTION. See MSDS for additional details. "Coal Combustion Products" (CCP's) includes fly ash, bottom ash, landfill ash, economizer ash, Cembase, synthetic gypsum and ponded ash.

EXTRA