

CONCRETE BATCHING PLANT



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: ANN	NUAL (INS1, INS2)	COMPLAINT/DISCO	OVERY (CI)			
RE-1	INSPECTION (FUI)	ARMS COMPLAINT	NO:			
AIRS ID#: 0550017 DATE: 9	<u>08/18/09</u>	ARRIVE: <u>7:30</u>	DEPART: <u>9:00</u>			
FACILITY NAME: SEBRIN	G RM FACILITY					
FACILITY LOCATION:	7749 S GEORGE BLVD					
	SEBRING 33872-5836					
OWNER/AUTHORIZED REPRESENTATIVE: JASON JONES PHONE: (813)269-1240						
CONTACT NAME: Mr. Tw	viggs	PHO	ONE:			
ENTITLEMENT PERIOD: 10/12/2008 / 10/12/2013						
	(effective date) (end date)					
PART I: INSPECTION COM	MPLIANCE STATUS (ch	eck 🗹 only one box)				
☐ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE						
PART II: <u>TESTING/RECOR</u> (check ☑ appropriate box		<u>IENTS</u> – Rule 62-296.414	4, F.A.C.			
Stack Emissions						
1. Were visible emissions	tests conducted during this	site visit according to EPA	Method 9 (Ref.: Chapter	. ⊠Yes □ No		
2. Are emissions from silc	os, weigh hoppers (batchers)	, and other enclosed storag	ge and conveying equipment	_		
controlled to the extent necessary to limit visible emissions to 5 percent opacity?						
at a rate that is representative of the normal silo loading rate, or at least at the minimum 25 tons per hour rate, unless such rate is unachievable in practice?						
to this question is "Yes'	", then continue on to questi	ons 4.a) and 4.b) below. It	f answer is "No" then			
a) Was the batching op	eration in operation during	the visible emissions test?				
			he normal batching rate and	-⊠Yes □ No		
	reigh hopper (batcher) opera ctor, are the visible emission	•	ust collector, which is separater (batcher) dust collector	e		
conducted while batching at a rate that is representative of the normal batching rate and duration? Yes No						

PART II: <u>TESTING/RECORDKEEPING REQUIREMENTS</u> – Rule 62-296.414, F.A.C. – (continued) (check ☑ appropriate box(es)	
Compliance Demonstration - (Rule 62-296.401(5)(i), F.A.C.) 1. Is each dust collector exhaust point tested according to the visible emissions limiting standard as part of t annual compliance demonstration? (Rule 62-297.310(7)(a), F.A.C.)	
New Facilities – (permitted pursuant to Rule 62-210.300(4), F.A.C., Air General Permits) 2. Did this facility demonstrate: a) initial compliance no later than 30 days after beginning operation? b) annual compliance within 60 days prior to each anniversary of the air general permit notification form submittal date?	☐Yes ☐ No
Existing Facilities – (permitted pursuant to Rule 62-210.300(4), F.A.C., Air General Permits) 3. In order to demonstrate annual compliance, was an annual visible emissions test conducted 60days prior the AGP Notification form submission, and within 60 days prior to each anniversary date?	
Test Reports – (Rules 62-213.440, F.A.C. and 62-297.310(8)(b), F.A.C.) 4. Was the required test report filed with the department as soon as practical, but no later than 45 days after test was completed?	
PART III: OPERATING/RECORDKEEPING REQUIREMENTS – Rule 62-210.300(4)(c)2., F.A.C. (check appropriate box(es))	
	ie 🗌
 (check papropriate box(es)) Is this facility: 1) a stationary ; 2) a relocatable ; or does it have: 3) both, stationary and relocatable concrete batching and/or nonmetallic mineral processing plants? (<i>Please check Donly one box.</i>) If this is a stationary concrete batching plant, is there one or more relocatable nonmetallic mineral processing plants using individual air general permits at the same location? (<i>If your answer to this question is YES</i>, then proceed to questions 2.a), thru 2.d), below.)	ing
 (check ☑ appropriate box(es)) Is this facility: 1) a stationary ☑; 2) a relocatable ☐; or does it have: 3) both, stationary and relocatable concrete batching and/or nonmetallic mineral processing plants? (<i>Please check ☑ only one box.</i>) If this is a stationary concrete batching plant, is there one or more relocatable nonmetallic mineral processing plants using individual air general permits at the same location? (<i>If your answer to this question is YES</i>, then proceed to questions 2.a), thru 2.d), below.)	ing ☐Yes ⊠ No ☐Yes ☐ No

PART III: OPERATING/RECORDKEEPING REQUIREMENTS - Rule 62-296.414(2)(a) and (b), F.A.C. (continued)							
(check ☑ appropriate box(es))							
<u>Unconfined</u> <u>Emissions</u> – (Rule 62-296.320(4)(c), F.A.C.)							
1. Does the owner /operator of the concrete batching plant take reasonable precautions to control unconfined							
	emissions by:						
a) management of roads, parking areas, stock piles, and yards, which shall include one or more of the following:							
1) paving and maintenance of roads, parking areas, sto		⊠Yes □ No					
2) application of water or environmentally safe dust-suemissions?	appressant chemicals when necessary to contro	¹ ⊠Yes □ No					
3) removal of particulate matter from roads and other							
re-entrainment, and from building or work areas to							
4) reduction of stock pile height, or installation of win							
particulate matter from stock piles?		⊠Yes □ No					
b) use of spray bar, chute, or partial enclosure to mitigate	emissions at the drop point to the truck?	⊠Yes □ No					
PART IV: SPECIAL CONDITIONS AND PROCEDURES - I	Pulo 62 210 300(4)(d)/4 F A C						
A. New or Modified Process Equipment	Xuie 02-210.500(4)(u)4., F.A.C.						
A. New of Mounted Process Equipment							
Since the last inspection has there been							
a) installation of any new process equipment?		□Yes ⊠ No					
b) alterations to existing process equipment without rep	☐Yes ⊠ No						
c) replacement of existing equipment substantially different than that noted on the most							
recent notification form?	☐Yes ⊠ No						
d) If you answered <u>YES</u> to any of the above, did the owner submit a new and complete							
notification form and appropriate fee (Rule 62-4.050, FAC) to the appropriate DEP or							
local program office?		□Yes ⊠ No					
	00/40/2000						
Raquel Arias	08/18/2009						
Inspector's Name (Please Print)	Date of Inspection						
Inspector's Signature	Approximate Date of Next Inspection	_					
COMMENTS: 27.12 tons of cament at a pressure of 12 psi ware a	inleaded into the east sile. 22.98 tons of flyesh	et 12 pgi et 12					

COMMENTS: 27.12 tons of cement at a pressure of 12 psi were unloaded into the east silo. 23.88 tons of flyash at 12 psi at 12 psi. Visible emissions were 0 at both locations.