A AND
FLORIDA

HUMAN CREMATORY



COMPLIANCE INSPECTION CHECKLIST

AIRS ID#: 0550024 DATE: 08/03/2007 ARRIVE: 08:45 A.M. DEPART: 10:20 A.M. FACILITY NAME: HIGHLANDS CREMATORY, INC. FACILITY LOCATION: 111 E CIRCLE ST AVON PARK 33870 AVON PARK 33870		ANNUAL (INS1, INS2)	COMPLAINT/DISCOVERY ARMS COMPLAINT NO:	(CI)	
				DEPART: <u>10:20</u>	<u>A.M.</u>
	ACILITY LOCATION:				
RESPONSIBLE OFFICIAL: CRAIG NELSON PHONE: (863)385-0125 CONTACT NAME:PHONE:		AL: CRAIG NELSON		863)385-0125	
REMITTANCE YEAR: ENTITLEMENT PERIOD: 9/7/2006 / 9/7/2011 (effective date) (end date)	EMITTANCE YEAR:	ENTITL			
PART I: INSPECTION COMPLIANCE STATUS (check I only one box) IN COMPLIANCE MINOR Non-COMPLIANCE SIGNIFICANT Non-COMPLIANCE					
 2. Was a visible emissions test conducted during this site visit according to EPA Method 9 (Ref.: Chapter 62-297, F.A.C.)?	 (check ☑ appropriate 1. Were there any obje 2. Was a visible emissi 62-297, F.A.C.)? 3. In order to demonstridays prior to the AC (Rule 62-296.401(5) 4. In order to demonstricompleted within 6 a) Carbon Monoxicovolume, dry basis, construction 10 (Ref.: Chapter 62) b) Oxygen test perfficient c) Particulate matter dry standard cubic fic (Ref.: Chapter.62-29) 5. Was all emissions ter capacity?	box(es)) ectionable odor(s) detected? ions test conducted during this rate individual source compliar GP Notification form submission)(i), F.A.C.)	site visit according to EPA Metho ace, was an annual visible emission n, and within 60 days prior to each ace were the remaining applicable cation form submission? (Rule 62- below the requirements of 100 part y average basis and tested accordin od 3 (Ref.: Chapter 62-297, F.A.C ual to or below the requirements of $0^{-7\%}$ O ₂ and tested according to E e operating at the manufacturers re- ission of a test report for an identic to the date of the last formal comp- ent as soon as practical, but no lor	d 9 (Ref.: Chapter hs test conducted 60 h anniversary date? standards testing (210.300(4), F.A.C.) s per million by hg to EPA Method (2.)?	 Yes □ No

PART III: <u>OPERATING/RECORDKEEPING REQUIREMENTS</u> – Rule 62-296.401, F.A.C. (check ☑ appropriate box(es))

1. Is there Continuous Emissions Monitoring System (CEMS) equipment installed on each unit to record					
primary and secondary chambers where there is a 1.0 second gas residence time in the secondary chamber co					
accordance with the manufacturer's instructions?					
a) Do temperature probes seem to be properly placed?					
b) Are the following records kept on file, available for inspection for at least two years following the re	cording of such				
measurements, maintenance, reports and records?					
1) All measurements (including CEMS)	🛛 Yes 🗌 No				
2) Monitoring device	🛛 Yes 🗌 No				
3) Performance Testing Measurements	🛛 Yes 🗌 No				
4) CEMS Performance Evaluation	🛛 Yes 🗌 No				
5) All CEMS or monitoring device calibration checks	🛛 Yes 🗌 No				
6) Adjustments	🛛 Yes 🗌 No				
7) Preventive maintenance performed on systems/devices	Yes 🗌 No				
8) Corrective maintenance performed on systems/devices	Yes 🗌 No				
2. Was this crematory unit constructed: (check only one ☑ box)					
a) BEFORE August 30, 1989? (If this box checked, continue on to #3 and skip #4)					
b) ON or AFTER August 30, 1989? (If this box checked, skip #3 and continue on to #4)					
3. If constructed <u>BEFORE</u> August 30, 1989 is the:					
a) secondary chamber combustion zone providing at least a 1.0 second gas residence time @ 1600°F?	🗌 Yes 🗌 No				
b) actual operating temperature of the secondary chamber combustion zone no less than 1400°F					
throughout the combustion process in the primary chamber?	🗌 Yes 🗌 No				
c) cremation in the primary chamber begun after the secondary chamber combustion zone temperature					
is equal to or greater than 1400°F?	Yes No				
d) required monitoring equipment installed and operational, and providing continuous monitoring to					
record the temperature at the point or beyond where 1.0 second gas residence time is obtained in the					
secondary chamber combustion zone according to the manufacturer's instructions?	Yes No				
· ·					
4. If constructed ON or AFTER August 30, 1989 is the:					
a) volume in the secondary combustion zone sufficient to provide at least a 1.0 second gas residence tir	ne				
@ 1800° F?	🖾 Yes 🗌 No				
b) the actual operating temperature of the secondary chamber combustion zone no less than 1600°F					
throughout the combustion process in the primary chamber?	🛛 Yes 🗌 No				
c) secondary chamber combustion zone temperature equal to or greater than 1600°F before the crematic	on				
process begins in the primary chamber?	🖾 Yes 🗌 No				
5. Are appropriate cremation containers containing no more than 0.5 % (percent) by weight chlorinated					
plastics used during the cremation of dead human bodies?	🖾 Yes 🗌 No				
a) If the answer to question 4 above is YES, is certifying documentation from the manufacturer that the	у				
are composed of 0.5% or less by weight chlorinated plastics kept on file at the site for the duration o	f				
their use and for at least two years after their use?	🖾 Yes 🗌 No				
b) Are there any other materials, including biomedical wastes (Rule 62-210.200, FAC) incinerated at					
this location?	🗌 Yes 🖾 No				
6. Have all crematory operators been trained and certified by a Department-approved training program?	Yes 🗍 No				
a) Are copies of the training certificates for all crematory operators kept on file at the facility for the du					
of the operator's employment & for an additional two years after termination of employment?	🛛 Yes 🗌 No				

PART IV: <u>SPECIAL</u> <u>CONDITIONS</u> <u>AND</u> <u>PROCEDURES</u> – Rule 62-296.401, F.A.C. A. New or Modified Process Equipment

ROBERT J. STEWART

Inspector's Name (Please Print)

08/02/2007

Date of Inspection

08/2008

Inspector's Signature

COMMENTS:

Approximate Date of Next Inspection