

HUMAN CREMATORY



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: A	ANNUAL (INS1, INS2)	COMPLAINT/DISCOVERY	(CI)		
Ā	RE-INSPECTION (FUI)	ARMS COMPLAINT NO:			
AIRS ID#: 0950022 DATI	E: <u>7/20/2007</u>	ARRIVE: <u>9:00 AM</u>	DEPART: 12:00 A	<u>M</u>	
FACILITY NAME: METRO CREMATORY					
FACILITY LOCATION:	751 S BLUFORD AVE				
	OCOEE 32761				
RESPONSIBLE OFFICIAL: Jim Tramonte		PHONE: ((407)656-8781		
CONTACT NAME:		PHONE:			
REMITTANCE YEAR:	ENTITLE	EMENT PERIOD: 8/10/2003 (effective date)	/ 8/10/2008 (end date)		
	COMPLIANCE STATUS (che				
☐ IN COMPLIANCE	E MINOR Non-COMP	LIANCE SIGNIFICANT	Non-COMPLIANCE		
		<u>IENTS</u> – Rule 62-296.401, F.A.0	C.		
Was a visible emissi	ctionable odor(s) detected? ons test conducted during this s	site visit according to EPA Metho	d 9 (Ref.: Chapter	Yes No	
62-297, F.A.C.)?					
4. In order to demonstrate individual source compliance were the remaining applicable standards testing completed within 60 days prior to the AGP Notification form submission? (Rule 62-210.300(4), F.A.C.) ☐ Yes ☐ No a) Carbon Monoxide (CO) emissions equal to or below the requirements of 100 parts per million by					
volume, dry basis, corrected to 7% O ₂ on an hourly average basis and tested according to EPA Method 10 (Ref.: Chapter 62-297, F.A.C.)?					
dry standard cubic foot (ft³)of flue gas, corrected to 7% O ₂ and tested according to EPA Method 5 (Ref.: Chapter.62-297, F.A.C.)?					
6. Was CO & PM com7. Was the Department	pliance demonstrated by submit notified at least 15 days prior t	ssion of a test report for an identic to the date of the last formal comp	cal crematory unit?	 ∑Yes	
8. Was the required test report filed with the Department as soon as practical, but no longer than 45 days after the test was completed? \Big Yes \Big No					

PART III: OPERATING/RECORDKEEPING REQUIREMENTS – Rule 62-296.401, F.A.C. (check ☑ appropriate box(es))	
1. Is there Continuous Emissions Monitoring System (CEMS) equipment installed on each unit to record	temperatures in the
primary and secondary chambers where there is a 1.0 second gas residence time in the secondary chamber co	ombustion zone in
accordance with the manufacturer's instructions?	
a) Do temperature probes seem to be properly placed?	
b) Are the following records kept on file, available for inspection for at least two years following the re	
measurements, maintenance, reports and records?	cording of such
1) All measurements (including CEMS)	⊠vas □ Na
2) Monitoring device	⊠Yes ☐ No
3) Performance Testing Measurements	
4) CEMS Performance Evaluation	
5) All CEMS or monitoring device calibration checks	
	∐Yes ∐ No
7) Preventive maintenance performed on systems/devices	
8) Corrective maintenance performed on systems/devices	⊠Yes ☐ No
2. Was this crematory unit constructed: (check only one ☑ box)	
a) BEFORE August 30, 1989? (If this box checked, continue on to #3 and skip #4)	
b) ON or AFTER August 30, 1989? (If this box checked, skip #3 and continue on to #4)	
3. If constructed BEFORE August 30, 1989 is the:	
a) secondary chamber combustion zone providing at least a 1.0 second gas residence time @ 1600°F?	☐Yes ☐ No
b) actual operating temperature of the secondary chamber combustion zone no less than 1400°F	
throughout the combustion process in the primary chamber?	☐Yes ☐ No
c) cremation in the primary chamber begun after the secondary chamber combustion zone temperature	
is equal to or greater than 1400°F ?	☐Yes ☐ No
d) required monitoring equipment installed and operational, and providing continuous monitoring to	
record the temperature at the point or beyond where 1.0 second gas residence time is obtained in the	
secondary chamber combustion zone according to the manufacturer's instructions?	☐Yes ☐ No
4. If constructed ON or AFTER August 30, 1989 is the:	
a) volume in the secondary combustion zone sufficient to provide at least a 1.0 second gas residence time.	ne
@ 1800° F?	Yes No
b) the actual operating temperature of the secondary chamber combustion zone no less than 1600°F	
	□Yes ⊠ No
c) secondary chamber combustion zone temperature equal to or greater than 1600°F before the crematic	
process begins in the primary chamber?	Yes ☐ No
5. Are appropriate cremation containers containing no more than 0.5 % (percent) by weight chlorinated plastics used during the cremation of dead human bodies?	⊠Yes □ No
a) If the answer to question 4 above is YES, is certifying documentation from the manufacturer that the	
are composed of 0.5% or less by weight chlorinated plastics kept on file at the site for the duration of	y £
	Yes □ No
their use and for at least two years after their use?	MIES NO
b) Are there any other materials, including biomedical wastes (Rule 62-210.200, FAC) incinerated at	DV. DAY
this location?	∐Yes ⊠ No
6. Have all crematory operators been trained and certified by a Department-approved training program?	∑Yes ☐ No
a) Are copies of the training certificates for all crematory operators kept on file at the facility for the du	
of the operator's employment & for an additional two years after termination of employment?	⊠Yes ☐ No

PART IV: <u>SPECIAL CONDITIONS AND PROCEDURES</u> – Rule 62-296.401, F.A.C. A. <u>New or Modified Process Equipment</u>					
1. Since the last inspection has there been a) installation of any new process equipment?					
local program office?					
Ilka Bundy	7/20/2007				
Inspector's Name (Please Print)	Date of Inspection				
	TBD				
Inspector's Signature	Approximate Date of Next Inspection				

COMMENTS: The temperature in the secondary chamber combustion zone did not stay above 1600 degrees Farenheit, as required for EU 004. The strip chart is reading about 60 degrees Farenheit below the digital thermometer readout. A Warning Letter will be sent to the facility regarding the temperature issue.