

HUMAN CREMATORY



COMPLIANCE INSPECTION CHECKLIST

| INSPECTION TYPE: ANNUAL (INS1, INS2) RE-INSPECTION (FUI | | Y (CI) | | | | |
|--|-------------------------------|--|--|--|--|--|
| AIRS ID#: 0950022 DATE: <u>11/21/12</u> ARRIVE: <u>9:20 AM</u> DEPART: <u>10:55 AM</u> | | | | | | |
| FACILITY NAME: METRO CREMATORY | | | | | | |
| FACILITY LOCATION: 751 S Bluford Av | ⁄e | | | | | |
| OCOEE 34761- | -2942 | | | | | |
| OWNER/AUTHORIZED REPRESENTATIVE Email: CONTACT NAME: JIM TRAMONTE Email: | Mobile: PHONE: Mobile: | (407)656-8781 (407)656-8781 | | | | |
| | 2014 I date) | | | | | |
| Facility Section PART I: INSPECTION COMPLIANCE STATUS (check ☑ only one box) ☑ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE | | | | | | |
| PART II: ONSITE INTRODUCTORY MEETII | NG | (11 🗹1 | | | | |
| Name(s) of facility representative(s): Michael S Brief Notes: | | (check ☑ only one box for each question) | | | | |
| 2. Is the Authorized Representative still JIM TRAIL If no, who is?: | MONTE? | | | | | |
| If different, did the facility provide an administr 3. Is the facility contact still JIM TRAMONTE? If no, who is?: | cative update within 30 days? | | | | | |
| 4. Will facility be conducting VE test(s) during too If yes, was the compliance authority notified at | | | | | | |

Emissions Unit Section 3 – Human Crematory-primary/2ndary chambers, LPG fired

| PA | RT I: FILE REVIEW PRIOR TO INSPECTION | (check 🗹 box for each o | only one question) |
|----|--|---------------------------------------|-----------------------|
| 1. | a. Complete AC application or, if no AC permit, initial GP registration received on or after August 30, 1989? b. If yes, were design calculations provided then to confirm a sufficient volume in the | ⊠ Yes | □No |
| 3. | secondary chamber combustion zone to provide for at least a 1.0 second gas residence time at 1800 degrees Fahrenheit? | ∑ Yes □ Yes | □No ⊠No |
| 4. | Past Visible Emissions (VE) tests: a. Was a VE test performed within each of the past 4 calendar years? b. Has a VE test been performed yet within the current calendar year? c. If first year of operation, was a VE test performed within 30 days of commencing | ∑ Yes □ Yes | □No ⊠No |
| | operation? | ☐ Yes | □No |
| | e. Was the VE test report filed with the compliance authority no later than 45 days after the test? f. Did the facility demonstrate compliance during the last VE test? | YesYes | □No □No |
| | | | |
| PA | ART II: <u>VISIBLE EMISSIONS TESTING</u> | (check 🗹 box for each o | only one question) |
| 1. | Was a visible emissions test conducted by the facility for this unit during this site visit?a. Was the test conducted with the unit operating at a capacity of one adult-sized cadaver?b. Was the visible emissions test conducted according to EPA Method 9? | Yes | □No □No □No |
| | c. The visible emission test resulted in an opacity of 0 % for the highest six minute average. d. Did the visible emission test demonstrate compliance with the limit? (5% opacity, six-minute average, except that visible emissions not exceeding 15% opacity shall be allowed for up to six minutes | | □No |
| 2. | Was a visible emissions test conducted by the inspector during this site visit? | ∑ Yes∑ Yes | □No □No □No |
| 3. | d. Did the visible emission test demonstrate compliance with the limit? | rds? | □No |
| | If yes, what reason? | ∐ Yes | ⊠No |
| | | | |
| PA | ART III: MONITORING/RECORDKEEPING REQUIREMENTS | (check ☑ box for each o | only one question) |
| 1. | Were there any objectionable odors detected? | Yes | ⊠No |
| | An upwind/downwind survey of the facility was conducted. The observed parameters were: Downwind odor level detected- Wind direction - Upwind odor level detected- | (1-10) | |
| a | Continuous Monitoring Systems – Is a continuous temperature monitoring system installed on each unit to record temperatures in the secondary chamber in accordance with the manufacturer's instructions? ———————————————————————————————————— | ⊠ Yes | □No |
| υ | time at $\Box 1,800^1$ $\boxtimes 1,600^2$ degrees was determined? | ⊠ Yes | □No |

| PART III: MONITORING/RECORDKEEPING REQUIREMENTS (continued) | | | | |
|---|--|---------------------------|--|--|
| TAKT III. MONTOKING/RECORDREET ING REQUIREMENTS (continued) | | | | |
| A | | | | |
| c. Are the following records kept on file, available for inspection, for at least the past two years? | - - | | | |
| 1) All temperature measurements | Yes | ∐No | | |
| 2) all continuous monitoring systems, monitoring devices, and performance testing measurements; | N *** | | | |
| monitoring system all continuous performance evaluations | Yes V | ∐No | | |
| 3) All CEMS or monitoring device calibration checks (last performed on () | ✓ Yes✓ Yes | ∐No □No | | |
| 5) Preventive maintenance performed on systems/devices | Yes | □No | | |
| 6) Corrective maintenance performed on systems/devices | Yes | □No | | |
| | Z 103 | | | |
| d. Are the temperature charts properly documented with operator name, operator indication of | N | | | |
| when cremation in the primary chamber was begun, date, time, and temperature markings | ∑ Yes | ∐No | | |
| e. Was the crematory unit installed after $2/1/07$? If no, skip e.(1) – (3) | ∐ Yes | ⊠No | | |
| (1) Is the crematory unit equipped and operated with a pollutant monitoring system to automatical control combustion based on continuous in-stack opacity measurement? | ⊪y ∏ Yes | □No | | |
| (2) Is the system calibrated to restrict combustion in the primary chamber whenever any opacity | ☐ 1 ES | □140 | | |
| exceeds 15% opacity? | Yes | □No | | |
| (3) Has the opacity measurement system been cleaned and checked for proper operation in | | | | |
| accordance with the manufacturer's recommended maintenance schedule? | Yes | □No | | |
| | | | | |
| | (.11 . 7 | 1 11 | | |
| PART IV: SECONDARY COMBUSTION ZONE TEMPERATURES | (check | - | | |
| | box for each | i question) | | |
| | | | | |
| 1. If the application to construct was REFORE August 30, 1080 is the | | | | |
| 1. If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a actual operating temperature of the secondary chamber combustion zone no less than 1400°F | | | | |
| a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F | □ Yes | □ No | | |
| a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? | | □No | | |
| a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematical combustion. | on | □No | | |
| a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremating process begins in the primary chamber? | | | | |
| a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? | on | | | |
| a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber? 2. If the application to construct ON or AFTER August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F | on Yes | No | | |
| a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? | on Yes ☐ Yes | | | |
| a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? | on Yes Yes Yes | □No | | |
| a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? | on Yes ☐ Yes | No | | |
| a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? | on Yes Yes Yes | □No | | |
| a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? | Yes Yes Yes Yes Yes | No | | |
| a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? | on Yes | No | | |
| a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? | Yes Yes Yes Yes Yes | □No □No □No only one | | |
| a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? ———————————————————————————————————— | on Yes | □No □No □No only one | | |
| a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? | Yes Yes Yes Yes (check box for eacl | NoNo only one a question) | | |
| a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? ———————————————————————————————————— | on Yes | □No □No □No only one | | |
| a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? | Yes Yes Yes Yes (check box for eacl | NoNo only one a question) | | |
| a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? | Yes Yes Yes Yes (check box for eacl | NoNo only one a question) | | |

| PART VI: <u>EQUIPMENT MAINTENANCE</u> | (check ☑ box for each | only one question) | | | |
|--|--------------------------|-------------------------|--|--|--|
| 1. Is the crematory unit maintained in accordance with the manufacturer's specifications? | · 🛚 Yes | □No | | | |
| Is there a written plan onsite which addresses the operating procedures during startup, shutdown and malfunction? | - X Yes | No No No No | | | |
| | | | | | |
| PART VII: <u>EU INSPECTION COMPLIANCE STATUS</u> (check ☑ only one box) | | | | | |
| ☐ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE | | | | | |

Emissions Unit Section 4 – Human Crematory-primary/2ndary chambers, LPG fired

| - | ART I: FILE REVIEW PRIOR TO INSPECTION | | |
|-------------|---|--|---|
| . | ART I: FILE REVIEW PRIOR TO INSPECTION | (check 🗹 | only one |
| | | box for each | |
| | | oon for cuch | question |
| 1. | a. Complete AC application or, if no AC permit, initial GP registration received on or | | |
| | after August 30, 1989? | Yes | □No |
| | b. If yes, were design calculations provided then to confirm a sufficient volume in the | | |
| | secondary chamber combustion zone to provide for at least a 1.0 second gas residence time | | |
| | at 1800 degrees Fahrenheit? | ⊠ Yes | □No |
| 2 | Crematory unit installed after February 1, 2007? | Yes | ⊠No |
| | | | ⊠N0 |
| | Date of last inspection: 8/19/11 | | |
| 4. | Past Visible Emissions (VE) tests: | | |
| | a. Was a VE test performed within each of the past 4 calendar years? | ⊠ Yes | □No |
| | b. Has a VE test been performed yet within the current calendar year? | ☐ Yes | ⊠No |
| | c. If first year of operation, was a VE test performed within 30 days of commencing | | |
| | operation? N/A | Yes | □No |
| | <u> </u> | | □100 |
| | d. Date of last VE test: 8/19/11 | □ ** | |
| | e. Was the VE test report filed with the compliance authority no later than 45 days after the test? | ⊠ Yes | ∐No |
| | f. Did the facility demonstrate compliance during the last VE test? | ⊠ Yes | ∟No |
| | If no, what was the problem (if known)? | | |
| | | | |
| | | | |
| PA | ART II: <u>VISIBLE EMISSIONS TESTING</u> | (check 🗹 | only one |
| | | box for each | • |
| | | box for cach | question) |
| 1. | Was a visible emissions test conducted by the facility for this unit during this site visit? | ⊠ Yes | □No |
| | a. Was the test conducted with the unit operating at a capacity of one adult-sized cadaver? | | □No |
| | b. Was the visible emissions test conducted according to EPA Method 9? | | □No |
| | b. Was the visible emissions test conducted according to EPA Method 9? | · M res | □N0 |
| | | | |
| | c. The visible emission test resulted in an opacity of 0 % for the highest six minute average. | _ | |
| | d. Did the visible emission test demonstrate compliance with the limit? | Yes | □No |
| | (5% opacity, six-minute average, except that visible emissions not exceeding 15% opacity shall be allowed for up to six minutes | | |
| | (3% opacity, six-influte average, except that visible emissions not exceeding 13% opacity shall be allowed for up to six influtes | in any one-hour) | |
| | (3% opacity, six-influte average, except that visible emissions not exceeding 13% opacity shall be allowed for up to six influtes | in any one-hour) | |
| 2. | | _ | □No |
| 2. | Was a visible emissions test conducted by the inspector during this site visit? | ⊠ Yes | □No |
| 2. | Was a visible emissions test conducted by the inspector during this site visit?a. Was the test conducted with the unit operating at a capacity of one (1) adult-sized cadaver? | ∑ Yes ∑ Yes | No |
| 2. | Was a visible emissions test conducted by the inspector during this site visit?a. Was the test conducted with the unit operating at a capacity of one (1) adult-sized cadaver?b. Was the visible emissions test conducted according to EPA Method 9? | ∑ Yes ∑ Yes | = |
| 2. | Was a visible emissions test conducted by the inspector during this site visit? | ✓ Yes✓ Yes✓ Yes | □No □No |
| | Was a visible emissions test conducted by the inspector during this site visit? | | No |
| | Was a visible emissions test conducted by the inspector during this site visit? | | □No □No |
| | Was a visible emissions test conducted by the inspector during this site visit? | | No |
| | Was a visible emissions test conducted by the inspector during this site visit? | | □No □No |
| | Was a visible emissions test conducted by the inspector during this site visit? | | No |
| | Was a visible emissions test conducted by the inspector during this site visit? | | No |
| | Was a visible emissions test conducted by the inspector during this site visit? | | No |
| 3. | Was a visible emissions test conducted by the inspector during this site visit? ———————————————————————————————————— | | ☐No ☐No ☐No ☐No |
| 3. | Was a visible emissions test conducted by the inspector during this site visit? | Yes Yes Yes Yes Yes Yes Yes (check 🗹 | ☐No ☐No ☐No ☐No ☐only one |
| 3. | Was a visible emissions test conducted by the inspector during this site visit? ———————————————————————————————————— | | ☐No ☐No ☐No ☐No ☐only one |
| 3. PA | Was a visible emissions test conducted by the inspector during this site visit? ———————————————————————————————————— | Yes Yes Yes Yes Yes Yes Check box for each | inNo |
| 3. PA | Was a visible emissions test conducted by the inspector during this site visit? | Yes Yes Yes Yes Yes Yes Yes (check 🗹 | ☐No ☐No ☐No ☐No ☐only one |
| 3. PA | Was a visible emissions test conducted by the inspector during this site visit? ———————————————————————————————————— | Yes Yes Yes Yes Yes Yes Check Yes | inNo |
| 3. PA | Was a visible emissions test conducted by the inspector during this site visit? | Yes Yes Yes Yes Yes Yes Check box for each | inNo |
| 3. PA | Was a visible emissions test conducted by the inspector during this site visit? ———————————————————————————————————— | Yes Yes Yes Yes Yes Yes Check Yes | inNo |
| 3. PA | Was a visible emissions test conducted by the inspector during this site visit? | Yes Yes Yes Yes Yes Yes Check Yes | inNo |
| 3. PA 1. 2. | Was a visible emissions test conducted by the inspector during this site visit? | Yes Yes Yes Yes Yes Yes Check Yes | inNo |
| 3. PA 1. 2. | Was a visible emissions test conducted by the inspector during this site visit? | Yes Yes Yes Yes Yes Yes Check (check box for each Yes (1-10) | only one question) |
| 3. PA | Was a visible emissions test conducted by the inspector during this site visit? | Yes Yes Yes Yes Yes Yes Check Yes | inNo |
| 3. PA | Was a visible emissions test conducted by the inspector during this site visit? | Yes Yes Yes Yes Yes Yes Check Check box for each Yes (1-10) Yes | only one question) No No |
| 3. PA | Was a visible emissions test conducted by the inspector during this site visit? a. Was the test conducted with the unit operating at a capacity of one (1) adult-sized cadaver? b. Was the visible emissions test conducted according to EPA Method 9? c. The visible emission test resulted in an opacity of 0 % for the highest six minute average. d. Did the visible emission test demonstrate compliance with the limit? Is there any reason to ask for a special test to determine compliance with the PM and CO standa If yes, what reason? Were there any objectionable odors detected? An upwind/downwind survey of the facility was conducted. The observed parameters were: Downwind odor level detected- Wind direction - Upwind odor level detected- Continuous Monitoring Systems − Is a continuous temperature monitoring system installed on each unit to record temperatures in the secondary chamber in accordance with the manufacturer's instructions? ———————————————————————————————————— | Yes Yes Yes Yes Yes Yes Check (check box for each Yes (1-10) | only one question) |
| 3. PA | Was a visible emissions test conducted by the inspector during this site visit? | Yes Yes Yes Yes Yes Yes Check Check box for each Yes (1-10) Yes | only one question) No No |

| P/ | PART III: MONITORING/RECORDKEEPING REQUIREMENTS (continued) | | | | |
|-----|--|--------------|----------|-----------------------|--|
| | | | | | |
| c. | Are the following records kept on file, available for inspection, for at least the past two years? | | | _ | |
| | 1) All temperature measurements | Ye: | S | □No | |
| | 2) all continuous monitoring systems, monitoring devices, and performance testing measurements; monitoring system all continuous performance evaluations | ⊠ Ye | a | □No | |
| | 3) All CEMS or monitoring device calibration checks (last performed on () | Yes Yes | | □No | |
| | 4) Adjustments | ∑ Ye | | No | |
| | 5) Preventive maintenance performed on systems/devices | Ye: | S | □No | |
| | 6) Corrective maintenance performed on systems/devices | Ye: | S | □No | |
| d. | Are the temperature charts properly documented with operator name, operator indication of | | | | |
| | when cremation in the primary chamber was begun, date, time, and temperature markings | Yes | | □No | |
| e. | Was the crematory unit installed after 2/1/07? If no, skip e.(1) – (3) | Yes | S | ⊠No | |
| | (1) Is the crematory unit equipped and operated with a pollutant monitoring system to automatical control combustion based on continuous in-stack opacity measurement? | lly □ Yea | 6 | □No | |
| | (2) Is the system calibrated to restrict combustion in the primary chamber whenever any opacity | L + ~. | 5 | | |
| l) | exceeds 15% opacity? | ☐ Ye | S | □No | |
| | (3) Has the opacity measurement system been cleaned and checked for proper operation in | | | _ | |
| | accordance with the manufacturer's recommended maintenance schedule? | ☐ Ye | S | □No | |
| | | | | | |
| P/ | ART IV: SECONDARY COMBUSTION ZONE TEMPERATURES | (check | | only one | |
| i I | | box for | each | question) | |
| | TO THE PERSON NAMED OF THE | | | | |
| 1. | If the application to construct was BEFORE August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F | | | | |
| | throughout the combustion process in the primary chamber? | ☐ Ye | S | □No | |
| | b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic | | 3 | | |
| | process begins in the primary chamber? | ☐ Ye | S | □No | |
| 2. | If the application to construct ON or AFTER August 30, 1989 is the: | | | | |
| | a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F | | | | |
| | throughout the combustion process in the primary chamber? | Ye: | S | □No | |
| | b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the crematic | | | _ ,, | |
| | process begins in the primary chamber? | ⊠ Ye | S | ∐No | |
| _ | | | | | |
| _ | | | | | |
| PA | | | \neg | - | |
| | ART V: <u>ALLOWED MATERIALS</u> | (check | | only one | |
| | ART V: <u>ALLOWED MATERIALS</u> | , | | only one question) | |
| 1. | ART V: ALLOWED MATERIALS Other than human or fetal remains with appropriate containers or clothing, are any materials, | , | | | |
| 1. | | , | each (| | |
| | Other than human or fetal remains with appropriate containers or clothing, are any materials, including biomedical wastes, incinerated in the unit? | box for | each (| question) | |
| | Other than human or fetal remains with appropriate containers or clothing, are any materials, including biomedical wastes, incinerated in the unit? | box for | each o | question) | |
| | Other than human or fetal remains with appropriate containers or clothing, are any materials, including biomedical wastes, incinerated in the unit? | box for | each o | question) | |

| PART VI: <u>EQUIPMENT MAINTENANCE</u> | | (check 🗹 box for each | only one question) | |
|--|--|---|---|--|
| 1. Is the crematory unit maintained in accordance with the manufacture | rer's specifications? | ⊠ Yes | □No | |
| 2. Is there a written plan onsite which addresses the operating procedu shutdown and malfunction? | | ⊠ Yes | □No | |
| Does the crematory allow for a visible check on the flame character. If no, skip a. − b. | ristics? | Yes | □No | |
| a. Was the flame characteristic visually checked at least once durir b. Was the flame adjusted when necessary? | | | □No □No | |
| PART VII: EU INSPECTION COMPLIANCE STATUS (check [| only one box) | | | |
| ☐ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE | SIGNIFICANT Non-COMPLI | ANCE | | |
| Facility Section (continued) | | | | |
| SPECIAL CONDITIONS AND PROCEDURES | | (check 🗹 box for each | only one question) | |
| Administrative Changes: Were there any changes in the name, address, or phone number of tassociated with a change in ownership or with a physical relocation operations comprising the facility; or any other similar minor admir. If yes, did the facility provide written notification within 30 days of | of the facility or any emissions units histrative change at the facility? | s or Yes | ⊠No □No | |
| New or Modified Process Equipment or Change in Ownership: | | | | |
| 3. Since the last registration form submittal has there been | nent?substantially different? | ☐ Yes | NoNoNoNoNoNo | |
| Norma Ali | 11/21/12 | | | |
| Inspector's Name (Please Print) | Date of Inspection | | | |
| | 12/31/13 | | | |
| Inspector's Signature | Approximate Date of Next Inspe | ection | | |

COMMENTS: The inspector, Norma Ali, met with Michael Stephens, Crematories Operator, Jason Wamhoff, Service Supervisor from Mathews Cremation, and Neil Currie, Consultant from Southern Environmental Services, Inc. to audit the annual visual emission compliance test for EU003and EU004. Opacity observed was zero percent on both units. The strip charts were reviewed, all temperatures looked on or above permit limit of $>= 1,600^{\circ}$ F. Cardboard boxes are used to handle the human remains. All charts are documented with date, start and end times. According to Mr. Stephas, both cremation units have the opacity monitor installed on the stacks. If the opacity should ever exceed 15% the unit would restirct combustion in the primary chamber. The opacity monitor is cleaned and calibrated weekly.

The temperature on EU003 was 1798° F and 1,650°F on EU004.

It appeared that the facility is in compliance with their permit conditiones at the time of inspection.