

## CONCRETE BATCHING PLANT



## COMPLIANCE INSPECTION CHECKLIST

	AL (INS1, INS2)	COMPLAINT/DISCO	OVERY (CI)		
RE-INS	PECTION (FUI)	ARMS COMPLAINT	TNO:		
AIRS ID#: 7775010 DATE: <u>03-1</u>	9-09	ARRIVE: <u>8:00</u>	DEPART:		
FACILITY NAME: CONCRETE BATCH PLANT-ROCKLAND KEY					
FACILITY LOCATION: U	S HWY #1				
ROCKLAND KEY 33041					
OWNER/AUTHORIZED REPR	ESENTATIVE: RICH	HARD TOPPINO PH	ONE: (305)296-5606		
CONTACT NAME:		PH	ONE:		
<b>ENTITLEMENT PERIOD:</b> 7/1	3/2008 / 7/13/2013				
(effe	ctive date) (end date)				
PART I: INSPECTION COMPI	IANCE STATUS (ch	ack only one hov)			
☐ IN COMPLIANCE	_	_	ICANTEN COMPLIANCE		
IN COMPLIANCE	MINOR Non-COMP	LIANCE SIGNIFI	ICANT Non-COMPLIANCE		
		<u>1ENTS</u> – Rule 62-296.41	4, F.A.C.		
(check <b>☑</b> appropriate box(es)		<u>1ENTS</u> – Rule 62-296.41	4, F.A.C.		
(check ☑ appropriate box(es)  Stack Emissions  1. Were visible emissions tests	s conducted during this	site visit according to EPA	A Method 9 (Ref.: Chapter	J.N.	
(check ☑ appropriate box(es)  Stack Emissions  1. Were visible emissions tests 62-297, F.A.C.)?  2. Are emissions from silos, w	s conducted during this veigh hoppers (batchers)	site visit according to EPA	A Method 9 (Ref.: Chapter ⊠Yes ☐ ge and conveying equipment	_	
(check ☑ appropriate box(es)  Stack Emissions  1. Were visible emissions tests 62-297, F.A.C.)?  2. Are emissions from silos, we controlled to the extent nect 3. During visible emissions te	s conducted during this veigh hoppers (batchers) essary to limit visible en sts of the silo dust colle	site visit according to EPA ), and other enclosed stora missions to 5 percent opac ctor exhaust points was th	A Method 9 (Ref.: Chapter \( \subseteq \text{Yes} \)  Ige and conveying equipment to the silo conducted	_	
(check ☑ appropriate box(es)  Stack Emissions  1. Were visible emissions tests 62-297, F.A.C.)?  2. Are emissions from silos, we controlled to the extent neces 3. During visible emissions test at a rate that is representative unless such rate is unachiever.	s conducted during this veigh hoppers (batchers) essary to limit visible en sts of the silo dust colle we of the normal silo loa vable in practice?	site visit according to EPA  , and other enclosed stora missions to 5 percent opac ctor exhaust points was the	A Method 9 (Ref.: Chapter	_	
(check ☑ appropriate box(es)  Stack Emissions  1. Were visible emissions tests 62-297, F.A.C.)?  2. Are emissions from silos, we controlled to the extent nece  3. During visible emissions te at a rate that is representative unless such rate is unachieved. Are emissions from the weight	s conducted during this veigh hoppers (batchers) essary to limit visible en sts of the silo dust colle we of the normal silo loa vable in practice? gh hopper (batcher) ope	site visit according to EPA), and other enclosed stora missions to 5 percent opac ctor exhaust points was the ding rate, or at least at the erration controlled by the si	A Method 9 (Ref.: Chapter	] No	
Stack Emissions  1. Were visible emissions tests 62-297, F.A.C.)?  2. Are emissions from silos, we controlled to the extent neccess.  3. During visible emissions test at a rate that is representative unless such rate is unachieved. Are emissions from the west to this question is "Yes", the skip 4.a) and 4.b) and conti	s conducted during this veigh hoppers (batchers) essary to limit visible en sts of the silo dust colle we of the normal silo loa vable in practice? igh hopper (batcher) ope en continue on to quest nue on to question 5.)	site visit according to EPA, and other enclosed stora missions to 5 percent opac ctor exhaust points was the ding rate, or at least at the eration controlled by the sions 4.a) and 4.b) below. I	A Method 9 (Ref.: Chapter	] No ] No ] No	
<ul> <li>(check ☑ appropriate box(es)</li> <li>Stack Emissions</li> <li>1. Were visible emissions tests 62-297, F.A.C.)?</li> <li>2. Are emissions from silos, we controlled to the extent nect 3. During visible emissions te at a rate that is representative unless such rate is unachiesed.</li> <li>4. Are emissions from the week to this question is "Yes", the skip 4.a) and 4.b) and continual was the batching operate by During the visible emissions.</li> </ul>	s conducted during this veigh hoppers (batchers) essary to limit visible en sts of the silo dust colle ve of the normal silo loa vable in practice? gh hopper (batcher) ope en continue on to quest nue on to question 5.) ion in operation during sions test, was the batch	site visit according to EPA  , and other enclosed stora missions to 5 percent opac ctor exhaust points was the ding rate, or at least at the eration controlled by the si ions 4.a) and 4.b) below. I	A Method 9 (Ref.: Chapter	No No No No No	
(check ☑ appropriate box(es)  Stack Emissions  1. Were visible emissions tests 62-297, F.A.C.)?  2. Are emissions from silos, we controlled to the extent neces.  3. During visible emissions test at a rate that is representative unless such rate is unachieved. Are emissions from the west to this question is "Yes", the skip 4.a) and 4.b) and conticular a) Was the batching operates b) During the visible emissions duration?	s conducted during this reigh hoppers (batchers) essary to limit visible en sts of the silo dust colle we of the normal silo loa rable in practice? igh hopper (batcher) ope en continue on to quest nue on to question 5.) ion in operation during sions test, was the batch	site visit according to EPA  ), and other enclosed stora missions to 5 percent opac ctor exhaust points was the ding rate, or at least at the eration controlled by the serions 4.a) and 4.b) below. In the visible emissions test? ting rate representative of the	A Method 9 (Ref.: Chapter	No No No No No	
<ul> <li>(check ☑ appropriate box(es)</li> <li>Stack Emissions</li> <li>1. Were visible emissions tests 62-297, F.A.C.)?</li> <li>2. Are emissions from silos, we controlled to the extent nec</li> <li>3. During visible emissions te at a rate that is representative unless such rate is unachieved.</li> <li>4. Are emissions from the weight to this question is "Yes", the skip 4.a) and 4.b) and conting a) Was the batching operated by During the visible emissions duration?</li></ul>	s conducted during this reigh hoppers (batchers) essary to limit visible ensts of the silo dust colle we of the normal silo load vable in practice?	site visit according to EPA  , and other enclosed stora missions to 5 percent opac ctor exhaust points was the ding rate, or at least at the eration controlled by the s ions 4.a) and 4.b) below. I  the visible emissions test? ing rate representative of the ation are controlled by a drast tests of the weigh hoppe	A Method 9 (Ref.: Chapter	No No No No No No	

PART II: <u>TESTING/RECORDKEEPING REQUIREMENTS</u> – Rule 62-296.414, F.A.C. – (continued) (check ☑ appropriate box(es)	
Compliance Demonstration - (Rule 62-296.401(5)(i), F.A.C.)  1. Is each dust collector exhaust point tested according to the visible emissions limiting standard as part of annual compliance demonstration? (Rule 62-297.310(7)(a), F.A.C.)	
New Facilities – (permitted pursuant to Rule 62-210.300(4), F.A.C., Air General Permits)  2. Did this facility demonstrate:  a) initial compliance no later than 30 days after beginning operation?  b) annual compliance within 60 days prior to each anniversary of the air general permit notification form submittal date?	n
Existing Facilities – (permitted pursuant to Rule 62-210.300(4), F.A.C., Air General Permits)  3. In order to demonstrate annual compliance, was an annual visible emissions test conducted 60days prior the AGP Notification form submission, and within 60 days prior to each anniversary date?	
Test Reports – (Rules 62-213.440, F.A.C. and 62-297.310(8)(b), F.A.C.)  4. Was the required test report filed with the department as soon as practical, but no later than 45 days after test was completed?	the - \( \sum Yes \( \sum No \)
PART III: OPERATING/RECORDKEEPING REQUIREMENTS – Rule 62-210.300(4)(c)2., F.A.C. (check ☑ appropriate box(es))	
	le 🗌
<ul> <li>(check  appropriate box(es))</li> <li>1. Is this facility: 1) a stationary  ; 2) a relocatable ; or does it have: 3) both, stationary and relocatable</li> </ul>	ing  □Yes □ No □Yes □ No

PART III: OPERATING/RECORDKEEPING REQUIREMENTS – Rule 62-296.414(2)(a) and (b), F.A.C. (continued)				
(check ☑ appropriate box(es))	<u> </u>			
Unconfined Emissions – (Rule 62-296.320(4)(c), F.A.C.)				
Does the owner /operator of the concrete batching plane emissions by:	it take reasonable precautions to control uncommed			
emissions by:  a) management of roads, parking areas, stock piles, a	and which shall include one or more of the following:			
	and yards, which shall include one or more of the following: as, stock piles, and yards?   Yes  No			
	lust-suppressant chemicals when necessary to control			
	\times Yes \tag No			
	other paved areas under control of the owner/operator to			
	as to reduce airborne particulate matter?   Yes  No			
4) reduction of stock pile height, or installation of	of wind breaks to mitigate wind entrainment of			
particulate matter from stock piles?				
	igate emissions at the drop point to the truck?  \overline{\text{\text{\text{\text{\text{Ves}}}}}\overline{\text{\text{No}}}\displays			
The second secon				
PART IV: SPECIAL CONDITIONS AND PROCEDURE	<u>S</u> – Rule 62-210.300(4)(d)4., F.A.C.			
A. New or Modified Process Equipment				
Since the last inspection has there been				
	\(\times Yes \) No			
h) alterations to existing process equipment withou	ut replacement?			
<ul> <li>c) replacement of existing equipment substantially</li> </ul>	different than that noted on the most			
recent notification form?				
d) If you answered <b>YES</b> to any of the above, did the	he owner submit a new and complete			
notification form and appropriate fee (Rule 62-4	4.050, FAC) to the appropriate DEP or			
local program office?	Yes No			
Barbara Nevins	02 10 00			
Barbara Nevins	03-19-09			
Inspector's Name (Please Print)	Date of Inspection			
•	•			
10				
Barbara Nevins				
Lubara 1 yeuros	02 10 10			
	03-19-10			
Inspector's Signature	Approximate Date of Next Inspection			
COMMENTS: There are four sources at this facility: EU 00	01 North Cement Silo; EU 002 Flyash Silo; EU 003 new South			
Cement Silo: EII 004 Weigh honner dust collector The EU:	identification was not clear therefore I spoke to Dick Dibble, DEP.			
	identification was not clear, therefore I spoke to Dick Dibble, DEP, d. Mr. Dibble said that he would correct the record as to the proper			
Tallahassee during the inspection so that this could be resolved	d. Mr. Dibble said that he would correct the record as to the proper			
Tallahassee during the inspection so that this could be resolved				
Tallahassee during the inspection so that this could be resolved EU identification. I witnessed VE tests of all units by William	d. Mr. Dibble said that he would correct the record as to the proper			
Tallahassee during the inspection so that this could be resolved EU identification. I witnessed VE tests of all units by William	d. Mr. Dibble said that he would correct the record as to the proper			
Tallahassee during the inspection so that this could be resolved EU identification. I witnessed VE tests of all units by William	d. Mr. Dibble said that he would correct the record as to the proper			
Tallahassee during the inspection so that this could be resolved EU identification. I witnessed VE tests of all units by William	d. Mr. Dibble said that he would correct the record as to the proper			
Tallahassee during the inspection so that this could be resolved EU identification. I witnessed VE tests of all units by William	d. Mr. Dibble said that he would correct the record as to the proper			
Tallahassee during the inspection so that this could be resolved EU identification. I witnessed VE tests of all units by William	d. Mr. Dibble said that he would correct the record as to the proper			
Tallahassee during the inspection so that this could be resolved EU identification. I witnessed VE tests of all units by William	d. Mr. Dibble said that he would correct the record as to the proper			
Tallahassee during the inspection so that this could be resolved EU identification. I witnessed VE tests of all units by William	d. Mr. Dibble said that he would correct the record as to the proper			
Tallahassee during the inspection so that this could be resolved EU identification. I witnessed VE tests of all units by William	d. Mr. Dibble said that he would correct the record as to the proper			