

PERCHLOROETHYLENE DRY CLEANERS



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE :	ANNUAL (INS1, INS2)	COMPLAINT/DISCOV	ERY (CI)		
	RE-INSPECTION (FUI)	ARMS COMPLAINT N	O:		
AIRS ID#: 0250701 DA	TE: <u>09/30/2009</u>	ARRIVE: <u>12:45PM</u>	DEPART: <u>01:30PM</u>		
FACILITY NAME: SAI DRY CLEANERS					
FACILITY LOCATION: 2184 NE 123RD ST					
NORTH MIAMI 33181-2902					
OWNER/AUTHORIZE	D REPRESENTATIVE: SU	INIL KURANI PHON	E: (305)801-4493		
CONTACT NAME:		PHON	E:		
ENTITLEMENT PERIOD: /					
	(effective date) (end date)				
PART I: INSPECTION COMPLIANCE STATUS (check ☑ only one box)					
IN COMPLIAN	CE MINOR Non-COM	MPLIANCE SIGNIFICA	ANT Non-COMPLIANCE		
	CLASSIFICATION - Rule 62-	-213.300 FAC			
(check V on	ly one box in A)				
A. 1. Existing sma	$\frac{\text{ll area source}}{\text{nly, } x < 140 \text{ gal/yr}}$	2. New small area sour dry-to-dry only, $x < 1$			
	x < 140 gal/yr , $x < 200 \text{ gal/yr}$	transfer only, $x < 200$	gal/yr		
both types, x	< 140 gal/yr before 12/9/91)	both types, $x < 140$ ga (constructed on or aft			
(constructed	Defore 12/9/91)	(constructed on or an	er 12/9/91)		
3. Existing larg		4. New large area source			
	aly, $140 \le x \le 2{,}100 \text{ gal/yr}$, $200 \le x \le 1{,}800 \text{ gal/yr}$	dry-to-dry only, $140 \le x$ transfer only, $200 \le x$			
both types, 14	$40 \le x \le 1,800 \text{ gal/yr}$	both types, $140 \le x \le$	1,800 gal/yr		
(constructed)	before 12/9/91)	(constructed on or aft	er 12/9/91)		
5. Ineligible for General Permit					
	at of business/petroleum eds above limits				
Tacinty excee	as asove minus				
B. The total quantit cleaning facility		ourchased within the preceding	12 months by this dry		

PA	RT III: GENERAL CONTROL REQUIREMENTS - Rule 62-213.300 FAC	(check ☑ only one box	
Does the responsible official of the dry cleaning facility:		for each question)	
1.	Store perc, and wastes containing perc, in tightly sealed & impervious containers?	□Yes □No □N/A	
2.	Examine the containers for leakage?	☐Yes ☐ No ☐ N/A	
3.	Close and secure machine doors except during loading/unloading?	☐ Yes ☐ No	
	Drain cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?	□Yes □ No □ N/A	
	Maintain solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?	□Yes □ No □ N/A	
	RT IV: PROCESS VENT CONTROLS – Rule 62-213.300 FAC efer to Part II-A.14. Classification: page 1 of 4, this form)		
	1. If the facility classification is a Existing small area source, no controls are requi	red. Proceed to Part V.	
	2. If the facility classification is a <u>New small area source</u> , the machine should be eccondenser. Complete section A. below.	quipped with a refrigerated	
	 If the facility classification is a <u>Existing large area source</u>, the machine should be refrigerated condenser or a carbon adsorber. Complete both sections A and B below must have been installed prior to September 22, 1993 If the facility classification is a <u>New large area source</u>, the machine should be excondenser. Complete both sections A and B below. 	w. Carbon adsorber	
A.	Has the responsible official of all <u>existing large</u> <u>area & new sources</u> :	(check ☑ only one box for each question)	
1.	Equipped all machines with the appropriate vent controls?	□Yes □No	
2.	Equipped dry-to-dry machines with a closed-loop vapor venting system?	☐Yes ☐No ☐N/A	
3.	Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?	□Yes □No □N/A	
4.	Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis?	□Yes □No	
5.	Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?	Yes No N/A	
6.	Conducted all temperature monitoring after an appropriate cool-down period and after verifying that the coolant had been completely charged?	□Yes □No	

PART IV: PROCESS VENT CONTROLS - Rule 62-213.300 FAC (continued)				
B. Does the responsible official of an existing large or new large area source also:	(check ☑ only one box for each question)			
Measure and record the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	□Yes □No			
Measure and record the washer exhaust temperature at the condenser inlet and outlet weekly?	- □Yes □ No □N/A			
a) Is the temperature differential equal to, or greater than 20° F?	□Yes □ No □ N/A			
3. Measure and record the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped exclusively with a carbon adsorber?	□Yes □ No □ N/A			
a) Is the perc concentration equal to, or less than 100 ppm?	☐Yes ☐ No ☐ N/A			
4. Assure that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	□Yes □ No □ N/A			
5. Equip transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	- Yes No N/A			
6. Route airflow to the carbon adsorber (if used) at all times?	□Yes □ No □ N/A			
PART V: RECORDKEEPING REQUIREMENTS – Rule 62-213.300(3) FAC				
Does the responsible official:	(check ✓ only one box for each question)			
1. Maintain receipts for perc purchased?	Yes No			
2. Maintain rolling monthly total of yearly perc consumption?	☐ Yes ☐ No			
3. Maintain leak detection inspection and repair reports for the following:				
a) documentation of leaks repaired w/in 24 hrs? or;	Yes No N/A			
b) documentation of parts ordered to repair leak and leak repaired w/in 2 days				
and parts installed w/in 5 days of receipt?	Yes No N/A			
and parts installed w/in 5 days of receipt? 4. Maintain calibration data? (for applicable direct reading instruments)	 Yes No N/A Yes No N/A 			
	Yes No N/A			
4. Maintain calibration data? (for applicable direct reading instruments)	☐ Yes ☐ No ☐ N/A ☐ Yes ☐ No ☐ N/A			
4. Maintain calibration data? (for applicable direct reading instruments) 5. Maintain exhaust duct monitoring data on perc concentrations?	Yes No N/A Yes No N/A Yes No			
4. Maintain calibration data? (for applicable direct reading instruments) 5. Maintain exhaust duct monitoring data on perc concentrations? 6. Maintain a startup/shutdown/malfunction plan?	Yes No N/A Yes No N/A Yes No Yes No Yes No			
 4. Maintain calibration data? (for applicable direct reading instruments) 5. Maintain exhaust duct monitoring data on perc concentrations? 6. Maintain a startup/shutdown/malfunction plan? 7. Maintain deviation reports?	Yes No N/A Yes No N/A Yes No Yes No N/A Yes No N/A Yes No N/A			

PART VI: <u>LEAK DETECTION AND REPAIRS</u> – Rule 62-213.300 FAC

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak

(check ☑ only one box for each question)

detection and repair inspection?	Yes			
2. Does the facility maintain a leak log?				
3. Does the responsible official check the following areas for leaks? a) Hose connections, fittings, couplings, and valves	cookers Yes No N/A Yes No N/A st dampers Yes No N/A er valves Yes No N/A dge filter housings Yes No N/A			
4. Which method(s) of detection (is/are) used by the responsible official?				
a) Visual examination (condensed solvent on exterior surfaces) ————————————————————————————————————				
MARUFUL MALIK	09/30/2009			
Inspector's Name (Please Print)	Date of Inspection			
0	9/30/2010			
Inspector's Signature	Approximate Date of Next Inspection			

COMMENTS: On September 30, 2009 I visited this facility to conduct an annual compliance inspection. On site I met Catherine Dixon, the owner's daughter. I expained to her how to fill out the compliance calender, and to maintain perc purchase receipts, and to keep yearly perc consumption records. Facility has a Halogen leak detector. This facility was recently purchased by Mr. Sunil Kurani.