

## CHROMIUM ELECTROPLATING/ANODIZING



## COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: ANNUAL (INS		DISCOVERY (CI)  AINT NO:		
AIRS ID#: 0250708 DATE: <u>11/16/2011</u> ARRIVE: <u>10:47 AM</u> DEPART: <u>11:05 AM</u>				
FACILITY NAME: SUNSHINE POLISH & PLATING				
<b>FACILITY LOCATION:</b> 4149 E 1	0ТН СТ			
HIALEA	Н 33013-2503			
OWNER/AUTHORIZED REPRESENTATIVE: OSCAR HERNANDEZ Email: CONTACT NAME: OSCAR HERNANDEZ Email: ENTITLEMENT PERIOD: 5/16/2011 / 5/16/2016 (effective date) (end date)  PHONE: (305)681-1956 Mobile: PHONE: (305)681-1956 Mobile:				
PART I: INSPECTION COMPLIANCE STATUS (check ✓ only one box)  ☐ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE				
PART II: CLASSIFICATION – Rule 62-213.300 FAC Facility type(s)/applicable standard as indicated on notification form:  1. Hard Chromium Plating				
a. Existing Large (0.015 mg/dscm c. New (0.015 mg/dscm)	d. Alternative Standard (0.03 mg/dscm) using	for existing facilities		
2. <u>Decorative Chromium Plating/Anodizing</u>				
a. <u>Chromic Acid Bath</u>	<ol> <li>Emissions of ≤ 0.01/mg/dscm (</li> <li>Surface tension of ≤ 45 dynes/</li> <li>(May only be selected if a wet.</li> </ol>	$\sqrt{\text{cm} (3.1 \text{x} 10^{-3} \text{ lb-f/ft})} $		
b. Trivalent Chromium Bath	<ol> <li>With wetting agent</li> <li>Without wetting agent ≤ 0.01m</li> </ol>			
c. Chromium Anodizing	<ol> <li>Emissions of ≤ 0.01 mg/dscm (</li> <li>Surface tension of 45 dynes/cm (May only be selected if a wet)</li> </ol>	$1 (3.1 \times 10^{-3} \text{ lb-f/ft})$		

PART III: CONTROL TECHNOLOGY - Rule 62-213.300 FAC		
( <u>Select control</u>		
<u>device</u> )	<u>DEVICE IN USE</u> ?	
1. Composite Mesh Pad	DV-2 DNO	
	∐Yes □No	
	Yes No	
l	☐Yes ☐No ☐Yes ☐No	
<ul> <li>5. ☐ Foam Blanket Fume Suppressant</li> <li>6. ☐ Fume Suppressant w/ Wetting Agent</li> </ul>	☐Yes ☐No	
6. Kume Suppressant w/ Wetting Agent	⊠Yes □No	
Has the facility conducted an initial performance test to establish monitoring parameters?	⊠Yes □No □N/A	
(Not required for sources using a wetting agent or 1-inch foam blanket thickness)	MIES LINO LINA	
(Not required for sources using a weating agent or 1-men journ orannes intermess)		
PART IV: <u>RECORDKEEPING/REPORTING REQUIREMENTS</u> – Rule 62-213.300(	(3)	
Has the responsible official maintained the following records?		
1. Occarionly increasion records for add on air pollution control devices and		
1. Quarterly inspection records for add-on air pollution control devices and	C*1 1 J	
monitoring equipment. (applicable only to a facility using a packed bed scrubber,		
mist eliminator, or composite mesh pad)		
2. Operations and Maintenance Plan (OMP). (applicable only to a facility using a		
scrubber, fiber-bed mist eliminator, or composite mesh pad)	Yes INO IN/A	
3. Maintenance records for the source, add-on pollution control devices, and		
monitoring equipment (equipment identified, date performed, description)	- ⊠Yes □No	
4. Records of date of occurrence, duration, cause, and corrective action of each	N 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
malfunction of process, add-on pollution control device, and monitoring equipmen		
5. Results of all performance tests.		
6. Records of monitoring data. (not applicable to trivalent chromium baths using a	a wetting	
agent)	XYes No N/A	
Composite Mech Dad		
Composite Mesh Pad  Measure the pressure drop across the CMP daily		
	- Lites Lino	
Packed Bed Scrubber  Massays the pressure drop earses the BPS and the inlet valegity deily		
Measure the pressure drop across the PBS and the inlet velocity daily	LIYES LINO	
Fiber-Bed Mist Eliminator  Massays the pressure drop earses the EPME and the unstream device deily		
Measure the pressure drop across the FBME and the upstream device daily	☐Yes ☐No	
Packed Bed Scrubber/Composite Mesh Pad  Massure the pressure drop earness the CMP deily	TX/ TX/o	
Measure the pressure drop across the CMP daily	☐Yes ☐No	
Foam Blanket Fume Suppressant  Massays the foam blanket this larges at the appropriate interval	□x7 □x1-	
Measure the foam blanket thickness at the appropriate interval	∐Yes ∐No	
Fume Suppressant w/ Wetting Agent  Massure the surface tension at the appropriate interval	Myss Mys	
Measure the surface tension at the appropriate interval		
7. Purchase records of wetting agent components.		
8. Records of the date and time that fume suppressants are added to the bath		
9. Records of rectifier capacity, if used to determine facility size		
10. Records of the total process operating time.	Yes No	
11. Records identifying specific periods of excess emissions	- XYes No	
12. Startup, Shutdown & Malfunction Plan	- ⊠Yes □No	

FRANK DELGADO	11/16/2011
Inspector's Name (Please Print)	Date of Inspection
	11/2012
Inspector's Signature	Approximate Date of Next Inspection
COMMENTS: THERE IS ONE SMALL DECORATIVE TANK WAS USED WAS A MONTH AGO.	CHROMIUM PLATING TANK ON SITE. THE LAST TIME THE
THERE ARE NO CHANGES FROM LAST INSPECTION	i.

REVIEWED

By Ray Gordon at 12:47 pm, Nov 23, 2011