FDEP Multimedia Program - DRY CLEANERS SECTOR Inspection Checklist (Part II)

Facility Name :	A-1 Cleaners
Facility Address :	2800A S. Bay St Eustis, FL 32726
Date/Time :	April 27, 2010/12:59pm
Persons present :	Dallas Duncan, Owner Danielle D. Owens, FDEP
Responsible Official :	Dallas Duncan
Phone/Email:	(352)357-5565

Hazardous Waste Requirements { ▶ indicates potential SNCs }

Inspection Question	Rule Reference	Answer	
Generator Determination:			
 Days/week operate dryclean unit(s) 		5	
 Pounds of clothes drycleaned per day 		80 lbs	
 Gallons of separator water generated per day 	Do not count if hardpiped to treatment system.	N/A	
 How often is sludge/muck scraped per week? 		1/wk	
 Pounds of sludge/muck collected per scraping 		0.5 gal	
How often are filters changed?		N/A	
How many filters per change?		N/A	
Sum above information to determine status:		SQG LQG*	
CESQG: < 100 kg/month SQG: 100-1000 kg/r	month LQG: >1000 kg	g/month	
Preparedness & Prevention			
Employee notification system?	SQG [40 CFR 262.34(d)(4)]	⊠ Yes □ No	
Device to summon emergency response agencies?	SQG [40 CFR 262.34(d)(4)]	⊠ Yes □ No	
Portable fire extinguishers and spill control equipment?	SQG [40 CFR 262.34(d)(4)]	⊠ Yes □ No	
Are employees trained in HW management?	SQG [40 CFR 262.34(d)(5)(iii)]		
Program to test emergency equipment?	SQG [40 CFR 262.34(d)(4)]	☐ Yes ☐ No	
Minimized possibility of spills and releases	SQG [40 CFR 262.34(d)(4)]		
Contingency Planning:			
Designated emergency coordinator?	SQG [40 CFR 262.34(d)(4)(i)]	R/O	
 Posted names and telephone numbers of emergency coordinators, locations of fire alarms and extinguishers, fire department telephone numbers, and evacuation routes? 	SQG [40 CFR 262.34(d)(4)(ii)]	⊠ Yes □ No	
Storage of hazardous waste:			
Calculate the total weight of all perc waste in the storage area as follows:	Maximum quantity limits are: CESQG = 2,200 lbs SQG = 13,200 lbs		
For 15-gal containers:		120 lbs	

FDEP Multimedia Program - DRY CLEANERS SECTOR Inspection Checklist (Part II)

# of containers $\underline{1}$ x 120 lbs/container = lbs stored		
 For 30-gal containers: 		
# of containers x 240 lbs/container = lbs stored		
Are all HW containers marked with an	SQG [40 CFR 262.34(d)(4)]	☐ Yes
accumulation start date?		
If not, how long have they been on-site?		1 month
SQG: is waste kept onsite ≤ 180 days?	SQG [40 CFR 262.34(d)]	☐ Yes ☐ No ⊠N/A
Is there satellite accumulation?	SQG [40 CFR 262.34(c)]	☐ Yes ☐ No ☒N/A
 If applicable, are satellite areas at/near the point of generation? 	SQG [40 CFR 262.34(c)]	☐ Yes ☐ No ⊠N/A
Are containers labeled with the words "Hazardous Waste"?	SQG [40 CFR 262.34(d)(4)]	⊠ Yes □ No
If not, percentage of HW containers not labeled:		5-59%
Are containers in good condition and kept closed?	SQG [40 CFR 262.34(d)(2),(4)]	⊠ Yes □ No
Are containers compatible with contents?	SQG [40 CFR 262.34(d)(2)]	⊠ Yes
Adequate aisle space between waste containers?	SQG [40 CFR 262.34(d)(4)]	X Yes No
Are weekly inspections conducted and	SQG [40 CFR 262.34(d)(2)]	
documented? [62-730.160(6) F.A.C.]		⊠ Yes
Recordkeeping	•	
Are manifests available for the past three years?	CESQG [62-730.030(4) F.A.C.] SQG [40 CFR 262.44]	⊠ Yes □ No
If so, are manifests properly completed?	SQG [40 CFR 262 subpart B]	⊠ Yes □ No □N/A
Are the originals present?	SQG [40 CFR 262 subpart B]	
Exception reports?	SQG [40 CFR 268.44]	Yes No ⊠N/A
LDRs completed?	SQG [40 CFR 268.7]	Yes No N/A
Does the facility ensure waste disposal to a permitted facility?	CESQG [40 CFR 261.5(g)(3)] SQG [40 CFR 262.12(c)]	⊠ Yes □ No
Dry Cleaner Stds.		
Is the facility registered and display its registration placard?	376.303, F.S	⊠ Yes □ No
Is the facility in the dry cleaner solvent clean-up program? If so, what is the Facility ID #?	376.303, F.S.	⊠Not in Program
Are floor areas where solvent (product and waste) is managed or stored rendered impermeable to solvent?	376.3078(9)(a), F.S.	⊠ Yes □ No
Are all containers of solvent product or solvent waste	376.3078(9)(a), F.S.	⊠ Yes
within secondary containment?	, , , ,	
Have all spills of more than 1 quart of dry cleaning	403.161(1)(d), F.S.	☐ Yes ☐ No
solvent outside of a containment structure been		⊠N/A
reported to the State Warning Point by the		
owner/operator?	100 101(11)(1) 5 0	
If a spill occurred, did the owner or operator immediately upon the discovery of such a spill, initiate and complete actions to abate the source of the spill?	403.161(11)(d), F.S.	☐ Yes ☐ No ⊠N/A
and complete actions to abate the course of the opin.		i

FDEP Multimedia Program - DRY CLEANERS SECTOR Inspection Checklist (Part II)

Inspection Question					Answer		
Is a separator water treatr			⊠ Yes □	No			
If so, is it within secondary			⊠ Yes □ N	o N/A			
Does the system include t				Yes N	o N/A		
Are records available to d	ave			Yes N	o N/A		
been changed in accordar recommendations?	nce with the manufacturer's	;					
Are spent filters disposed of as haz waste?					⊠ Yes □ N	o N/A	
rust, etc. excluded from th	tain soaps, detergents, chlo e treatments system in orde ective to treat the chlorinate	er to			⊠ Yes □ N	o N/A	
ndustrial Wastewater S Inspection Question:	Standards Standards		Rule Referen	<u> </u>	Δnsw	<u>or</u>	
Facility on septic or sewer	?		Rule Relefence		Answer Septi		
Vacuum water discharge						Tx syster Sink/Toile	
Mop water discharged to:					HW drum	Tx syster Sink/Toile	
Are solvent-based spotters used on laundry (non-drycleaned) garments?					☐ Yes	⊠ No	
If the facility discharges to sewer, is it in compliance with local sewer permit?		62.625 F.A.C.		☐ Yes ☐ N	o 🖾N/A		
Ory Cleaning Equipmen							
Туре	Manufacturer^		del Number^	Capacity^		Age^	
Dry to Dry	Maestro M4		.0	40 lb	S	1996	
Other Number Employees	Years in Operation	Dri	nking Water	<u> </u>			
4	33		City Well				
lotes by Inspector	1						

5/12/2010 Page 3 of 3 inspector initial <u>DDO</u>