

## PERCHLOROETHYLENE DRY CLEANERS



## COMPLIANCE INSPECTION CHECKLIST

	ANNUAL (INS1, INS2) RE-INSPECTION (FUI)	COMPLAINT/DISCO	, , <u>—</u>			
AIRS ID#: 0250714 DAT	ΓΕ: <u>4/19/2011</u>	ARRIVE: <u>10:20 AM</u>	DEPART: <u>10:55 AM</u>			
FACILITY NAME: IMP	PERIAL CLEANERS					
FACILITY LOCATION	: 4810 NW 7TH ST					
	MIAMI 33126-2102					
OWNER/AUTHORIZED REPRESENTATIVE: JUAN FABREGAT Email: juanfabregat@yahoo.com CONTACT NAME: JUAN FABREGAT Email: juanfabregat@yahoo.com ENTITLEMENT PERIOD: 12/25/2008 / 12/25/2013 (effective date)  PHONE: (305)648-2783 Mobile: (305)648-2783 Mobile: (305)801-2351						
DADT I. INCRECTION	COMDITANCE STATUS (al	andr Manuana hav				
PART I: <u>INSPECTION COMPLIANCE STATUS</u> (check ✓ only one box)  ☐ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE						
A. 1. Existing small dry-to-dry only transfer only, a both types, x < (constructed b  3. Existing larged dry-to-dry only transfer only, a both types, 14 (constructed b  5. Ineligible for	Inly one box in A)  I area source  y, $x < 140 \text{ gal/yr}$ $x < 200 \text{ gal/yr}$ $x < 140 \text{ gal/yr}$ $x < 140 \text{ gal/yr}$ efore $12/9/91$ )  area source  y, $140 \le x \le 2,100 \text{ gal/yr}$ $100 \le x \le 1,800 \text{ gal/yr}$	transfer only, 200	< 140 gal/yr 200 gal/yr 0 gal/yr after 12/9/91)  urce 0 \( \sim x \leq 2,100 \) gal/yr \( \sim x \leq 1,800 \) gal/yr \( \sim x \leq 1,800 \) gal/yr			
	volume of all perchloroethylene was 40.00 gallons.	(perc) purchases made in ea	ach of the previous 12 months by this dry			

PA	ART III: GENERAL CONTROL REQUIREMENTS – Rule 62-213.300 FAC			check x for e		only o		
1.	Is all perc, and wastes containing perc, in tightly sealed & impervious containers?	$\boxtimes$	Yes		No		N/A	
2.	Are all perc. containers leak free ?	$\boxtimes$	Yes		No		N/A	
3.	Are all machine doors kept closed and secured except during loading/unloading?	$\boxtimes$	Yes		No			
4.	Are cartridge filters d rained in their housing or in sealed containers for at least 24 hours prior to disposal?		Yes		No		N/A	
5.	Has each dry cleaning system installed after December 21, 2005 at an area source, routed the air-PCE gas-vapor stream contained within each dry cleaning machine through a refrigerated condenser and passed the air-PCE gas-vapor stream from inside the dry cleaning machine drum through a non-vented carbon adsorber or equivalent control device immediately before the door of the dry cleaning machine is opened? The carbon adsorber must be desorbed in accordance with manufacturer's instructions.		Yes		No	$\boxtimes$	N/A	
6.	Is solvent-to-carbon ratios and steam pressure for carbon adsorber beds maintain according to the manufacturer's specifications?		Yes		No	$\boxtimes$	N/A	
	ART IV: <u>PROCESS VENT CONTROLS</u> – Rule 62-213.300 FAC tefer to Part II-A.14. Classification: page <u>1</u> of <u>4</u> , this form)							
	<ol> <li>If the f acility classification is an <u>existing small area source</u>, no controls are required. Proceedings.</li> </ol>	rocee	ed to P	art V	•			
<ol> <li>If the facility classification is a <u>new small area source</u>, the machine should be equipped with a refrigerated condenser. Complete section A. below.</li> <li>If the fa cility classification is an <u>existing large area source</u>, the machine should be equipped with either a refrigerated condenser or a carbon adsorber. Complete both sections A and B below. Carbon adsorber</li> </ol>								
	<ul> <li>4. If the facility classification is a <u>new large area source</u>, the machine should be equipped with a refrigerated condenser. Complete both sections A and B below.</li> </ul>							
<b>A.</b>	Has the responsible official of all <u>existing large area &amp; new sources</u> :					only o		
1.	Equipped all machines with the appropriate vent controls?		Yes		No			
2.	Equipped dry-to-dry machines with a closed-loop vapor venting system?		Yes		No		N/A	
3.	Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?		Yes		No	$\boxtimes$	N/A	
4.	Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis?		Yes		No	$\boxtimes$	N/A	
5.	Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?		Yes		No	$\boxtimes$	N/A	
6.	Conducted all temperature monitoring after an appropriate cool-down period and after verifying that the coolant had been completely charged?		Yes	$\boxtimes$	No			

PA	ART IV: PROCESS VENT CONTROLS – Rule 62-213.300 FAC (continued)						
H	For all existing large or new large area sources:  Is the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines measured and recorded on a weekly basis?		Yes	□ N	No		
2.	Is the washer exhaus t temperature at the condenser inlet and outlet measured and recorded weekly?		Yes	□ N	No		N/A
	a) Is the temperature differential equal to, or greater than 20° F?		Yes		No		N/A
3.	Is the perc concentration in the exhaust stream inlet and outlet measured weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped exclusively with a carbon adsorber?		Yes	□ N	No		N/A
	a) Is the perc concentration equal to, or less than 100 ppm?		Yes	□ N	No		N/A
4.	Is the sampling port on the carbon adsorber exhaust for measuring perc concentrations at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?		Yes	□ N	No		N/A
5.	Are transfer machines equipped (dryers, reclaimers, and washers) with individual condenser coils?		Yes	□ N	No		N/A
6.	Is airflow routed to the carbon adsorber (if used) at all times?	П	Yes	□ N	No		N/A
PA	ART V: <u>RECORDKEEPING REQUIREMENTS</u> – Rule 62-213.300(3) FAC		,	check x for ea		nly o	
			,	x for ea		•	
1.	ART V: <u>RECORDKEEPING REQUIREMENTS</u> – Rule 62-213.300(3) FAC		bo	x for ea	ich que	•	
1. 2.	ART V: RECORDKEEPING REQUIREMENTS – Rule 62-213.300(3) FAC  Are receipts maintained for all perc purchased? ————————————————————————————————————		Yes	x for ea	ich que No	•	
1. 2.	ART V: RECORDKEEPING REQUIREMENTS – Rule 62-213.300(3) FAC  Are receipts maintained for all perc purchased? ————————————————————————————————————		Yes	x for ea	ich que No	•	
1. 2.	ART V: RECORDKEEPING REQUIREMENTS – Rule 62-213.300(3) FAC  Are receipts maintained for all perc purchased? ————————————————————————————————————		Yes Yes	x for ea	ich quo No No	estio	n)
1. 2. 3.	ART V: RECORDKEEPING REQUIREMENTS – Rule 62-213.300(3) FAC  Are receipts maintained for all perc purchased? ————————————————————————————————————		Yes Yes Yes	x for ea	ich quo No No No	estion	n) N/A
1. 2. 3.	ART V: RECORDKEEPING REQUIREMENTS – Rule 62-213.300(3) FAC  Are receipts maintained for all perc purchased? ————————————————————————————————————		Yes Yes Yes	x for ea	ich quo No No No No	estion	n) N/A N/A
1. 2. 3. 4. 5.	ART V: RECORDKEEPING REQUIREMENTS – Rule 62-213.300(3) FAC  Are receipts maintained for all perc purchased? ————————————————————————————————————		Yes Yes Yes Yes Yes	x for ea	ich quo No No No No	estion	n) N/A N/A N/A
1. 2. 3. 4. 5. 6.	ART V: RECORDKEEPING REQUIREMENTS – Rule 62-213.300(3) FAC  Are receipts maintained for all perc purchased? ————————————————————————————————————		Yes Yes Yes Yes Yes Yes Yes	x for ea	ich quo No No No No No No	estion	n) N/A N/A N/A
1. 2. 3. 4. 5. 6. 7.	ART V: RECORDKEEPING REQUIREMENTS – Rule 62-213.300(3) FAC  Are receipts maintained for all perc purchased? ————————————————————————————————————		Yes Yes Yes Yes Yes Yes Yes Yes Yes	x for ea	ich quo	S S S S S S S S S S S S S S S S S S S	n) N/A N/A N/A

PA	ART VI: <u>LEAK DETECTION AND REPAIRS</u> – Rule 62-213.300 FAC		(check 🗹	only one
1.	What type of leak detection equipment is used to detect leaks?	t	ox for each	question)
	☐ Halogenated hydrocarbon detector ☐ PCE gas analyzer ☐ None used			
2.	Is the halogenated hydrocarbon detector or PCE gas analyzer operated according to			
	the manufacturer's instructions (manual was available and RO could demonstrate			
	procedure) ?	Yes	☐ No	
3.	For major sources is the halogenated hydrocarbon detector or PCE gas analyzer			
	operated according to EPA Method 21 ?	Yes	☐ No	N/A
4.	Is the vapor leak inspection conducted by placing the probe inlet at the surface of			
	each component interface where leakage could occur and moving it slowly along			
	the interface periphery?	Yes	☐ No	
5.	Is the PCE gas analyzer a flame ionization detector, photo ionization detector, or			
	infrared analyzer capable of detecting vapor concentrations of PCE of 25 parts per			
	million by volume (based on documented specifications) ?	Yes	☐ No	□ N/A
6.	Is the <u>halogenated hydrocarbon detector</u> capable of detecting vapor concentrations			
	of PCE of 25 parts per million by volume (based on documented specifications) and			
	indicating a concentration of 25 parts per million by volume or greater by emitting			
	an audible or visual signal that varies as the concentration changes? 🖂	Yes	☐ No	□ N/A
7.	Are the following dry cleaning system components inspected weekly for perceptible leaks (sight, sm	nell oi	r touch) whi	e the
	system is in operation (§63.322(k))?			
	(Inspection with a halogenated hydrocarbon detector or PCE gas analyzer also fulfills the requirement for insp	pection	n of perceptib	le leaks)
	b) Door gaskets and seating Yes No N/A h) Stills Y		<ul><li> No</li><li> No</li><li> No</li><li> No</li><li> No</li><li> No</li></ul>	<ul> <li>N/A</li> <li>N/A</li> <li>N/A</li> <li>N/A</li> <li>N/A</li> </ul>
8.	Are the following dry cleaning system components inspected <u>monthly</u> for <u>vapor leaks</u> using a halogon	enate	d hydrocarbo	on detector
	or PCE gas analyzer while the system is in operation? (Any inspection conducted according to this parag	raph s	shall satisfy th	ne
	$requirements\ to\ conduct\ an\ inspection\ for\ perceptible\ leaks\ under\ \S 63.322(k)\ or\ (l))$			
	b) Door gaskets and seating   Yes   No   N/A   N/A   N/A   Stills   Yes   N/A   N/A   Stills   Yes   N/A   N/A	Yes Yes Yes Yes Yes	<ul><li>No</li><li>No</li><li>No</li><li>No</li><li>No</li><li>No</li></ul>	<ul> <li>N/A</li> <li>N/A</li> <li>N/A</li> <li>N/A</li> <li>N/A</li> </ul>

PART VI: LEAK DETECTION AND REPAIRS - Rule 62	2-213.300 FAC (continued)					
9. What evidence suggests that leak checks are performed as required?  ☐ Leak log documentation ☐ RO Assurances ☒ On-site observation ☐ other  Explain other:						
FRANK DELGADO	4/19/2011					
Inspector's Name (Please Print)	Date of Inspection					
	4/2012					
Inspector's Signature	Approximate Date of Next Inspection					

**COMMENTS:** THIS FACILITY STARTED USING THE DRY CLEANING MACHINE FIFTEEN (15) DAYS AGO. THE OWNER JUAN FABREGAT BOUGHT FORTY (40) GALLONS OF PERC ON APRIL 2011. I GAVE HIM THE 2011 CALENDAR AND SHOWED HIM HOW TO FILL IT UP. I DID NOT FIND ANY LEAKS AROUND THE DRY CLEANING MACHINE.