| SHIP | ATAL PROTECTION | Sec. |
|---------|-----------------|-------|
| -domon. | N | Calue |
| FLO | RIDA | - |
| FLO | RIDA | 1 |

CONCRETE BATCHING PLANT



COMPLIANCE INSPECTION CHECKLIST

| AIRS ID#: 0950154 DATE: 01/08/09 ARRIVE: 3:10 PM DEPART: 5:15 PM FACILITY NAME: ACTION READY MIX CONCRETE, INC. | | | | | | |
|--|--|--|--|--|--|--|
| FACILITY LOCATION: 7120 OVERLAND ROAD ORLANDO 32810 | | | | | | |
| OWNER/AUTHORIZED REPRESENTATIVE: PHONE: (407)578-1200 | | | | | | |
| CONTACT NAME: Mario Mariani PHONE: (407)578-1200 | | | | | | |
| ENTITLEMENT PERIOD: 4/25/2004 / 4/25/2009 (effective date) (end date) | | | | | | |
| IN COMPLIANCE MINOR Non-COMPLIANCE SIGNIFICANT Non-COMPLIANCE | | | | | | |
| PART II: TESTING/RECORDKEEPING REQUIREMENTS – Rule 62-296.414, F.A.C. (check ☑ appropriate box(es)) Stack Emissions 1. Were visible emissions tests conducted during this site visit according to EPA Method 9 (Ref.: Chapter 62-297, F.A.C.)? S. Are emissions from silos, weigh hoppers (batchers), and other enclosed storage and conveying equipment controlled to the extent necessary to limit visible emissions to 5 percent opacity? S. During visible emissions tests of the silo dust collector exhaust points was the loading of the silo conducted at a rate that is representative of the normal silo loading rate, or at least at the minimum 25 tons per hour rate, unless such rate is unachievable in practice? Were visible emissions from the weigh hopper (batcher) operation controlled by the silo dust collector? (If answer to this question is "Yes", then continue on to questions 4.a) and 4.b) below. If answer is "No" then skip 4.a) and 4.b) and continue on to question 5.) Are emissions from the weigh noper (batcher) operation during the visible emissions test? Yes □ No b) During the visible emissions test, was the batching rate representative of the normal batching rate and duration? Yes □ No c) If emissions from the weigh hopper (batcher) operation are controlled by a dust collector, which is separate from the silo dust collector, are the visible emissions tests of the weigh hopper (batcher) operation are controlled by a dust collector, which is separate from the silo dust collector, are the visible emissions tests of the weigh hopper (batcher) dust collector conducted while batching at a rate that is representative of the normal batching rate and duration? | | | | | | |

| PART II: <u>TESTING/RECORDKEEPING REQUIREMENTS</u> – Rule 62-296.414, F.A.C. – (continued) | | | | |
|---|--|--|--|--|
| (check 🗹 appropriate box(es) | | | | |
| Compliance Demonstration - (Rule 62-296.401(5)(i), F.A.C.) Is each dust collector exhaust point tested according to the visible emissions limiting standard as part of the annual compliance demonstration? (Rule 62-297.310(7)(a), F.A.C.) | | | | |
| New Facilities – (permitted pursuant to Rule 62-210.300(4), F.A.C., Air General Permits) | | | | |
| 2. Did this facility demonstrate: | | | | |
| a) initial compliance no later than 30 days after beginning operation? | | | | |
| b) annual compliance within 60 days prior to each anniversary of the air general permit notification form submittal date? [Yes] No | | | | |
| Existing Facilities – (permitted pursuant to Rule 62-210.300(4), F.A.C., Air General Permits) 3. In order to demonstrate annual compliance, was an annual visible emissions test conducted 60days prior to the AGP Notification form submission, and within 60 days prior to each anniversary date? Xes Yes No | | | | |
| Test Reports – (Rules 62-213.440, F.A.C. and 62-297.310(8)(b), F.A.C.) 4. Was the required test report filed with the department as soon as practical, but no later than 45 days after the test was completed? ∑Yes No | | | | |

PART III: <u>OPERATING/RECORDKEEPING REQUIREMENTS</u> – Rule 62-210.300(4)(c)2., F.A.C.

| (check M appropriate box(es)) |
|---|
| 1. Is this facility: 1) a stationary ⊠; 2) a relocatable □; or does it have: 3) both, stationary and relocatable □ concrete batching and/or nonmetallic mineral processing plants? (<i>Please check ⊠only one box.</i>) |
| |

| 2. | If this is a stationary concrete batching plant, is there one or more relocatable nonmetallic mineral processis plants using individual air general permits at the same location? (<i>If your answer to this question is YES</i>, <i>then proceed to questions 2.a</i>), <i>thru 2.d</i>),) <i>below</i>.) | ing ☐Yes ☐ No ☐Yes ☐ No ☐Yes ☐ No ☐Yes ☐ No ☐Yes ☐ No |
|----|---|--|
| 3. | Does the owner/operator of the concrete batching plant maintain a log book or books to account for: a) fuel consumption on a monthly basis? b) material processed on a monthly basis? c) the sulfur content of the fuel being burned (Fuel supplier certifications)? | ☐Yes ☐ No ☐Yes ☐ No ☐Yes ☐ No |

PART III: <u>OPERATING/RECORDKEEPING REQUIREMENTS</u> – Rule 62-296.414(2)(a) and (b), F.A.C. (continued)

(check ☑ appropriate box(es))

Unconfined Emissions – (Rule 62-296.320(4)(c), F.A.C.)

- 1. Does the owner /operator of the concrete batching plant take reasonable precautions to control unconfined emissions by:
 - a) management of roads, parking areas, stock piles, and yards, which shall include one or more of the following:

| | 1) | paving and maintenance of roads, parking areas, stock piles, and yards? | 🛛 Yes 🗌 No |
|----|-----|--|------------|
| | 2) | application of water or environmentally safe dust-suppressant chemicals when necessary to control | |
| | | emissions? | 🛛 Yes 🗌 No |
| | 3) | removal of particulate matter from roads and other paved areas under control of the owner/operator | r to |
| | | re-entrainment, and from building or work areas to reduce airborne particulate matter? | 🛛 Yes 🗌 No |
| | 4) | reduction of stock pile height, or installation of wind breaks to mitigate wind entrainment of | |
| | | | 🛛 Yes 🗌 No |
| b) | use | e of spray bar, chute, or partial enclosure to mitigate emissions at the drop point to the truck? | 🛛 Yes 🗌 No |

PART IV: SPECIAL CONDITIONS AND PROCEDURES – Rule 62-210.300(4)(d)4., F.A.C. A. New or Modified Process Equipment 1. Since the last inspection has there been a) installation of any new process equipment?----- b) alterations to existing process equipment without replacement?----- C) replacement of existing equipment substantially different than that noted on the most recent notification form?------ C) If you answered YES to any of the above, did the owner submit a new and complete notification form and appropriate fee (Rule 62-4.050, FAC) to the appropriate DEP or local program office?-----

Norma Ali

Inspector's Name (Please Print)

Date of Inspection

1/8/2010

Inspector's Signature

Approximate Date of Next Inspection

1/8/2009

COMMENTS: The inspector, Norma Ali, met with Greg Gonzalez, consultant, to audit the visible emissions test conducted on 1/8/09. Mario Mariani, owner, was also present during the compliance test. The observed opacity was zero percent from both the cement and fly ash loading. The loading rate for the cement was ~32 tph. The loading rate for the flyash silo was ~ 35.53 tph. Both acceptables rates. Due to slow business, batching did not occur during the afternoon compliance test. The drop point to the trucks is equipped with a spray bar ring to help control duct at the drop point. At the time of inspection, the facility is appeared to be in compliance.