

PERCHLOROETHYLENE DRY CLEANERS



COMPLIANCE INSPECTION CHECKLIST

<u>INSPECTION</u> <u>TYPE</u> :	ANNUAL (INS1, INS2)	COM	PLAINT/DISCOVE	RY (CI)	
	RE-INSPECTION (FUI)	ARM	S COMPLAINT NO	:	
AIRS ID#: 0950297 DATE: <u>2/2/07</u> ARRIVE: <u>10:15 AM</u> DEPART: <u>10:</u>					<u>M</u>
FACILITY NAME: PERFECTION DRY CLEANERS					
FACILITY LOCATION: 1216 N Mills Ave					
	ORLANDO 32803	3			
RESPONSIBLE OFFICIAL: IGNACIO TOTORICA			PHONE: (407)896-70		
CONTACT NAME:			PHONE:		
REMITTANCE YEAR:	2006 ENT	TITLEMENT P	ERIOD: 3/12/2005 (effective date		
	COMPLIANCE STATUS	$\underline{\mathbf{S}}$ (check $\mathbf{\nabla}$ only	y one box)		
☐ IN COMPLIANO	CE MINOR Non-C	OMPLIANCE	SIGNIFICAN	NT Non-COMPLIANCE	
	LASSIFICATION - Rule by one box in A)	62-213.300 FA	С		
transfer only, both types, x (constructed by the second se	ly, x < 140 gal/yr x < 200 gal/yr < 140 gal/yr before 12/9/91) e area source	dry tra bo (cc 4. Ne dry tra	w small area source y-to-dry only, $x < 14$ nsfer only, $x < 200$ g th types, $x < 140$ gallonstructed on or after w large area source y-to-dry only, $140 \le$	0 gal/yr gal/yr /yr : 12/9/91) x ≤ 2,100 gal/yr ≤ 1,800 gal/yr	
(constructed by 5. Ineligible for drop store/out	40 ≤ x ≤ 1,800 gal/yr pefore 12/9/91) • General Permit t of business/petroleum ds above limits		th types, $140 \le x \le 1$ onstructed on or after		
B . The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 84 gallons.					

PA	RT III: GENERAL CONTROL REQUIREMENTS – Rule 62-213.300 FAC	(check ☑ only one box			
Do	es the responsible official of the dry cleaning facility:	for each question)			
1.	Store perc, and wastes containing perc, in tightly sealed & impervious containers?	⊠Yes □No □N/A			
2.	Examine the containers for leakage?	⊠Yes □ No □ N/A			
3.	Close and secure machine doors except during loading/unloading?	⊠ Yes □ No			
	Drain cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?	⊠Yes □ No □ N/A			
5.	Maintain solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?	☐Yes ☐ No ☒ N/A			
	RT IV: PROCESS VENT CONTROLS – Rule 62-213.300 FAC efer to Part II-A.14. Classification: page 1 of 4, this form)				
	1. If the facility classification is a Existing small area source , no controls are requi	ired. Proceed to Part V.			
	2. If the facility classification is a <u>New small area source</u> , the machine should be equipped with a refrigerated condenser. Complete section A. below.				
	3. If the facility classification is a Existing large area source , the machine should be equipped with either a refrigerated condenser or a carbon adsorber. Complete both sections A and B below. Carbon adsorber must have been installed prior to September 22, 1993				
	4. If the facility classification is a <u>New large area source</u> , the machine should be excondenser. Complete both sections A and B below.	quipped with a refrigerated			
A.	Has the responsible official of all <u>existing large</u> <u>area</u> & <u>new sources</u> :	(check ☑ only one box for each question)			
1.	Equipped all machines with the appropriate vent controls?	Yes No			
2.	Equipped dry-to-dry machines with a closed-loop vapor venting system?	- ∐Yes ∐No ⊠N/A			
3.	Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?	- ∐Yes ∏No ⊠N/A			
4.	Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis?	- Yes No			
5.	Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?	- ∐Yes ∐No ⊠N/A			
6.	Conducted all temperature monitoring after an appropriate cool-down period and after verifying that the coolant had been completely charged?	□Yes □No			

PART IV: PROCESS VENT CONTROLS - Rule 62-213.300 FAC (continued)				
В.	Does the responsible official of an existing large or new large area source also:	(check ☑ only one box for each question)		
1.	Measure and record the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	□Yes □No		
2.	Measure and record the washer exhaust temperature at the condenser inlet and outlet weekly?	- ∐Yes □ No ⊠N/A		
	a) Is the temperature differential equal to, or greater than $20^{\rm o}$ F?	☐Yes ☐ No ☒ N/A		
3.	Measure and record the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped exclusively with a carbon adsorber?	∐Yes □ No ⊠ N/A		
	a) Is the perc concentration equal to, or less than 100 ppm?	☐Yes ☐ No ☒ N/A		
4.	Assure that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	∐Yes □ No ⊠ N/A		
5.	Equip transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	- □Yes □ No ⊠ N/A		
6.	Route airflow to the carbon adsorber (if used) at all times?	☐Yes ☐ No ☒ N/A		
PA	ART V: <u>RECORDKEEPING REQUIREMENTS</u> – Rule 62-213.300(3) FAC	(check ☑ only one box for		
Do	es the responsible official:	each question)		
1.	Maintain receipts for perc purchased?	- 🛚 Yes 🔲 No		
2.	Maintain rolling monthly total of yearly perc consumption?	⊠ Yes □ No		
3.	Maintain leak detection inspection and repair reports for the following:			
	a) documentation of leaks repaired w/in 24 hrs? or;	Yes No N/A		
	b) documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?	☐ Yes ☐ No N/A		
4.	Maintain calibration data? (for applicable direct reading instruments)	☐ Yes ☐ No N/A		
5.	Maintain exhaust duct monitoring data on perc concentrations?	☐ Yes ☐ No ☐ N/A		
6.	Maintain a startup/shutdown/malfunction plan?	Yes No		
7.	Maintain deviation reports?	Yes No No N/A		
	a) Problem corrected?	Yes No No N/A		
8.	Maintain a compliance plan, if applicable?	Yes No N/A		

PART VI: <u>LEAK DETECTION AND REPAIRS</u> – Rule 62-213.300 FAC

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak

(check ☑ only one box for each question)

detection and repair inspection?	X Yes No			
2. Does the facility maintain a leak log?	Yes No			
c) Filter gaskets and seating	k cookers Yes No N/A SYes No N/A ust dampers Yes No N/A rter valves Yes No N/A Yes No N/A ridge filter housings Yes No N/A			
4. Which method(s) of detection (is/are) used by the responsible official? a) Visual examination (condensed solvent on exterior surfaces)				
e) Halogen leak detector				
**If using direct-reading instrumentation, is the equipment:				
Norma R. Ali	2/2/07			
Inspector's Name (Please Print)	Date of Inspection			
	2/08			
Inspector's Signature	Approximate Date of Next Inspection			
COMMENTS: Perc Purchases: 2/22/06				