

PERCHLOROETHYLENE DRY CLEANERS



COMPLIANCE INSPECTION CHECKLIST

	OMPLAINT/DISCOVERY (CI) RMS COMPLAINT NO:
AIRS ID#: 1110077 DATE: <u>11/14/2012</u> ARE	DEPART: <u>12:45</u>
FACILITY NAME: CAMELOT DRY CLEANERS	
FACILITY LOCATION: 4907 S US 1	
FT PIERCE 34982	
OWNER/AUTHORIZED REPRESENTATIVE: PANKAJ P. Email: Camelotcleaners@gmail.com CONTACT NAME: PANKAJ PATEL Email: binoypatel2002@hotmail.com ENTITLEMENT PERIOD: / (effective date) (end date)	ATEL PHONE: (772)466-9694 Mobile: PHONE: (772)466-9694 Mobile:
PART I: INSPECTION COMPLIANCE STATUS (check ☑ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE	
PART II: FACILITY CLASSIFICATION (check ✓ only one box in A) - Rule 62-213.30	0 FAC
dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before $12/9/91$)	New small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after $12/9/91$) New large area source dry-to-dry only, $140 \le x \le 2,100$ gal/yr transfer only, $200 \le x \le 1,800$ gal/yr both types, $140 \le x \le 1,800$ gal/yr (constructed on or after $12/9/91$)
B. The sum of the volume of all perchloroethylene (perc) p cleaning facility was 30.00 gallons.	ourchases made in each of the previous 12 months by this dry

PA	ART III: GENERAL CONTROL REQUIREMENTS – Rule 62-213.300 FAC					only o		
1.	Is all perc, and wastes containing perc, in tightly sealed & impervious containers?	\boxtimes	Yes		No		N/A	
2.	Are all perc. containers leak free ?	\boxtimes	Yes		No		N/A	
3.	Are all machine doors kept closed and secured except during loading/unloading?	\boxtimes	Yes		No			
4.	Are cartridge filters d rained in their housing or in sealed containers for at least 24 hours prior to disposal?	\boxtimes	Yes		No		N/A	
5.	Has each dry cleaning system installed after December 21, 2005 at an area source, routed the air-PCE gas-vapor stream contained within each dry cleaning machine through a refrigerated condenser and passed the air-PCE gas-vapor stream from inside the dry cleaning machine drum through a non-vented carbon adsorber or equivalent control device immediately before the door of the dry cleaning machine is opened? The carbon adsorber must be desorbed in accordance with manufacturer's instructions.		Yes		No	\boxtimes	N/A	
6.	Is solvent-to-carbon ratios and steam pressure for carbon adsorber beds							
	maintain according to the manufacturer's specifications?		Yes		No	\boxtimes	N/A	
PA	ART IV: PROCESS VENT CONTROLS - Rule 62-213.300 FAC							
	efer to Part II-A.14. Classification: page <u>1</u> of <u>4</u> , this form)							
	1. If the f acility classification is an existing small area source , no controls are required. P	rocee	ed to P	art V	•			
	2. If the facility classification is a <u>new small area source</u> , the machine should be equipped condenser. Complete section A. below.	with a	a refrig	gerated	l			
3. If the fa cility classification is an existing large area source , the machine should be equipped with either a refrigerated condenser or a carbon adsorber. Complete both sections A and B below. Carbon adsorber must have been installed prior to September 22, 1993								
	4. If the facility classification is a <u>new large area source</u> , the machine should be equipped with a refrigerated condenser. Complete both sections A and B below.							
A.	Has the responsible official of all <u>existing large area & new sources</u> :					only o		
1.	Equipped all machines with the appropriate vent controls?		Yes		No			
2.	For 'condition to the condition of the classification and the condition of		**	_			NT / A	
3	Equipped dry-to-dry machines with a closed-loop vapor venting system?	Ш	Yes	Ш	No	Ш	N/A	
٥.	Equipped dry-to-dry machines with a closed-loop vapor venting system?		Yes		No No		N/A	
	Equipped the condenser with a diverter valve so airflow will be directed away							
4.	Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?		Yes		No		N/A	

PART IV: PROCESS VENT CONTROLS – Rule 62-213.300 FAC (continued)						
B. For all existing large or new large area sources: 1. Is the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines measured and recorded on a weekly basis?		Yes	□ N	О		
2. Is the washer exhaus t temperature at the condenser inlet and outlet measured and recorded weekly?		Yes	□ N	о [1	N/A
a) Is the temperature differential equal to, or greater than 20° F?		Yes	□ N	о [N/A
3. Is the perc concentration in the exhaust stream inlet and outlet measured weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped exclusively with a carbon adsorber?	🗆	Yes	□ N	то [N/A
a) Is the perc concentration equal to, or less than 100 ppm?		Yes	□ N	о [<u> </u>	N/A
4. Is the sampling port on the carbon adsorber exhaust for measuring perc concentrations at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	·	Yes	□ N	o [N/A
5. Are transfer machines equipped (dryers, reclaimers, and washers) with individual condenser coils?		Yes	Пи	о [N/A
condenser coils?		105	_			
6. Is airflow routed to the carbon adsorber (if used) at all times?	_	Yes	_ N	о [1	N/A
	_		_ N	о [N/A
	_		_ N	o [1	N/A
	_	Yes	Check 🗹	on on	nly or	ne
6. Is airflow routed to the carbon adsorber (if used) at all times?		Yes	(check 🗹	on ch que	nly or	ne
6. Is airflow routed to the carbon adsorber (if used) at all times? PART V: RECORDKEEPING REQUIREMENTS – Rule 62-213.300(3) FAC		Yes	(check ☑ ox for eac	on ch que	nly or	ne
6. Is airflow routed to the carbon adsorber (if used) at all times?	\(\)	Yes to be Yes	(check ☑ ox for eac	on ch que	nly or	ne
6. Is airflow routed to the carbon adsorber (if used) at all times? ————————————————————————————————————	\(\)	Yes to be Yes	(check ☑ ox for eac	on ch que o	nly or estion	ne
6. Is airflow routed to the carbon adsorber (if used) at all times?	\(\times \)	Yes bo Yes Yes	(check 🗹 ox for each	on to	aly or estion	ne n)
6. Is airflow routed to the carbon adsorber (if used) at all times?	\(\times \)	Yes Yes Yes Yes	(check 🗸 ox for each N N N	on to	ally or sestion	ne n) N/A
PART V: RECORDKEEPING REQUIREMENTS – Rule 62-213.300(3) FAC 1. Are receipts maintained for all perc purchased? ————————————————————————————————————		Yes Yes Yes Yes	(check 🔽 ox for each N N N N N	on on one of the original of t	lly or settion	ne n) N/A
PART V: RECORDKEEPING REQUIREMENTS – Rule 62-213.300(3) FAC 1. Are receipts maintained for all perc purchased? 2. Are rolling monthly total s of yearly perc consumption maintained? 3. Are leak detection inspection and repair reports maintained for the following: a) Of any leaks repaired w/in 24 hrs? or; b) Of any parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? 4. Is calibration data maintained for applicable direct reading instruments?		Yes Yes Yes Yes Yes Yes Yes	(check 🗹 ox for each N N N N N N N N N N N N N N N N N N N	on the question of the questio	lly or settion	ne n) N/A N/A N/A
PART V: RECORDKEEPING REQUIREMENTS – Rule 62-213.300(3) FAC 1. Are receipts maintained for all perc purchased? ————————————————————————————————————		Yes Yes Yes Yes Yes Yes Yes Yes	(check 🗹 DX for each N N N N N N N N N N N N N N N N N N N	on to	lly or sestion	ne n) N/A N/A N/A
PART V: RECORDKEEPING REQUIREMENTS – Rule 62-213.300(3) FAC 1. Are receipts maintained for all perc purchased? ————————————————————————————————————		Yes Yes Yes Yes Yes Yes Yes Yes Yes	(check 🔽 ox for each ox for e	on ch que	Illy or estion	ne n) N/A N/A N/A

PA	ART VI: <u>LEAK DETECTION AND REPAIRS</u> – Rule 62-213.300 FAC		(check 🗹	only one		
1.	What type of leak detection equipment is used to detect leaks?	bo	ox for each	question)		
	☐ Halogenated hydrocarbon detector ☐ PCE gas analyzer ☐ None used					
2.	Is the halogenated hydrocarbon detector or PCE gas analyzer operated according to					
	the manufacturer's instructions (manual was available and RO could demonstrate					
	procedure) ?	Yes	☐ No			
3.	For major sources is the halogenated hydrocarbon detector or PCE gas analyzer					
	operated according to EPA Method 21 ?	Yes	☐ No	N/A		
4.	Is the vapor leak inspection conducted by placing the probe inlet at the surface of					
	each component interface where leakage could occur and moving it slowly along					
	the interface periphery?	Yes	☐ No			
5.	Is the PCE gas analyzer a flame ionization detector, photo ionization detector, or					
	infrared analyzer capable of detecting vapor concentrations of PCE of 25 parts per					
	million by volume (based on documented specifications) ?	Yes	☐ No	N/A		
6.	Is the <u>halogenated hydrocarbon detector</u> capable of detecting vapor concentrations					
	of PCE of 25 parts per million by volume (based on documented specifications) and					
	indicating a concentration of 25 parts per million by volume or greater by emitting					
	an audible or visual signal that varies as the concentration changes? 🖂	Yes	☐ No	N/A		
7.	Are the following dry cleaning system components inspected weekly for perceptible leaks (sight, sm	nell or	touch) while	le the		
	system is in operation (§63.322(k))?					
	(Inspection with a halogenated hydrocarbon detector or PCE gas analyzer also fulfills the requirement for insp	ection	of perceptib	le leaks)		
	b) Door gaskets and seating Yes No N/A h) Stills Yes No N/A i) Exhaust dampers Yes No N/A j) Diverter valves Yes Yes No N/A j	Yes Yes Yes Yes Yes	□ No□ No□ No□ No□ No	N/AN/AN/AN/AN/AN/A		
8.	Are the following dry cleaning system components inspected monthly for vapor leaks using a haloge	enated	hydrocarbo	on detector		
	or PCE gas analyzer while the system is in operation? (Any inspection conducted according to this parag	raph sh	hall satisfy th	ie		
	requirements to conduct an inspection for perceptible leaks under §63.322(k) or (l))					
	b) Door gaskets and seating Yes No N/A h) Stills Yes No N/A i) Exhaust dampers Yes No N/A j) Diverter valves Yes Yes Yes No N/A j) Diverter valves Yes Ye	Yes Yes Yes Yes	□ No□ No□ No□ No□ No	N/AN/AN/AN/AN/AN/A		

PART VI: LEAK DETECTION AND REPAIRS – Rule	e 62-213.300 FAC (continued)	
 What evidence suggests that leak checks are performed a \[\] Leak log documentation \[\] RO Assurances \[\] Explain other: FDEP dry cleaner calendar \[\] \[
Patricia Tampas	11/14/2012	
Inspector's Name (Please Print)	Date of Inspection	
	11/14/2017	
Inspector's Signature	Approximate Date of Next Inspection	
COMMENTS: PT and ST: walk through inspection and	record review found no violations in this facility	