Facility Name :	Corner Cleaners Daytona Store
Facility Address :	1377 Beville Rd Daytona Beach, FL 32119
Date/Time :	August 15, 2008/12:00pm
Persons present :	Danielle D. Owens - FDEP, Kai Desai - R/O
Responsible Official :	Kai Desai
Phone/Email :	(386) 788-1019

Inspection Question	Rule Reference	Answer	
General Records:			
 Type of facility? (CESQG, SQG, LQG*) 		⊠ CESQG □ SQG	
Generator ID #:		CESQG	
Preparedness & Prevention			
➡ Employee notification system?	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 265.32(a)]		☐ No
Device to summon emergency response agencies?	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 265.32(b)]		☐ No
Portable fire extinguishers and spill control equipment?	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 265.32(c)]		☐ No
Adequate fire suppression equipment?	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 265.32(d)]	⊠ Yes	☐ No
Program to test emergency equipment?	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 265.33]		☐ No
Minimized possibility of spills and releases	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 265.31]		☐ No
Contingency Planning:			
Designated emergency coordinator?	SQG [40 CFR 262.34(d)(4)(i)] LQG [40 CFR 265.55]	R/O	
 Posted names and telephone numbers of emergency coordinators, locations of fire alarms and extinguishers, fire department telephone numbers, and evacuation routes? 	SQG [40 CFR 262.34(d)(4)(ii)] LQG [40 CFR 265.52]	⊠ Yes	□No
Storage of hazardous waste:			
The facility must not be storing quantities of waste in excess of the quantity storage limits. To determine whether the facility is in compliance calculate the total weight of all perc waste in the storage area as follows:	Maximum quantity limits are: CESQG = 2,200 lbs SQG = 13,200 lbs		
For 15-gal containers: # of containers1 x 120 lbs/container = lbs stored		120 lbs	
For 30-gal containers:# of containers x 240 lbs/container = lbs store	d		
Are containers marked with an accumulation start date?	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 262.34(a)(2)]	Yes	⊠ No

inspector initial____ $\frac{9/2/2008}{\text{*If the facility is an LQG then please refer to the Hazardous Waste Section for inspection.}}$

Is the facility in compliance with quantity and time limits for h		
SQG: is waste kept onsite ≤ 180 days?	SQG [40 CFR 262.34(d)]	☐ Yes ☐ No ☒N/A
LQG*: is waste kept onsite ≤ 90 days?	LQG [40 CFR 262.34(a)]	☐ Yes ☐ No ☒N/A
Is there satellite accumulation?	SQG [40 CFR 262.34(c)]	☐ Yes ☐ No ☒N/A
If applicable, are satellite areas at/near the point of	LQG [40 CFR 262.34(c)] SQG [40 CFR 262.34(c)]	
generation?	LQG [40 CFR 262.34(c)]	☐ Yes ☐ No ☒N/A
Are containers labeled with the words "Hazardous	SQG [40 CFR 262.34(d)(4)]	
Waste"?	LQG [40 CFR 262.34(a)(3)]	∑ Yes ☐ No
Are containers in good condition and kept closed?	SQG [40 CFR 262.34(d)(2),(4)] LQG [40 CFR 262.34(a)(1)(i)]	⊠ Yes □ No
Are containers compatible with contents?	SQG [40 CFR 262.34(d)(2)] LQG [40 CFR 262.34(a)(1)(i)]	⊠ Yes □ No
Adequate aisle space and clearly marked exits?	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 265.35]	⊠ Yes □ No
Are weekly inspections conducted and	SQG [40 CFR 262.34(d)(2)] LQG [40 CFR 265.174]	⊠ Yes □ No
documented? [62-730.160(6) F.A.C.]		
Are hazardous waste containers stored on a crack- free surface that will contain leaks or spills?		⊠ Yes □ No
free surface that will contain leaks or spills?Is there adequate secondary containment?		☐ Yes ☐ No
Is entrance by unauthorized people restricted?		Yes No
Does the storage area have appropriate signage?		Yes No
Record keeping		
Are manifests properly completed?	SQG [40 CFR 262 subpart B]	✓ Vaa □ Na
	LQG [40 CFR 262 subpart B]	∑ Yes ☐ No
Are the originals present?	SQG [40 CFR 262 subpart B] LQG [40 CFR 262 subpart B]	⊠ Yes □ No
Exception reports?	SQG [40 CFR 268.44] LQG [40 CFR 268.42]	☐ Yes ☐ No ☒N/A
LDR completed?	SQG [40 CFR 268.7] LQG [40 CFR 268.7]	☐ Yes ☐ No ⊠N/A
Are logs, shipping records, manifests kept at the	CESQG[62-730.030(4) F.A.C.]	✓ Voc. □ No.
facility for at least three years?	SQG [40 CFR 262.44] LQG [40 CFR 262.40]	∑ Yes ☐ No
Does the facility ensure waste disposal to a	CESQG [40 CFR 261.5(g)(3)] SQG [40 CFR 262.12(c)]	⊠ Yes □ No
permitted facility?	LQG [40 CFR 262.12(c)]	
Employee Training		
Are employees trained in HW management?	SQG [40 CFR 262.34(d)(5)(iii)] LQG [40 CFR 265.16(a)&(b)]	⊠ Yes □ No
Is the facility in the dry cleaner solvent clean-up	376.303, F.S.	Yes/9500709
program? If so, what is the Facility ID #?		
7 to differ of their containment of detailed metailed	376.3078(9)(a), F.S.	⊠ Yes □ No
around each machine or item of equipment in which		
dry cleaning solvents are used and around any area in		
which solvents or waste-containing solvents are stored?		
	403.161(1)(d), F.S.	Yes No
solvent outside of a containment structure, on or after		N/A N/A
July 1, 1995, reported by the owner or operator to the		
state through the State Warning Point?		
If a spill occurred, did the owner or operator	403.161(11)(d), F.S.	☐ Yes ☐ No
immediately upon the discovery of such a spill, initiate		⊠N/A
and complete actions to abate the source of the spill?		

9/2/2008 Page 2 of 4
*If the facility is an LQG then please refer to the Hazardous Waste Section for inspection.

AST/UST Questions:

Inspection Question		Answer
		1
Does the facility store petroleum products in a UST or AST?		☐ Yes ☐ No ☑N/A
Separator Water Treatment System Questions:		
Inspection Question		Answer
		1
Is a separator water treatment system employed?		☐ Yes ☐ No ☐N/A
Is the treatment system directly plumbed to the dry		Yes No N/A
cleaning unit? If so, is it within secondary containment?		
Does the system include a filter to reduce the		☐ Yes ☐ No ☐N/A
concentrations of chlorinated solvent(s) in the wastewater		
prior to evaporation or discharge?		
Are records available to demonstrate that the filters have		│ ⊠ Yes □ No □N/A
been changed in accordance with the manufacturer's		
recommendations?		
Are wastewaters that contain soaps, detergents, chlorine,		│ ⊠ Yes ∐ No ∐N/A
rust, etc. excluded from the treatments system in order to		
ensure that the filter is effective to treat the chlorinated solvents?		
Solvents?		
Industrial Wastewater Standards		
Inspection Question:	Rule Reference	Answer
-		Allowei
		Allswei
Does the facility discharge separator water, mop water	62.660 F.A.C.	Allswei
Does the facility discharge separator water, mop water from cleaning the work area, and vacuum return water to a		
from cleaning the work area, and vacuum return water to a sewer, tank, evaporator system provided with a filter to		Yes □ No
from cleaning the work area, and vacuum return water to a sewer, tank, evaporator system provided with a filter to reduce chlorinated solvent concentrations, or container,		
from cleaning the work area, and vacuum return water to a sewer, tank, evaporator system provided with a filter to reduce chlorinated solvent concentrations, or container, and never to septic?	62.660 F.A.C.	
from cleaning the work area, and vacuum return water to a sewer, tank, evaporator system provided with a filter to reduce chlorinated solvent concentrations, or container, and never to septic? Are solvent-based pre-spotters excluded from use on		⊠ Yes □ No
from cleaning the work area, and vacuum return water to a sewer, tank, evaporator system provided with a filter to reduce chlorinated solvent concentrations, or container, and never to septic? Are solvent-based pre-spotters excluded from use on garments that are being laundered in a system that	62.660 F.A.C.	
from cleaning the work area, and vacuum return water to a sewer, tank, evaporator system provided with a filter to reduce chlorinated solvent concentrations, or container, and never to septic? Are solvent-based pre-spotters excluded from use on garments that are being laundered in a system that discharges to septic?	62.660 F.A.C. 62.600 F.A.C.	⊠ Yes □ No
from cleaning the work area, and vacuum return water to a sewer, tank, evaporator system provided with a filter to reduce chlorinated solvent concentrations, or container, and never to septic? Are solvent-based pre-spotters excluded from use on garments that are being laundered in a system that discharges to septic? Does the vacuum vent upward so that condensed solvent-	62.660 F.A.C.	
from cleaning the work area, and vacuum return water to a sewer, tank, evaporator system provided with a filter to reduce chlorinated solvent concentrations, or container, and never to septic? Are solvent-based pre-spotters excluded from use on garments that are being laundered in a system that discharges to septic? Does the vacuum vent upward so that condensed solvent-containing water is returned to the vacuum tank rather	62.660 F.A.C. 62.600 F.A.C.	⊠ Yes □ No
from cleaning the work area, and vacuum return water to a sewer, tank, evaporator system provided with a filter to reduce chlorinated solvent concentrations, or container, and never to septic? Are solvent-based pre-spotters excluded from use on garments that are being laundered in a system that discharges to septic? Does the vacuum vent upward so that condensed solvent-containing water is returned to the vacuum tank rather than discharged onto ground?	62.660 F.A.C. 62.600 F.A.C. 403.087 F.S.	
from cleaning the work area, and vacuum return water to a sewer, tank, evaporator system provided with a filter to reduce chlorinated solvent concentrations, or container, and never to septic? Are solvent-based pre-spotters excluded from use on garments that are being laundered in a system that discharges to septic? Does the vacuum vent upward so that condensed solvent-containing water is returned to the vacuum tank rather than discharged onto ground? Is the boiler configured so that no contact water (separator	62.660 F.A.C. 62.600 F.A.C.	 Yes □ No Yes □ No Yes □ No Yes □ No
from cleaning the work area, and vacuum return water to a sewer, tank, evaporator system provided with a filter to reduce chlorinated solvent concentrations, or container, and never to septic? Are solvent-based pre-spotters excluded from use on garments that are being laundered in a system that discharges to septic? Does the vacuum vent upward so that condensed solvent-containing water is returned to the vacuum tank rather than discharged onto ground? Is the boiler configured so that no contact water (separator water or vacuum return water) is introduced and can be	62.660 F.A.C. 62.600 F.A.C. 403.087 F.S.	
from cleaning the work area, and vacuum return water to a sewer, tank, evaporator system provided with a filter to reduce chlorinated solvent concentrations, or container, and never to septic? Are solvent-based pre-spotters excluded from use on garments that are being laundered in a system that discharges to septic? Does the vacuum vent upward so that condensed solvent-containing water is returned to the vacuum tank rather than discharged onto ground? Is the boiler configured so that no contact water (separator water or vacuum return water) is introduced and can be discharged to the ground during the boiler bleed-off?	62.660 F.A.C. 62.600 F.A.C. 403.087 F.S.	 Yes □ No
from cleaning the work area, and vacuum return water to a sewer, tank, evaporator system provided with a filter to reduce chlorinated solvent concentrations, or container, and never to septic? Are solvent-based pre-spotters excluded from use on garments that are being laundered in a system that discharges to septic? Does the vacuum vent upward so that condensed solvent-containing water is returned to the vacuum tank rather than discharged onto ground? Is the boiler configured so that no contact water (separator water or vacuum return water) is introduced and can be discharged to the ground during the boiler bleed-off? If the facility discharges to surface waters, is it in	62.660 F.A.C. 62.600 F.A.C. 403.087 F.S.	 Yes □ No Yes □ No Yes □ No Yes □ No
from cleaning the work area, and vacuum return water to a sewer, tank, evaporator system provided with a filter to reduce chlorinated solvent concentrations, or container, and never to septic? Are solvent-based pre-spotters excluded from use on garments that are being laundered in a system that discharges to septic? Does the vacuum vent upward so that condensed solvent-containing water is returned to the vacuum tank rather than discharged onto ground? Is the boiler configured so that no contact water (separator water or vacuum return water) is introduced and can be discharged to the ground during the boiler bleed-off? If the facility discharges to surface waters, is it in compliance with NPDES?	62.660 F.A.C. 62.600 F.A.C. 403.087 F.S.	Yes □ No Yes □ No Yes □ No Yes □ No □ Yes □ No □ No/A
from cleaning the work area, and vacuum return water to a sewer, tank, evaporator system provided with a filter to reduce chlorinated solvent concentrations, or container, and never to septic? Are solvent-based pre-spotters excluded from use on garments that are being laundered in a system that discharges to septic? Does the vacuum vent upward so that condensed solvent-containing water is returned to the vacuum tank rather than discharged onto ground? Is the boiler configured so that no contact water (separator water or vacuum return water) is introduced and can be discharged to the ground during the boiler bleed-off? If the facility discharges to surface waters, is it in	62.660 F.A.C. 62.600 F.A.C. 403.087 F.S. 62.620 F.A.C.	 Yes □ No
from cleaning the work area, and vacuum return water to a sewer, tank, evaporator system provided with a filter to reduce chlorinated solvent concentrations, or container, and never to septic? Are solvent-based pre-spotters excluded from use on garments that are being laundered in a system that discharges to septic? Does the vacuum vent upward so that condensed solvent-containing water is returned to the vacuum tank rather than discharged onto ground? Is the boiler configured so that no contact water (separator water or vacuum return water) is introduced and can be discharged to the ground during the boiler bleed-off? If the facility discharges to surface waters, is it in compliance with NPDES? If the facility discharges to the ground, is it in compliance	62.660 F.A.C. 62.600 F.A.C. 403.087 F.S. 62.620 F.A.C.	Yes □ No Yes □ No Yes □ No Yes □ No □ Yes □ No □ No/A

9/2/2008 Page 3 of 4 inspect *If the facility is an LQG then please refer to the Hazardous Waste Section for inspection.

64 E-G

Is the facility on sewer other than POTW?

Yes

No ⊠N/A

Type	Manufacturer	Serial Number	Capacity	Age
	Suprema		35 lbs	
	Suprema		40 lbs	

<u>Other</u>			